





# QUALITY, DESIGN AND UNIQUENESS; THIS IS **FIELDMANN**


The company was formed ten years ago and has grown before our very eyes. We keep up with the times but do not lose our style. This the Czech brand **FIELDMANN**, which celebrates its tenth anniversary this year. The popularity of **FIELDMANN** products grows year by year and our loyal customers are expanding. Thanks to them, we can continuously adjust and supplement our offer and improve the overall range.


After ten years, **FIELDMANN** is no longer only a brand of garden equipment for the maintenance of lawns, trees, shrubs and flower beds. It is also an assistant when cleaning the house and garden, a partner for maintaining and improving your home, and a supplier of equipment for pumping water. For several years, customers have been able to choose from a wide range of garden furniture while the range of grills and car accessories is still expanding.


The link between all our products is excellent quality, reliability, safety and easy operation. **FIELDMANN** brings the latest trends while ensuring maximum comfort when working in the garden, the house and the workshop. And because **FIELDMANN** emphasises reliability, our machines are equipped with quality components and our tools excel in precise processing. The modern design, optimal parameters and good quality of the **FIELDMANN** brand are available at affordable prices.

This jubilee catalogue is greatly expanded, for example, in the car accessories category. Especially in bad weather, dirt can easily get inside a car. To quickly and easily remove it, try our interior and exterior car wash kits. You can find more news in the garden equipment section where there are new mowers with electric starters, and in the category for garden hand tools. You will appreciate the folding hand saw when pruning thick branches, which can be easily folded into a backpack when camping, for example. The electric tools section also features a new spray gun.

For our new products and our current range, you can rely on the **FIELDMANN** brand. We hope that this year you will be pleasantly surprised by the news.















# CONTENTS



# GARDEN

Cordless Range for Workshop and Garden FAST POWER 20 V Series4	-/
Lawn Care	
Electric Rotary Lawnmowers8	
Spindle, Petrol and Cordless Rotary Mowers10-	
Lawn Scarifiers	
String Grass Trimmers and Brush Cutters	21
Tree and Shrub Care	
Chainsaws	
Hedge Trimmers	
Shears For Branches, Garden Tools	
	27
Garden Cleaning and Maintenance	ე 1
Shredders and Chippers	
	JU
WATER Submersible Pumps, Water Pumps	25
Hose Reels, Irrigation Guns	
High-Pressure Washers	
Power Generators	
Tillers	
Accessories	
Oils, Gloves and Folding Shovels	4.3
Garden furniture	
Garden Furniture Sets44-4	15
Wooden Furniture	
Tables, Chairs, Benches, Deckchairs	
Metal Furniture, Rattan Sets	
Umbrellas, Swings, Gazebos	53
Garden Grills	
Gas Grills	55
Charcoal Grills	
Grilling Accessories	58
LIONAE AND MODICLIOD	
HOME AND WORKSHOP	
Hand Tools	
Cordless Tools	
Electrical Tools	
Gola Toolkits	
Screwdriver Set with Bits	
Special Small Tools  Pliers, Painting Supplies and Tool Boxes	
Screwdriver, Wrench and Laser Sets. Meters	
Drills, Bit Sets and Special Accessories	
Vacuum Cleaners	
Multi-Purpose Vacuum Cleaners	77
Ash Vacuum Cleaners	
Ladders	•
Ladders and Steps80-	81
•	<i>-</i> 1
Car accessories Charger Compressors82-	ರನ
Shelves, Winter Accessories, Gauges, Organizers84-6	
Optional Accessories, Spare Parts	



**NEW** 



hand.

#### **Emphasis** on **Easy Battery Ergonomics** Replacement

The new Press the yellow **FAST POWER** lock and pull. series places It couldn't be the emphasis on easier. ergonomics. Fits perfectly in the



#### The Latest Li-lon **Technology**

All our machines have an electronic control unit for efficient use of the battery capacity.



## **LED Indication**

All accumulators in this series have a modern LED signalling for the remaining battery capacity.

Quiet, ecological, economical. No gasoline, no cable, no noise, no fumes. The new **FIELDMANN** cordless series for 2021 is long lasting, easy to operate and has an excellent performance.

The heart of cordless technology is always the Lithium-Ion battery in 2 Ah / 4 Ah versions. It is not necessary to buy a special battery for each machine. You only need one, which you can use in any machine from our FAST POWER 20 V series. With just a click, it can be easily and quickly switched from one machine to another so you can continue working. Just push a button and it goes!

Today's cordless technology has the performance and dynamics of petrol machines! This is guaranteed because, in machines such as garden mowers or brush cutters, the full power of two batteries is used at the same time. For smaller machines such as drills or blowers, only one battery is used.

> We also offer practical work baas in two sizes

FDUA 59010/59021

#### Power as needed









#### 20 V Li-Ion Battery 2 Ah **FDUZ 79040**

- patented battery cell technology for longer life
- LED charge status indicator directly on the battery
- · battery capacity 4,000 mAh
- compatible with all items in the range FAST POWER 20 V

# **FDUZ 79110**

- AC 230 V/50 Hz, DC 20 max 2.4 A
- LED signalling/battery overheating protection
- charging time: 60 min (2x 2 Ah), 120 min (2x 4 Ah)
- compatible with all items in the range FAST POWER 20 V

## **FDUZ 79100**

- AC 230 V/50 Hz, DC 20 max 2.4 A
- LED battery overheating signalling/protection
- charging time: 60 min (2 Ah), 120 min (4 Ah)
- compatible with all items in the range FAST POWER 20 V

#### 20 V Li-Ion Battery 4 Ah **FDUZ 79020**

- patented battery cell technology for longer life
- LED charge status indicator directly on the battery
- battery capacity 2,000 mAh
- compatible with all items in the range FAST POWER 20 V





ONE BATTERY FOR ALL /NEW GENERATION

# CORDLESS **TOOLS 20 V**

## FDUP 70405-0

- no load speed: 0-2800 rpm max. cutting capacity:
- wood: 80 mm soft metal: 10 mm, steel:
- without battery and charger





- no load speed: 0 - 7,500 rpm
- disk diameter: 115 mm
- with side handle and ergonomic handle
- without battery and charger





- no load speed: 0 - 3,000 rpm
- cutting length: 26 mm
- max. cutting capacity: wood: 100 mm soft metal: 20 mm steel: 10 mm
- without battery and charger

#### FDUV 70105-0

- no load speed: 0-360 rpm, 0-1, 300 rpm
- maximum diameter 10 mm
- · max. torque: 35 Nm
- · without battery and charger





The FDUV 70115-A version includes a 2,000 mAh battery, quick charger and practical plastic case.

# battery type

for

equipment for the garden and the workshop

## FDUK 70305-0

- no load motor speed 0-3,700 rpm
- disk diameter: 165 mm
- ergonomic handle
- AC Laser
- without battery and charger





#### 20 V Leaf Blower FZF 70605-0

- no load speed: 0 17,000 rpm
- maximum air speed: 38 m/s
- suction power: 350 CFM
- without battery and charger

## FZN 70205-0

- bar length: 510 mm
- cutting diameter: 16 mm
- no load speed: 0 1300 rpm
- electronic brake
- without battery and charger

#### 20 V String Trimmer FZS 70105-0

- mowing width: 300 mm
- string diameter: 1.6 mm
- no load speed: 0 -7,500 rpm
- telescopic handle
- adjustable trimming head angle

#### 2× 20 V Cordless Brush **Cutter FZS 70705-0**

- max. cutting width 38 cm
- string head 33 cm
- string diameter: 2.0 mm
- 3-pointed metal disc: 23 cm
- shoulder harness
- soft grip handlebars



Garden













#### Central Cutting Height Adjustment

The cutting height adjustment can be set for all the wheels together by moving just one lever.

#### Completely Empty Catcher

The integrated mouth of the catcher exactly fits the discharge tunnel. Once the catcher is empty, the grass residue stays in the mouth and not under the lawnmower.

#### Grass Catchers With Fill Indicators

Plastic grass catchers on selected models are fitted with fill indicators that indicate when the grass catcher is full.

#### Adjustment of Handle Height

The height of the handle can be easily adjusted to suit everybody. FIELDMANN electric lawnmowers have become popular among cottagers, gardeners and owners of smaller gardens, often in densely built-up areas, due to their compact dimensions, easy handling and good performance. Just plug it in and mow. FIELDMANN electric lawn mowers provides quality mowing, including the edges of the lawn, where the specially shaped chassis enables cutting up to walls and along fences.

The quiet operation means that you will not disturb your neighbours. The engine does not burn any fuel, so the operation is environmentally friendly. The machine can be stored almost anywhere, requiring almost no maintenance or service. However, an electricity socket must be within range and you must not cut the cable when working.

Small electric mowers without a wheel drive with a plastic chassis excel in their lightness so are ideal for more fragmented land, where the mower requires more handling to mow flower beds, trees and shrubs. The advantage is the smaller width, which makes detailed work easier.

Larger electric models have a higher performance and lower weight than petrol models. These are often used on medium-sized, less rugged areas. Compared to small models, they have a wider width, a more powerful engine and a larger grass catcher. They are faster when working on large flat surfaces. The switch running the whole width of the handle increases comfort during long work by enabling more convenient starting and guiding the machine with both hands.

Model	Engine Input Power	Mowing Width	Chassis Material	Adjustable Cutting Height	Cutting Height	Grass Catcher Capacity	Folding Handle	Adjustment of Handle Height	Weight	Recommended Area
FZR 2015-E	1,000 W	32 cm	plastic	3 positions	20 - 56 cm	30 I	YES	YES	7.2 kg	250 m²
FZR 2021-E	1,200 W	32 cm	plastic	3 positions	20 – 56 mm	30 I	YES	NO	7.5 kg	450 m²
FZR 2025-E	1,300 W	32 cm	plastic	3 positions	20 – 56 mm	30 I	YES	YES	7.5 kg	600 m²
FZR 2028-E	1,300 W	33 cm	plastic	3 positions	20 – 60 mm	30 I	YES	YES	8.2 kg	600 m²
FZR 2035-E	1,600 W	38 cm	plastic	5 positions	20 – 70 mm	45	YES	NO	14.2 kg	800 m²
FZR 2046-E	2,000 W	43 cm	plastic	6 positions	20 – 70 mm	50 I	YES	YES	15.4 kg	1,000 m <sup>2</sup>





# Electric Lawnmower FZR 2015-E

- motor input power: 1,000 W
- mowing width: 32 cm
- 30 I plastic catcher with fill indicator
- cutting height: 20-56 mm
- 3 height adjustment positions
- recommended mowing area of 250 m<sup>2</sup>

folding handle with height adjustment carrying handle in the centre of gravity of



# Electric Lawnmower FZR 2021-E

- engine input power: 1,200 W
- mowing width: 32 cm
- plastic catcher with a volume of 30 I with a fill indicator
- cutting height: 20-56 mm
- 3 height adjustment positions
- recommended cutting area 450 m²

folding handle for easy storage carrying handle in the centre of gravity of the lawnmower



# Electric Lawnmower FZR 2025-E

- engine input power: 1,300 W
- mowing width: 32 cm
- plastic catcher with a volume of 30 I with a fill indicator
- cutting height: 20-56 mm
- 3 height adjustment positions
- recommended cutting area 600 m<sup>2</sup>

height adjustable handle easy tilting with fast-clamping bolts



#### FZR 2028-E

- engine input power: 1,300 W
- mowing width: 33 cm
- divided grass catcher (plastic/textile) with 30 I capacity
- cutting height: 20-60 mm
- 3 height adjustment positions
- recommended cutting area 600 m<sup>2</sup>

height adjustable handle

carrying handle in the centre of gravity of the lawnmower



#### FZR 2035-E

- engine input power: 1,600 W
- mowing width: 38 cm
- divided grass catcher (plastic/textile) with 45 I capacity
- cutting height: 20-70 mm
- 5 height adjustment positions
- recommended cutting area 800 m²

folding handle for easy storage central cutting height adjustment




#### FZR 2046-E

- engine input power: 2,000 W
- mowing width: 43 cm
- divided grass catcher (plastic/textile) with 50 I capacity
- cutting height: 20-70 mm
- 6 height adjustment positions
- recommended cutting area 1,000 m<sup>2</sup>

height adjustable handle that can be completely folded

central cutting height adjustment





## Briggs & Stratton Engines

You can find engines from the American company Briggs & Stratton in selected Fieldmann grass mowers.
These include cutting-edge models from the E-Series and engines with valve distribution



#### 4-Speed Drive

Selected models allow for adjusting the speed. Choose from 4 speeds. Adjusting the speed does not have any effect on the blade speed.



#### Handle Setup

Most lawnmower models have a height-adjustable handle that makes operating the lawnmower comfortable for all the family.



#### **Electric Start**

Comfortable starting via an electric starter. Just press. With a petrol drive, no electricity is needed, so you can easily work in the farthest corners of the garden when mowing. The petrol mower works on large areas, thicker and long grass and uneven surfaces. Not being limited by a power cord or the availability of an electricity socket means it is a bit more difficult to maintain.

Smaller petrol machines are suitable for gardens with a mix of large and cultivated areas. Lawn mowers with a non-driven plastic chassis are affordable and lighter, so they are better handled in the case of obstacles in the lawn area, for example, between the flower beds. For durability, larger FIELDMANN petrol mowers have a steel chassis. The drive means that you do not have to struggle to push the machine; it moves by itself so even a heavy weight does not matter: This makes mowing grass on uneven and sloping terrains easy. With the top models, the travel speed can be continuously adjusted as needed.

If you are worried about starting problems, choose a mower with a starter, where starting it is as easy as starting a car. The 4 in 1 system means you can choose of how to handle the cut grass: In addition to collecting grass and mulching, this function lets you rake the grass behind the mower or throw it to the side. Softened handles for FIELDMANN petrol mowers dampen vibrations. The machines have larger wheels and easily overcome uneven terrains; moreover, the wheels are mounted on ball bearings, which extend the service life and improve the turning of the wheels.





# SPINDLE AND CORDLESS LAWNMOWERS

# Spindle mowers do not mow the grass, but cut it, which is a gentler way of maintaining the lawn.

The cutting device in the form of a rotating cylindrical spindle consists of five helically wound blades placed at precise intervals and angles. As the spindle rotates, the grass gets between two blades, which move against each other and cut with the blade-like scissors. The ends of the cut grass are not frayed as in conventional mowing and do not dry out.



#### Spindle Mower

## FZR 1010

- is also suitable for smaller lawns without a nearby power supply
- mowing width: 40 cm
- adjustable cutting height – 14--47 mm
- textile grass catcher with 23 I capacity
- folding handle for easy storage
- recommended cutting area 150 m<sup>2</sup>



#### Spindle Mower

#### **FZR 1050**

- mowing width: 38 cm
- 5 blades
- cutting height:
   13-38 mm
- 4 cutting height adjustment positions
- textile grass catcher with 45 I capacity
- folding handle
- possibility of use without electric current as a hand-held spindle mower



- cutting height: 32-68 mm 30 l plastic grass catcher
- with fill indicator height-adjustable handle
- recommended mowing area up to 350 m<sup>2</sup>
- battery and charger included

# PETROL **LAWNMOWERS**



## Petrol Lawnmower

#### FZR 4003-79BH

- engine OHV 79 cm³
- mowing width: 40 cm, plastic chassis
- cutting height adjustment 3 positions 25, 40 and 55 mm
- 40 I textile catcher for reducing dust penetration
- folding handle for easy storage
- weight: 19 kg
- recommended mowing area of 650 m<sup>2</sup>





## Petrol Lawnmower

#### FZR 4005-127BH

- engine OHV RATO RV 125-S
- engine output: 1.8 kW
- mowing width: 40 cm, plastic chassis
- cutting height adjustment 3 positions
- cutting height: 25/45/65 mm
- grass catcher 40 I
- folding handle
- weight: 19 kg
- recommended mowing area 750 m<sup>2</sup>





#### **Petrol Lawnmower**

## FZR 4008-79 B

- engine OHV 79 cm<sup>3</sup>
- mowing width: 40 cm, steel chassis
- central cutting height adjustment
- 7 positions
- 45 I textile catcher for reducing dust penetration
- ball-bearing wheels
- folding handle for easy storage
- weight: 25.5 kg
- recommended mowing area of 800 m²







#### FZR 4210-B

- engine Rato OHV, 127 cm³, 1.9 kw
- mower chassis: steel
- mowing width: 42 cm
- 3 in 1 mowing system collection, rear ejection, mulching
- central cutting height adjustment - 6 positions
- cutting height: 25-75 mm
- grass catcher 45 l
- ball-bearing wheels
- front wheels 150 mm, rear wheels 200 mm
- weight: 21.7 kg
- recommended cutting area 900 m<sup>2</sup>

folding handle with soft grip

# Petrol Lawnmower FZR 4608-B

- OHV 139 cm³ four-stroke engine
- engine output: 2.2 kW
- with self-moving mechanism
- steel chassis with 46 cm mowing width
- grass catcher with a 55 I capacity
- cutting height: 25-75 mm
- · central cutting height adjustment
- recommended cutting area 1,000 m<sup>2</sup>

folding handle with soft grip mulching option - plug included

#### FZR 4611-144 B

- OHV RATO SV 145-S four-stroke engine
- engine output: 2.5 kW
- with self-moving mechanism
- quality steel chassis with 46 cm mowing
- divided grass catcher (plastic/textile) with 65 I capacity and fill indicator
- cutting height: 25-70 mm
- central cutting height adjustment
- $\bullet$  recommended cutting area 1,000  $\mathrm{m}^2$

folding handle with soft grip, panel for drink and tools

mulching option - plug included







NEW

#### Petrol Lawnmower

## FZR 4614-144 B

- OHV RATO SV 145-S, 2.5 kW
- mower chassis: steel
- mowing width: 46 cm
- 4 in 1 mowing system collection, rear and side ejection, mulching
- central cutting height adjustment
  8 positions
- cutting height: 30 -80 mm
- grass catcher 60 l
- adjustable handle
- ball-bearing wheels
- weight: 33 kg
- recommended cutting area 1,000 m<sup>2</sup>

#### Petrol Lawnmower

#### FZR 4616-144 B

- OHV RATO SV 145-S four-stroke engine
- engine output: 2.5 kW
- with self-moving mechanism
- quality steel chassis with 46 cm mowing width
- divided grass catcher (plastic/textile) with 60 I capacity and fill indicator
- cutting height: 30-80 mm
- central cutting height adjustment
- recommended cutting area 1,000 m<sup>2</sup>

height adjustable handle with soft grip, panel for drink and tools

4 in 1 system – collection into the catcher, mulching, rear and side throwing

#### Petrol Lawnmower

#### FZR 4615-LiBES

- four-stroke engine OHV DUCAR 150 cm³
- engine output: 2.7 kW
- electric starter Li-Ion battery, manual starting
- mowing width: 46 cm, steel chassis
- central cutting height adjustment
- 7 positions
- cutting height: 25-75 mm
- 55 I divided grass catcher (plastic/textile)
- ball-bearing wheels
- recommended mowing area of 1200 m<sup>2</sup>

height-adjustable handle with softened handles, drink panel and tools 4in1 system - collection in the basket, mulching, rear and side ejection















#### Petrol Lawnmower

#### FZR 4618-144 BV

- OHV RATO SV 145-S four-stroke engine
- engine output: 2.5 kW
- variable speed of travel 4 speeds
- quality steel chassis with 46 cm mowing width
- grass catcher with 65 I capacity and fill indicator
- cutting height: 25-70 mm
- central cutting height adjustment
- ullet recommended cutting area 1,200  $\mathrm{m}^2$

height adjustable handle with soft grip, panel for drink and tools

4 in 1 system – collection into the catcher, mulching, rear and side throwing

#### Petrol Lawnmower

## FZR 4625-BV

- engine Briggs & Stratton 500 E OHV
- engine output: 1.94 kW
- variable speed of travel 4 speeds
- quality steel chassis with 46 cm mowing width
- grass catcher with 65 I capacity and fill indicator
- cutting height: 25-70 mm
- central cutting height adjustment
- $\bullet$  recommended cutting area 1,400 m<sup>2</sup>

height adjustable handle with soft grip, panel for drink and tools

4 in 1 system – collection into the catcher, mulching, rear and side throwing

## Petrol Lawnmower

## FZR 5114-170 B/BV

- OHV RATO SV 170-S four-stroke engine
- engine output: 2.8 kW
- with self-moving mechanism
- with four-speed variator
- quality steel chassis with 51 cm mowing width
- grass catcher with 62 I capacity and fill indicator
- cutting height: 25-80 mm
- central cutting height adjustment
- recommended cutting area 1,800 m²

height adjustable handle with soft grip, panel for drink and tools

4 in 1 system - collection into the catcher, mulching, rear and side throwing



Model	Engine	Engine Output	4in1 System	Mowing Width	Chassis Material	Adjustable Cutting Height	Cutting Height Adjustment Levels	Grass Catcher Capacity	Folding Handle	Adjustment of Handle Height	Weight	Recommended Area
FZR 4003-79BH	OHV 79 cm³	1.3 kW	NO	40 cm	PLASTIC	YES	3 positions	40 I	YES	NO	17.5 kg	650 m²
FZR 4005-127BH	OHV 127 cm <sup>3</sup>	1.8 kw	NO	40 cm	PLASTIC	YES	3 positions	40 I	YES	NO	19.0 kg	750 m²
FZR 4008-79 B	OHV 79 cm³	1.3 kW	NO	40 cm	STEEL	YES	7 positions	45	YES	NO	23.0 kg	800 m²
FZR 4210-B	OHV 127 cm <sup>3</sup>	1.9 kW	NO	42 cm	STEEL	YES	6 positions	45 I	YES	NO	21.7 kg	900 m²
FZR 4608-B	OHV 139 cm <sup>3</sup>	2.2 kW	NO	46 cm	STEEL	YES	8 positions	55 I	YES	NO	32.0 kg	1,000 m <sup>2</sup>
FZR 4611-144 B	OHV 144 cm³	2.5 kW	NO	46 cm	STEEL	YES	8 positions	65 I	YES	NO	28.0 kg	1,000 m <sup>2</sup>
FZR 4614-144 B	OHV 144 cm <sup>3</sup>	2.5 kW	YES	46 cm	STEEL	YES	5 positions	55 I	YES	YES	32.0 kg	1,000 m <sup>2</sup>
FZR 4616-144 B	OHV 144 cm³	2.5 kW	YES	46 cm	STEEL	YES	8 positions	60 I	YES	YES	29.0 kg	1,000 m <sup>2</sup>
FZR 4615-LiBES	OHV 150 cm <sup>3</sup>	2.7 kW	YES	46 cm	STEEL	YES	7 positions	55 I	YES	YES	32.5 kg	1,200 m <sup>2</sup>
FZR 4618-144 BV	OHV 144 cm³	2.5 kW	YES	46 cm	STEEL	YES	8 positions	65 I	YES	YES	31.7 kg	1,200 m <sup>2</sup>
FZR 4625-BV	B & S 140 cm <sup>3</sup>	1.94 kW	YES	46 cm	STEEL	YES	8 positions	65 I	YES	YES	27.0 kg	1,400 m <sup>2</sup>
FZR 5114-170 B	OHV 170 cm <sup>3</sup>	2.8 kW	YES	51 cm	STEEL	YES	8 positions	62 I	YES	YES	36.5 kg	1,800 m <sup>2</sup>
FZR 5115-170 B	OHV 170 cm <sup>3</sup>	2.8 kW	YES	51 cm	STEEL	YES	8 positions	65 I	YES	YES	36.5 kg	1,800 m <sup>2</sup>
FZR 5124-BV	B & S 161 cm <sup>3</sup>	2.68 kW	YES	51 cm	STEEL	YES	8 positions	62 I	YES	YES	38.0 kg	1,800 m <sup>2</sup>
FZR 5611-B	OHV 196 cm <sup>3</sup>	3.5 kW	YES	56 cm	STEEL	YES	6 positions	75 I	YES	YES	33.9 kg	2,000 m <sup>2</sup>



#### **Petrol Lawnmower**

## FZR 5115-170 B

- OHV RATO SV 170-S four-stroke engine
- engine output: 2.8 kW
- with self-moving mechanism
- quality steel chassis with 51 cm mowing width
- grass catcher with 65 I capacity
- cutting height: 25-77 mm
- central cutting height adjustment
- recommended cutting area 1,800 m²

height adjustable handle with soft grip, panel for drink and tools

4 in 1 system - collection into the catcher, mulching, rear and side throwing

#### Petrol Lawnmower

#### **FZR 5124-BV**

- engine Briggs & Stratton 750 DOV
- engine output: 2.68 kW
- variable speed of travel 4 speeds
- regulation of engine revolutions
- quality steel chassis with 51 cm mowing width
- grass catcher with 62 I capacity and fill indicator
- cutting height: 25-80 mm
- central cutting height adjustment
- $\bullet$  recommended cutting area 1,800 m<sup>2</sup>

height adjustable handle with soft grip, panel for drink

4 in 1 system – collection into the catcher, mulching, rear and side throwing

#### Petrol Lawnmower

## FZR 5611-B

- four-stroke engine OHV 200 cm³
- engine output: 3.5 kW
- mowing width: 56 cm, steel chassis
- 4 in 1 mowing system collection, side and rear ejection, mulching
- central cutting height adjustment
- 6 positions
- cutting height: 25-75 mm
- divided basket 75 I
- softened vibration damping handle cover
- panel with compartment for small items
- front handle for easy handling when cleaning
- ball-bearing wheels
- weight: 33.9 kg
- recommended mowing area of 2000 m<sup>2</sup>







## **Blade** Cylinder

By maintaining the proper scarifying depth, the blades gently break the surface and support the growth of the oot system.



#### **Spring Roller**

The springs effectively remove grass felt formed from grass clipping residue and mulching. Removing grass felt allows the air to penetrate the lawn and prevents the spread of weeds and moss.



#### Powerful **Petrol Engines**

We now supply a scarifier with a petrol engine.



#### Adjusting the Scarifying Depth

Blades are subject to wear and their position can be adjusted to always ensure the optimal depth of scarifying, i.e. 2 - 3 mm.

Regular removal of grass felt or old grass regenerates the lawn and helps the fight against diseases and fungi. Nutrients, water, air and light penetrate better to the roots of the lawn. **FIELDMANN** electric scarifiers are equipped with a pair of cylinders as standard.

ELECTRIC

The grass felt is removed by the aeration roller, while the second scarifying roller cuts through the horizontal grass branches with knives. This supports the growth of the root system and the formation of new shoots. The lawn grows and regenerates. Replacing the rollers on FIELDMANN scarifiers is quick and easy.

We recommend aerating the lawn twice a year - in spring and autumn, and more often for more stressed areas. We always choose a specific date with regard to the climatic conditions. It would be a mistake to scarify waterlogged or frozen surfaces. Scarification is done only to a maximum depth of 3 mm, as it is not soil treatment. The aim is to prune the above-ground turf. A knife blade deeper than 3 mm can damage the grass roots. For **FIELDMANN** scarifiers, the working depth can be set depending on the wear on the knives or the springs, usually centrally with one lever.

W MAN



Model	Input / Output	Mowing Width	Grass Catcher Capacity	Number of Blades	Number of Springs	Adjustment of Handle Height	Weight	Recommended Area
FZV 2004-E	1,500 W	32 cm	40 I	20	16	NO	8.5 kg	800 m <sup>2</sup>
FZV 4003-E	1,600 W	38 cm	48 I	20	24	YES	11.5 kg	1,000 m <sup>2</sup>
FZV 4010-E	1,800 W	40 cm	55	20	24	YES	12.8 kg	1,200 m <sup>2</sup>
FZV 6050-B	208 cm³ / 4.3 kW	40 cm	45	18	-	NO	34 kg	2000 m²







#### Adjusting the Trimmer Head Angle

The angle of the string trimmer head can be adjusted, which helps to upkeep difficult to reach areas.



#### String Head

A string can be inserted to the maximum possible length by simply tapping the string head on a surface.



#### **Divided Shaft**

The trimmer shaft can be separated by loosening a simple mechanism. A dismantled machine is much easier to transport and store.



#### Guide Against Unwanted Planting

The guide defines the action radius of the string and prevents unwanted cutting of ornamental plants in flower beds. For a detailed cut of grass around a curb, on a steep slope or in an inaccessible place under a bush, where it is needed to stretch, then it is recommended to buy a string trimmer. Preferably one that adds a few centimetres, such as a string FIELDMANN trimmer with telescopic handle.

To improve accessibility, then the position of the upper handle and, for selected models, the angle of the cutting head can be adjusted.

FIELDMANN string mowers are light and quiet, ideal for finishing work and smaller areas. Cordless models add to all the benefits of string trimmers the freedom to work without worrying about the length of the extension cord and the availability of an electrical socket. For larger areas, models with support wheels are suitable, which ensure comfort during longer work.

Cultivating an overgrown "jungle" into a handsome part of the garden requires strength and technique, first and foremost a powerful brush cutter. It is suitable for mowing hard overgrown grass as well as larger weedy areas. When mowing, you will appreciate the semi-automatic string head, which adjusts the length of the strings with just a tap on the ground. Models from **FIELDMANN** with a steel knife as standard can handle shrubs and twigs. FIELDMANN two-stroke brush cutter motors have a high performance and are also lightweight. Brush cutters with a double front handle resembling a bicycle handlebar are held with both hands, which enables more efficient and comfortable work including large areas.













#### **NEW**

# Cordless String Trimmer FZS 1025-A

- Li-lon battery 18 V/1500 mAh
- running time approximately 35 minutes, string 1.4 mm
- cutting width 250 mm, semi-automatic string head
- telescopic handle, adjustable cutting head angle and spacer arch
- · battery and charger included
- weight: only 1.9 kg

# Electric String Trimmer FZS 2105-E

- input power of engine: 250 W
- mowing width: 22 cm
- semi-automatic string head
- weight: 1.3 kg

#### Optional accessories:

• replacement string 60 m/1.0 mm

#### FZS 2306-E

- input power of engine: 350 W
- mowing width: 25 cm
- adjustable handle
- weight: 1.7 kg

#### Optional accessories:

• replacement string 60 m/1.4 mm



Model	Motor Type	Power Input	Mowing Width	String Diameter	Head Angle Adjustment	Telescopic Handle	Support Wheels	Protective Guide	Weight
FZS 1025-A	cordless electric engine	18 V / 1,500 mAh	25 cm	1.4 mm	YES	YES	NO	YES	1.9 kg
FZS 2105-E	electric motor	250 W	22 cm	1.0 mm	NO	NO	NO	NO	1.3 kg
FZS 2306-E	electric motor	350 W	25 cm	1.4 mm	NO	YES	NO	NO	1.7 kg
FZS 2002-E	electric motor	500 W	30 cm	1.4 mm	YES	YES	YES	YES	2.4 kg
FZS 2505-E	electric motor	550 W	30 cm	1.4 mm	YES	YES	NO	YES	2.3 kg
FZS 2050-E	electric motor	1,400 W	42 cm	1.6 mm	NO	NO	NO	NO	6.0 kg



60 m/1.4 mm





## FZS 3003-B

- two-stroke engine with a capacity of 25.4 cm<sup>3</sup> with 0.7 kW output
- mowing width: 42 cm
- TWIST & GO semi-automatic string head - easy addition of a new string
- steel trident for cutting durable plants - included in the package
- double handle with ergonomic grips
- weight: 6.6 kg

#### Optional accessories:

- replacement string 2.4 mm/15 m
- replacement string 2.4 mm/60 m
- steel trident
- classic semi-automatic string head
- · work gloves

#### **Petrol Trimmer** FZS 3020-B

- light and easy to use trimmer
- two-stroke engine with a capacity of 32.5 cm³ with the output 1.15 kW
- mowing width: 42 cm
- TWIST & GO semi-automatic string head - easy addition of a new string
- steel blade for cutting durable plants
- adjustable double handle and harness
- · weight: 6.6 kg

#### Optional accessories:

- replacement string 2.4 mm/15 m
- replacement string 2.4 mm/60 m
- steel trident
- classic semi-automatic string head
- work gloves

# FZS 4004-B

- powerful trimmer designed for challenging conditions
- suitable for eliminating selfseeding woods
- two-stroke engine with a capacity of 43 cm³ with the output 1.4 kW
- double handle with ergonomic grips
- TWIST & GO semi-automatic string head - easy addition of a new string and steel trident included in the package
- · large-capacity fuel tank for uninterrupted working
- weight: 7.2 kg

#### Optional accessories:

- replacement string 2.4 mm/15 m
- replacement string 2.4 mm/60 m
- steel trident
- classic semi-automatic string head
- · work gloves

## Petrol Trimmer

#### FZS 5003-B


- powerful trimmer designed for challenging conditions
- suitable for eliminating selfseeding woods
- powerful two-stroke engine with a capacity of 52 cm<sup>3</sup> with an output of 1.6 kW
- double handle with ergonomic grips
- TWIST & GO semi-automatic string head - easy addition of a new string and steel trident
- large-capacity fuel tank for uninterrupted working
- weight: 7.0 kg

#### Optional accessories:

- replacement string 2.4 mm/15 m
- replacement string 2.4 mm/60 m
- steel trident
- classic semi-automatic string head
- · work gloves

Model	Motor Type	Engine Displacement	Engine Output	Mowing Width	String Head	String Diameter	Steel Trident	Double Handle	Weight
FZS 3003-B	2 stroke	25.4 cm <sup>3</sup>	0.70 kW	42 cm	TWIST & GO	2.4 mm	YES	YES	6.6 kg
FZS 3020-B	2 stroke	32.5 cm <sup>3</sup>	1.15 kW	42 cm	TWIST & GO	2.4 mm	YES	YES	6.6 kg
FZS 4004-B	2 stroke	43 cm³	1.40 kW	42 cm	TWIST & GO	2.4 mm	YES	YES	7.2 kg
FZS 5003-B	2 stroke	52.0 cm <sup>3</sup>	1.60 kW	42 cm	TWIST & GO	2.4 mm	YES	YES	7.0 kg







Safety Brake

#### Adjusting Chain Tension

All **FIELDMANN** chainsaws Selected come standard **FIELDMANN** equipped with electric saws safety elements are fitted with such as an a system for anti-skid grip, handling the safety brake and chainsaw and clutch. bar without using tools.



## Accessories Petrol and

electric
chainsaws can
be combined
with various bars
of various lengths.
The same goes
for chains.



#### C.D.I. Combustion System

This system
makes starting
a cold chainsaw
much easier.
The benefits
of this system
are particularly
appreciated in
winter.



MOL Dynamic oils are recommended for lubricating the chains on saws and preparing fuel mixtures.

Chainsaws are valuable assistants when working in the garden, around the house or in the workshop. Their performance is appreciated by anyone who is about to start a more thorough pruning or felling of smaller trees in the garden or a forest or need to prepare firewood for the winter. **FIELDMANN** electric saws have the advantage of a lower weight: even, quieter operation and no emissions.

They are used for normal pruning in the garden and the preparation of wood for heating although an electricity socket is required. The reward for choosing an electric saw is less demanding maintenance.

A stronger petrol model with a higher output for more frequent work with wood or occasional felling of trees in the garden and the woods, without the restriction of an electric cable. Petrol chainsaws require more demanding maintenance and servicing, as does the mixing of fuel and following the correct procedure when starting.

Of course, with **FIELDMANN** saws the safety elements are integrated, such as a chain brake for immediately stopping the chain, anti-slip treatment on the upper handle and a fixed tooth support, which acts as a stabilizer. If encountering hard points, such as knots, the teeth will get stuck in the wood and will not allow the saw to bounce up. This significantly increases work safety. Electric saws are also fitted with a safety clutch that immediately stops the chain when the switch is released.



Model	Engine Output/Power	Power Input	Bar Length	Safety Brake	Safety Clutch	Automatic Chain Lubrication	Chain Lubrication Control	Weight
FZP 4216-B	45 cm³/1.6 kW	-	40 cm	YES	NO	YES	YES	5.5 kg
FZP 5016-B	50.4 cm <sup>3</sup> /1.7 kW	-	40 cm	YES	NO	YES	YES	5.75 kg
FZP 5816-B	58 cm³/2.4 kW	-	40 cm	YES	NO	YES	YES	6.0 kg
FZP 2000-E	-	1,800 W	35 cm	YES	YES	YES	NO	5.0 kg
FZP 2005-E	-	2,000 W	40 cm	YES	NO	YES	NO	5.5 kg
FZP 2020-E	-	2,400 W	40 cm	YES	YES	YES	NO	5.5 kg







#### **Petrol Chainsaw**

#### FZP 4216-B

- two-stroke engine with a displacement of 45 cm<sup>3</sup>
- Fieldmann bar with a length of 40 cm
- · chain safety brake
- · C.D.I. start system
- calibrated container for proper mixing of the fuel mixture
- weight: 5.5 kg

#### Optional accessories:

- Fieldmann: 40 cm bar and chain
- Oregon: 40 cm bar and chain
- total loss lubricant
- two-stroke engine oil
- work gloves

#### **Petrol Chainsaw** FZP 5216-B

#### • two-stroke engine with a displacement of 52 cm<sup>3</sup>

- bar with a length of 40 cm
- Fieldmann
- · chain safety brake
- C.D.I. start system
- · calibrated container for proper mixing of the fuel mixture
- weight: 5.2 kg

#### Optional accessories:

- Fieldmann: bar 35, 40 cm and chain
- Oregon: bar 35 and 40 cm and chain
- total loss lubricant
- two-stroke engine oil
- work gloves

### **NEW**

#### **Petrol Chainsaw**

#### FZP 5816-B

- two-stroke engine with a displacement of 58 cm<sup>3</sup>
- bar with a length of 40 cm
- Fieldmann
- chain safety brake
- C.D.I. start system
- calibrated container for proper mixing of the fuel mixture
- weight: 6.0 kg

#### Optional accessories:

- Fieldmann: 40 cm bar and chain
- Oregon: 40 cm bar and chain
- total loss lubricant
- two-stroke engine oil
- work gloves



#### Electric Chainsaw

#### FZP 2101-E

- input power of engine: 1,800 W
- Fieldmann bar with a length of 35 cm
- chain safety brake
- chain rest for increased safety
- oil indicator
- automatic oil pump
- weight: 5.0 kg with bar and chain

#### Optional accessories:

- spare bar 35 cm
- spare chain
- total loss lubricant
- work gloves



#### FZP 2005-E

- input power of engine: 2,000 W
- bar with a length of 40 cm
- quick chain tensioning system
- chain safety brake
- rubber-coated anti-skid handle
- chain rest for increased safety
- · automatic oil pump
- weight: 5.5 kg with bar and chain
- quick chain tensioning system

#### Optional accessories:

- Fieldmann: 35 cm bar and chain
- Fieldmann: 40 cm bar and chain
- Oregon: 40 cm bar and chain
- total loss lubricant work gloves

- electric engine input: 2,400 W
- Oregon bar and chain length 40 cm
- exceptional balance due to the unique construction


**FZP 2020-E** 

FELDMAN

- quick chain tensioning system
- chain safety brake
- rubber-coated anti-skid handle
- chain rest for increased safety
- · automatic oil pump
- weight: 5.5 kg with bar and chain

#### Optional accessories:

- Fieldmann: bar 35 and 40 cm and chain
- Oregon: 40 cm bar and chain
- total loss lubricant
- · work gloves





Adjustment
The bar angle
can be adjusted
horizontally and
vertically on
selected models.
This system is
particularly useful
when shaping
or maintaining
those hard to
reach areas.



## Safety

The double safety switch system prevents spontaneous machine activation. The trimmer will only start after both switches are activated.



#### Variable Uses

The trimmer can be used to take care of all types of ornamental shrubs. The bar design can cut material with a diameter of up to 16 mm.



The holes in the back handle are used to secure the power cord. Securing the cord prevents unwanted disconnection.

A decorative hedge needs sufficient care, especially precise cutting, regular pruning and trimming. Hedge trimmers improve the quality of a garden and save time. This means a hedge does not overgrow, does not take up much space and complements the appearance of the garden while protecting against the prying eyes of passers-by. By shaping the hedge to your own needs and imagination, you can create an original garden feature.

Working with electric or petrol hedge trimmers on a hedge is fast, easy and convenient and more accurate than using hand tools. When choosing a hedge, you can decide whether to have a long and tall hedge in the garden or just a few stand-alone shrubs you can shape. Choose electric shears if an electricity socket is easily accessible and you do not mind handling a long power cord. For places where there is no source of electricity, petrol hedge trimmers are recommended. The long bar means that less experienced gardeners can easily reach large hedges. Pruning a hedge with a shorter bar makes cutting small hedges and shrubs easier.

Rotary hedge trimmers enable to adjust the cutting angle; the handle also has different adjustment positions. These functions can be used during the maintenance and shaping of difficult to access areas and for comfortable cutting of vertical and horizontal areas of hedges and the shaping of decorative bushes. Telescopic models make cutting the upper parts of hedges significantly easier. Working with them is also safer. Tasks which previously required a ladder can now be carried out from the comfort of the ground.



Model	Motor Type	Power Input	Power	Bar Length	Max. Diameter of Material	Safety Switch System	Weight
FZN 2000-E	electric motor	520 W	-	40 cm	16 mm	YES	2.25 kg
FZN 2305-E	electric motor	550 W	-	50 cm	16 mm	YES	2.5 kg
FZN 2505-E	electric motor	600 W	-	55 cm	20 mm	YES	2.6 kg
FZP 4006-B	petrol	-	26 cm³ / 0.75 kW	51 cm	24 mm	YES	5.4 kg



# Electric Hedge Trimmer FZN 2000-E

- basic model with 520 W input
- cutting length: 400 mm
- two-handed motor safety switch
- safety brake
- trimming of branches with a diameter of up to 16 mm
- protective bar cover
- weight: 2.25 kg

#### Electric Hedge Trimmers FZN 2305-E


- input power: 550 W
- cutting length: 500 mm
- cutting diameter 16 mm
- safety switch system
- protective cover of the bar for safe storage
- weight: 2.5 kg

#### Electric Hedge Trimmers FZN 2505-E

- input power: 600 W
- cutting length: 550 mm
- adjustable cutting angle
- 4 horizontal handle positions
- cutting diameter 20 mm
- safety switch system
- protective cover of the bar for safe storage
- weight: 2.6 kg

#### Fuel Hedge Trimmer FZP 4006-B

- two-stroke engine with a displacement of 26 cm<sup>3</sup>
- cutting length: 510 mm
- maximum cutting diameter 24 mm
- adjustable handle for vertical cut
- system of safety switches, protective front shield
- bar cover for safe storage
- weight: 5.4 kg





You have them on hand all the time and use them a hundred times a season. These are secateurs, which are an indispensable tool for trimming trees and shrubs. Hand shears are used for the maintenance of smaller hedges, trimming trees and shaping the details of ornamental shrubs. The advantage of them is the low cost, durability and long life.

FIELDMANN one-handed scissors enable fine and precise work when trimming climbing plants, shoots and weaker twigs. The two-handed robust models excel with a solid metal construction and can handle strong branches, up to a diameter of 50 mm. Handles with a rubberized surface ensure that the scissors will not slip in the hand, even under increased exertion.

When choosing two-handed scissors, consider the branches that the scissors have to cut. If it will be young wood or flowers, choose more precise double-blade models. They are gentle on the capillaries of plants so ideal for fresh branches. For cutting hard and dry wood, it is better to choose a single-blade trimmer. Scissors with a lever gear apply pressure, which makes it easier to cut stronger branches. The hands extend the models with a telescopic handle, which increase the reach.

Hand lever trimmers for hedges are gentle on the edges of the leaves on a hedge and are particularly recommended for cutting shorter and lower walls or trimming hedges. Corrugated blades ensure that the branches do not slip and that the desired shear angle is cut.









#### Aluminium Handles

Handles from aluminium alloys are light and firm.

#### Telescopic System

The telescopic system enables to set the trimmers to five different length settings.

# Variable Uses The trimmer can

be used to take care of all types of ornamental shrubs. The bar design can cut material with a diameter of up to 16 mm.

#### SK5 Stainless Alloy Blades

The blades are characterised by a high sharp and comfortable cut, capable of cutting branches up to 15 mm in diameter.





#### **FZNR 1006**

- trimmers for branches with two blades
- maximum wet branch thickness: 20 mm
- SK5 stainless steel blade
- suitable for fast trimming of fresh branches

## **FZNR 1007**

#### • trimmers for branches with

- two blades
- maximum wet branch thickness: 20 mm
- 2 shear pitch positions
- suitable for fast trimming of fresh branches

## Slidina Handsaw

#### **FZNR 1301**

- fully retractable blade
- blade length: 160 mm
- ergonomic handle
- total length: 360 mm
- length of saw with inserted blade: 200 mm
- option to attach to a belt
- suitable for pruning branches

## **FZNR 1310**

- blade length 240 mm
- total length: 410 mm
- blade treated against
- weight: 380 g
- protective case
- option to attach to a belt
- suitable for pruning branches



#### **NEW**

## **FZNR 1350**

- telescopic trimming saw for pruning branches in treetops
- hardened blades
- plastic blade cover protects against injury
- telescopic pole maximum length 5 m



# **Branches FZNR 1013**

- telescopic single blade hedge trimmer
- lopper length 680--920 mm
- weight 1,980 g
- cuts branches up to 50 mm
- steel handles
- rubber-coated grip



# **FZNR 1022**

- telescopic loppers
- lopper length 680--920 mm
- weight 1,980 g
- cuts branches up to 50 mm
- steel handles
- rubber-coated grip



## **FZNR 1101**

- set of 5 hand tools
- hoe, fork, garden claw, root cutter and transplanting shovel
- strong polyamide fibre plastic
- high heat resistance
- high durability






## **FZNR 1104**

- set of 4 hand tools
- shovel, rake, cultivator, weed plow
- high resistance
- material: aluminium
- softened handle







# Trimming and Shaping

Adjustment There are two types of cutting You can also bars available. adjust the One is primarily trimming head designated for angle to make trimming and sure that working caring for the in those hard to lawn, the other reach places is for shaping just as effective. ornamental shrubs.

**Trimming** 

**Angle** 




## Efficiency and Comfort

The adjustable trimming or cutting head angle helps to access hard to reach branches.

#### Versatility

The telescopic handle of the tree trimmer can be adjusted to a maximum length of 2.9 m. With the telescopic hedge trimmer, you can reach a height of 2.5 m.



The rotary head offers a cut-angle setting for efficient work in poorly accessible locations. The practical telescopic handle with guide wheels allows you to work in a standing position without bending your back, which is greatly appreciated when trimming long lawn edges.

Reaching high, even to the highest branches without fear of climbing, is aided by telescopic products, specifically the telescopic hedge trimmers and a telescopic branch pruner. You can safely trim trees, or bushes without the need of a ladder. The retractable handles with a range of 1.9 to 2.5 m, or 2.2 to 2.9 m pruners, allow you to stand with your feet firmly on the ground. By setting the cutting angle or the cutting heads on the pruner, you can easily reach hard-to-reach places. The telescopic hedge trimmers and the telescopic trimmer include a shoulder strap that will make it easier on your hands when working for long periods.











## Cordless Grass and Shrub Trimmers

## FZN 4000-A

- battery Li-lon 3,6 V/1 300 mAh
- operation time approx. 30 min
- charging time approximately 4 hours
- 2 strips easy to replace
- bar on the bushes 100 mm
- grass bar 70 mm
- safety switch
- battery indicator
- weight: 0.60 kg

#### Cordless Grass and Shrub Trimmers FZN 4101-A/4102-AT

## • replaceable Li-lon batteries

- replaceable Li-lon bafferies 3.6 V/1 300 mAh
- swivel head with 4 positions
- grass strip 80 mm
- weed strip 110 mm
- battery indicator
- weight: 0.60 kg
- variant FZN 4102-AT also includes a telescopic handle (130 cm)
- weight 1.00 kg

#### Telescopic Fence Trimmers FZN 6005-E

- input power of engine: 450 W
- cutting bar length 46 cm
- maximum cutting diameter 16 mm
- adjustable trimming head angle with 8 positions
- adjusting the telescopic handle between 1.9-2.5 m
- shoulder harness included
- weight: 3.70 kg



We also offer cordless telescopes and a cordless pruner in the range FAST POWER 20 V, pages 4-7

#### Telescopic Tree Trimmer FZP 6005-E

- input power of engine: 600 W
- Oregon bar and chain
- bar length 25 cm
- adjustable cutting head angle with 3 positions
- adjustment of the telescopic handle between 2.3--2.9 m
- shoulder harness included
- weight: 3.50 kg

#### Optional accessories:

- Oregon chain
- total loss lubricant







#### Wide Opening

Fieldmann garden shredders can shred branches up to 45 mm thick.



#### Two-Blade System

Perfectly shreds garden waste that does not need to be composted. The debris can also be used as mulch to prevent weed growth.



#### **Work Without** Cleanina

The shredder comes with a large-capacity box or a baa for collecting debris.



#### Cutting Cylinder **System**

The material is shredded by a slow-rolling cutting cylinder. The resultina chips are larger and can be burnt after drying.

can easily turn garden waste firewood and pulp for compost. It also solves the problems of piles of branches and hedge and shrub cuttings as burning municipalities in our country. Besides, processing in a crusher or chipper is an ecological

Electric crushers use a disc with two or three blades to shred waste into small pieces. Cuttings from branches, hedges and overgrown trees in the form of fine pulp are an ideal material for surface compost or mulch in flower beds, which prevent the growth of weeds.

Garden waste, which passes through a wood chipper, is suitable for burning in stoves and boilers. The wood is processed in the chipper by a slowly rotating toothed cylinder, which presses the branches against the wall and removes them at regular intervals. This cutting system also handles thick, dry and harder branches. Wood chippers are fitted with overload protection and reverse running; in the case of jamming, the branch is released.



Model	Power Input	Crushing System	Maximum Thickness of Shredded Material	Function Self-Retracting	Wheels	Box Capacity	Weight
FZD 4007-E	2,500 W	two blades	40 mm	NO	YES	50 I	10.3 kg
FZD 4020-E	2,500 W	two blades	40 mm	NO	YES	50 I	14.1 kg
FZD 5015-E	2,800 W	teeth roller	44 mm	YES	YES	60 I	19.4 kg







# Electric Shredder FZD 4007-E

- engine input power: 2,500 W
- maximum diameter of crushed waste 4 cm
- overload protection
- wheels for easy handling
- includes bag for crushed waste
- weight: 10.3 kg

# Electric Shredder FZD 4020-E

- input power of engine: 2,500 W
- shredding blade system 2 blades
- shreds material up to 4 cm thick
- overload protection
- solid steel construction with wheels for easy relocation
- 50 I box with safety lock for easy handling of shredded material
- weight: 14.1 kg

## Electric Chipper FZD 5015-E

- input power of engine: 2,800 W
- shreds material via the teeth roller
- 60 I debris box
- shreds garden waste up to 4.4 cm thick
- overload protection and reverse gear
- robust steel frame with wheels for easy handling
- weight: 19.4 kg















#### Operating Modes

The vacuum cleaner collects leaves and other impurities or blows objects into a pile for easy collection. When in vacuuming mode, waste is minimised by crushing.

#### **Mode Lever**

With one movement of the lever, you can switch modes from vacuum cleaning to blowing and vice versa. When changing the mode, it is also necessary to change the vacuum cleaner nozzle.

#### Steel Shredder

The shredder crushes the sucked in leaves so reduces the volume of material and increases the rate of decomposition in the compost.

#### Continuous **Power** Control

Continuous power control is used, especially when cleaning areas covered with mulch or stones. The power can easily be adjusted to only collect or blow fallen leaves.

should be removing everything and blowers vacuum or blow leaves and grass clippings that would otherwise rot in the lawn. These electric "sweepers" can also handle sawdust left on the ground after preparing firewood for the winter or freshly fallen snow that you need to remove from the

**FIELDMANN** garden vacuum cleaners and blowers have 3 functions: In addition to vacuuming with a suction capacity of up to 16 m3/min. and blowing at airspeeds of up to 300 km/h, they crush the extra sucked-in waste. The volume of leaves is decreased ten times, so it takes longer to fill the collecting bag on the vacuum cleaner. In addition, the debris is further decomposed into the composter. Models equipped with steel crushers significantly increase the efficiency of the device. Even stiffer stalks of leaves, such as walnut, are easily processed by a steel crusher while the vacuum cleaner does not clog up. In addition, the steel crusher prevents clogging or damage to the vacuum cleaner in the case of unintentional suction of undesirable objects such as sticks, chips and mulch bark.



Model	Power Input	Steel Shreadder	Telescopic Nozzle	3 In 1 Function	Continuous Control	Airflow Speed	Suction Power	Support Wheels	Sack Capacity	Weight
FZF 4010-E	2,600 W	NO	NO	YES	YES	up to 250 km/hour.	up 10.3 m³/min	YES	45	3.5 kg
FZF 4030-E	3,000 W	YES	NO	YES	YES	up to 270 km/hour.	up to 13,0 m³/min	YES	45	3.5 kg
FZF 4050-E	3000 W	YES	YES	YES	YES	up to 300 km/hour.	up to 16,0 m³/min	YES	45	3.7 kg



#### Electric Garden Vacuum Cleaner FZF 4010-E

- garden vacuum cleaner with continuous power regulation
- input power of engine: 2,600 W
- 3 functions blowing, vacuum cleaning, shredding
- airspeed up to 250 km/h
- suction power up to 10.3 m³/min
- waste shredding ratio 10:1
- collection sack capacity 45 I
- guiding wheel
- shoulder harness included
- weight: 3.5 kg

#### Electric Garden Vacuum Cleaner FZF 4030-E

- garden vacuum cleaner with continuous power control
- input power of engine: 3,000 W
- soft start continuous engine start
- 3 functions blowing, vacuum cleaning, shredding
- speed of air flow 100 to 270 km/h
- suction output up to 13 m³/min.
- waste shredding ratio 10:1
- collection sack capacity 45 I
- guiding wheel
- shoulder harness included
- weight: 3.5 kg
- steel shredder

#### Electric Garden Vacuum Cleaner FZF 4050-E

- garden vacuum cleaner with continuous power control
- input power of engine: 3,000 W
- soft start continuous engine start
- 3 functions blowing, vacuum cleaning, shredding
- speed of air flow 100 to 300 km/h
- suction output up to 16 m³/min.
- waste shredding ratio 15:1
- collection sack capacity 45 I
- guiding wheel
- shoulder harness included
- weight: 3.7 kg
- steel shredder
- retractable rakes and telescopic nozzle
- easy access to the work area







# WATER TREATMENT UNITS IMMERSION PUMPS WATER PUMPS

#### Garden Water Treatment Unit FVC 8550-EC

- garden water treatment plant with the input power of 1,000 W
- maximum delivery height 44 m
- maximum volume of water pumped 3,500 l/h
- maximum pressure 3.0 bar
- maximum submersion depth 8 m
- tank capacity 25 I
- option to connect FVC 9010



#### Suction Hoses for Water

suction hose 7 m long also designed for FVC 8010, 8020, 8510 and 8550.



#### Integrated Float

The float is located inside the body of the pump. This construction enables the pump to operate in an automatic regime in minimum areas and the residual level is only 5 cm.



#### Easy Connection

The FVC 3002 barrel pump is fitted with quick coupling and a valve for easy connection of the garden hose.



#### Pressure Switch

We install home waterworks with a high-quality pressure switch. Gardens now require significantly more water in the summer months than ever before. And because sprinkling with tap water can be expensive, more and more gardeners are looking for alternative water sources, such as an unused well or rainwater sump.

Pumps and domestic waterworks will bring water to hoses and irrigation systems. **FIELDMANN** covers the full range of water pumping requirements: from the supply of drinking water to households, through irrigation, to the pumping of sludge water from a flooded cellar or cistern. The pump also pumps water from the swimming pool that may be needed during standard maintenance.



Model	Power Input	Maximum Flow Rate	Maximum Delivery Height	Maximum Submersion Depth	Maximum Medium Temperature	Maximum Size of Solid Particles	Power Cord Length	Tank Capacity
FVC 2001-EC	250 W	5,000 l/h	6 m	5 m	35 °C	5 mm	10 m	-
FVC 2003-EK	400 W	7,500 l/h	5 m	5 m	35 °C	35 mm	10 m	-
FVC 4001-EK	750 W	12,000 l/h	8 m	8 m	35 °C	35 mm	10 m	-
FVC 4002-EK	900 W	14,500 l/h	10 m	10 m	35 °C	25 mm	10 m	-
FVC 3002-ED	250 W	2,000 l/h	9 m	7 m	35 °C	3 mm	10 m	-
FVC 5010-EK	750 W	13,000 l/h	9 m	7 m	35 °C	16 mm	10 m	-
FVC 8010-EC	600 W	2,800 l/h	35 m	7 m	35 °C	-	1.2 m	-
FVC 8020-EC	800 W	3,200 l/h	40 m	8 m	35 °C	-	1.2 m	-
FVC 8510-EC	800 W	3,200 l/h	40 m	8 m	35 °C	-	1.5 m	20 I
FVC 8550-EC	1,000 W	3,500 l/h	44 m	8 m	35 °C	-	1.2 m	25
FVC 6010-B	-	20,000 l/h	30 m	7 m	35 °C	-	-	-



#### Clean Water Pump FVC 2001-EC

- float pump with an input of 250 W
- maximum delivery height 6 m
- maximum submersion depth 5 m
- maximum amount of water pumped 5,000 l/h
- maximum size of solid particles 5 mm
- option to connect 1" or 2" hoses



Sludge Water Pump FVC 2003-EK

- universal pump with a power input of 400 W
- maximum delivery height 5 m
- maximum submersion depth 5 m
- maximum amount of water pumped 7,500 l/h
- maximum size of solid particles 35 mm
- option to connect 1" or 2" hoses



Sludge Water Pump FVC 4001-EK

- powerful sludge pump with an input of 750 W
- maximum delivery height 8 m
- maximum submersion depth 8 m
- maximum amount of water pumped 12,000 l/h
- maximum size of solid particles 35 mm
- option to connect 1" or 2" hoses



Sludge Water Pump FVC 4002- EK

- submersible sludge pump with stainless steel resilient body
- input power of engine: 900 W
- maximum delivery height 10 m
- maximum submersion depth 10 m
- maximum amount of water pumped 14,500 l/h
- maximum size of solid particles 25 mm
- option to connect 1" or 2" hoses
- inner diameter 12.5 mm
- outer diameter 18 mm



Sludge Water Pump FVC 5010-EK

- submersible pump with integrated float
- automatic operation in small premises
- residual level in automatic operation 5 cm
- remaining level in manual operation 1 mm
- maximum size of solid particles 16 mm
- option to connect 1" or 2" hoses



## FVC 3002- ED

- input power: 250 W
- maximum flow rate 2,000 l/h
- maximum submersion depth 7 m
- maximum delivery height 9 m
- maximum size of solid particles 3 mm
- power cord length 10 m
- float switch



## FVC 6010-B


- motor type: 2-stroke one cylinder 52 cm³
- engine output: 1.45 kW
- fuel mixture ratio (oil / fuel) 1:25
- maximum delivery height 30 m
- maximum submersion depth 7 m
  maximum flow rate 20,000 I/h



#### Garden Pump FVC 8010/8020-EC

- powerful pump with a power input of 600/800 W
- maximum discharge 35/40 m
- maximum pumping depth 7/8 m
- maximum transported amount of water 2,800/3,200 I/h
- power cord length 1.2 m
- option to connect FVC 9010







## Irrigation Hoses

#### FZH 9130

- 1/2"
- length 30 m
- 5 layers
- operating temperature: from -5 °C to + 65 °C
- operating pressure
   10 bars
- bursting pressure:
  30 bars
- inner diameter 12.5 mm
- outer diameter 18 mm



## Irrigation Hoses FZH 9150

#### 1 (0)

- 1/2"
- length 50 m
- 5 layers
- operating temperature: from -5 °C to + 65 °C
- operating pressure
   10 bars
- bursting pressure:
   30 bars
- inner diameter 12.5 mm
- outer diameter 18 mm



# Irrigation Hoses

#### . . . .

- 3/4"
- length 20 m
- 3 layers
- operating temperature: from -5 °C to + 65 °C
- operating pressure 8 bars
- bursting pressure:
   24 bars
- inner diameter 19 mm
- outer diameter 24 mm



## Irrigation Hoses

#### FZH 9115

- 1"
- length 15 m
- 3 layers
- operating temperature: from -5 °C to + 65 °C
- operating pressure 6 bars
- bursting pressure:
   18 bars
- inner diameter 25 mm
- outer diameter 30 mm
- suitable for FVC 2001, FVC 2003, FVC 4001, FVC 4002, FVC 5010



#### Garden Reels

#### **FZH 1146**

- it is possible to use a hose (1/2") with the length of up to 45 m
- resistant to corrosion
- simple assembly
- light frame
- easy portability
- space-saving storage



#### Garden Reel FZH 1160

- it is possible to use a hose (1/2") with the length up to 60 m
- resistant to corrosion
- simple assembly
- light frame
- easy portability
- space-saving storage







Lawns, flowers, trees and vegetables need regular watering as rainfall does not provide enough moisture. Every gardener faces the challenge of choosing a suitable garden hose.

The **FIELDMANN** brand offer includes, in addition to five-layer garden hoses resistant to internal pressures and twisting, durable hose reels, fittings, sprayers and spray guns. The aluminium construction of the winches is strong and corrosion-resistant. Because of the support, the drum is stable, so the hose can be quickly wound and unwound. The wound hose can then be stored with minimum space requirements. Sprinklers ensure even watering - the oscillating type is suitable for small and large rectangular areas including the corners.











We have fitted our garden winches with wheels for easier movement around the garden.



The controls of the garden reels are made of durable materials.

## Automatic Reel

The FZH 1220 model contains a self-winding system for easier work with the irrigation hose.

## **Exact Dosing**

Not an extra drop. Irrigation guns have up to 10 types of water jets.



### Garden Reels

## **FZH 1221**

- hose length 20 m (outlet) + 2 m (inlet)
- hose diameter: 1/2"
- adapters 1/2" and 3/4"
- operating pressure 8 bars
- bursting pressure: 24 bars
- operating temperature: -5 to + 45 °C



### Garden Reels

## **FZH 1220**

- hose length 20 m (outlet) + 2 m (inlet)
- hose diameter: 1/2"
- adapters 3/4" BSP
- operating temperature: from -5 do + 45 °C
- operating pressure 8 bars
- bursting pressure: 24 bars



## Irrigation Gun FZH 9004

- compatible with terminal 1/2"
- 13 mm
- 10 positions
- easy regulation of flow



## Set of Terminal 1/2" FZH 9006

- compatible with hose 1/2"
- $\bullet$  3 × tending female
- 1× terminal stop male
- 1/2" and 3/4" adapters
- adjustable irrigation guns



## Set of Terminals 3/4" FZH 9008

- compatible with hose 3/4"
- 3 × terminal female
- 1× terminal stop male
- 1/2" and 3/4" adapters
- adjustable irrigation guns



### rrigation Set

## **FZH 9005**

- compatible with hose 1/2"
- 3 × terminal female
- 1× terminal stop -
- 1/2" and 3/4" adapters
- 8 position irrigation

  aun



## Irrigation Gun FZH 9007

- compatible with terminal 1/2", 13 mm
- length 450 mm
- 8 positions
- easy regulation of flow







# HIGH-PRESSURE WASHERS

An electric pressure washer is a reliable way to keep the house clean. It removes dirt from the terrace and pavement tiles and cleans drained pools and roofs. The stream of water revives facades and garden furniture, bikes, cars and motorcycles by removing dried mud.

FIELDMANN high-pressure washers supply water with the required strength. Unlike a traditional garden hose, it can remove stubborn andy ingrained dirt. High-pressure washers also save huge amounts of water compared to conventional washing, due to the precisely focused water jet. FIELDMANN spray guns for washers are fitted with adjustable three-way or four-way turbo nozzles. Selected models have a connection container for shampoo or detergent. Of course, there are castors for easier movement.



E VV

## High-Pressure Washer FDW 201602-E

- voltage/frequency: 230 V/50 Hz
- input power: 1,600 W
- maximum pressure: 130 bars
- maximum flow rate: 420 I/h
- power cord: 5 m
- high-pressure hose length 5 m
- spray gun with adjustable nozzle
- integrated shampoo container
- wheels



## Wheels

Work should be as comfortable as possible. The wheels fitted to Fieldmann highpressure washers guarantee maximum comfort when handling the machine.



## **Hose Reel**

The benefit of the hose reel is that it saves space. At the same time, the hose is still part of the machine, so it cannot be lost or mechanically damaged.



## Quick Coupler

Ideal for the quick replacement of variable turbo nozzles. Handling with wet hands is an advantage.



## Shampooing

A quality washing process definitely includes shampooing. This is with Fieldmann high pressure washers with an optional integrated or external shampoo container.









Model	Power Input	Maximum Pressure	Maximum Flow Rate	NOTIA	Pressure Hose	Function Self-Suction	Wheels	Power Cord
FDW 201402-E	1,400 W	105 bars	396 l/h	adjustable	3 m	NO	NO	5 m
FDW 201602-E	1,600 W	130 bars	420 l/h	adjustable	5 m	YES	YES	5 m
FDW 202202-E	2,200 W	165 bars	460 l/h	adjustable turbo	5 m	YES	YES	5 m





There are places where there is no electricity even though we need to use various electrical appliances. Examples are some buildings, a remote corner of a garden, a campsite near water or a boat and a garden hut. Or simply, at home after a storm, when the electricity does not work.

**FIELDMANN** petrol generators are a separate source of electricity for motors, lighting, heating, electrical appliances and with their continuous power, electric pumps and hand-held power tools.

**FIELDMANN** stable generator power provides users with the ability to power sensitive devices such as PCs, laptops and audio equipment.

**FIELDMANN** generators excel in quiet operation. Low consumption and large volume tanks can operate for up to 6 or 8.5 hours.

to be topped up.

## **Economy Mode**

FIELDMANN generators are equipped with the

Economy system, which saves on fuel and the environment.

## Connectivity

Our generators can be used with smartphones and other devices thanks to the USB connector.





## PC 4010 Bi

- engine OHV, 54 cm³
- maximum power 1,000 W
- permanent output 900 W
- inverter technology for the regulation of electrical outputs
- outputs: 1× ~230 V/50 Hz,  $1 \times = 12 \text{ V}, 1 \times \text{USB}$
- tank capacity 3 I
- operating time per tank up to 8.5 h
- · weight: 15 kg

## PC 4020 Bi

- engine OHV, 80 cm<sup>3</sup>
- maximum power 1,800 W
- permanent output 1,600 W
- inverter technology for the regulation of electrical outputs
- outputs: 1x ~230 V/50 Hz, 1× =12 V, 1× USB
- tank capacity 4.5 l
- operating time per tank up to 6 h
- · weight: 21 kg



# TILLERS

Success is preceded by hard work with a spade and sore muscles. The modern age has brought cultivators that aerate the soil without physical effort, and which can incorporate fertilizer or peat.

The cultivator is a soil cultivator: it grinds the top layer with rotating blades, which aerates the soil and prepares it for

planting or sowing. The rotating blades penetrating the soil also pull the weeds to the surface, so it just needs to be raked. With their steel knives, FIELDMANN electric and gasoline cultivators can handle soil, turf and lumps. The steel cover on the cultivating knives protects the operator and the machine from flying soil and stones.

Model	Input / Output	Working Width	Number of Blades	Blade Diameter	Folding Handle	Support Wheels	Weight
FZK 2002-E	750 W	32 cm	4	20 cm	YES	NO	8 kg
FZK 2004-E	1 200 W	40 cm	4	20 cm	YES	YES	11 kg
FZK 2115-E	1 500 W	35/45 cm	6	21 cm	YES	YES	12 kg
FZK 6015-B	2,2 kW	36 cm	4	26 cm	NO	YES	31 kg
FZK 6115-B	2,2 kW	36/59 cm	4/6	26 cm	NO	YES	34 kg



## **FZK 2002-E**

- input power of engine:
- working width 32 cm
- aluminium gearbox • steel gears
- 4 steel blades
- blade diameter 20 cm
- folding handle
- weight: 8 kg

## **FZK 2004-E**

- input power of engine: 1 200 W
- working width: 40 cm
- aluminium gearbox
- steel gears
- 4 steel blades
- blade diameter 20 cm
- folding handle
- tilting transport wheels
- weight: 11 kg

## FZK 2115-E

- input power of engine: 1 500 W
- working width:
- 35/45 cm
- steel gears
- 6 steel blades
- blade diameter 21 cm
- folding handle
- tilting transport wheels
- weight: 12 kg

## **Fuel Tiller**

## FZK 6015-B

- engine: OHV, 139 cc, 2.2 kW
- working width 36 cm
- blade diameter 26 cm
- safety steel blade cover
- tilting transport wheel
- weight: 31 kg

## FZK 6115-B

- engine: OHV, 139 cc, 2.2 kW
- working width 36/59 cm
- blade diameter 26 cm
- safety steel blade cover
- tilting transport wheel
- weight: 34 kg

option to add two more



# LUBRICANTS



## **Motor Oil MOL Dynamic Garden 2 T**

- oil for mixing the fuel for two-stroke engines
- ensures the cleanliness of the engine and reduces wear
- prevents spark plug damage
- suitable for garden equipment
- bottle capacity 0.6 l



## Motor Oil MOL **Dynamic Garden 4 T**

- designed for lubrication of four-stroke petrol engines
- maintains excellent motor properties, even at low temperatures
- suitable for year-round use
- viscosity class SAE 10 W-30
- suitable for garden equipment
- bottle capacity 0.6 I



## **MOL Essence**

## • oil for lubrication of four-stroke

- petrol engines
- high thermal oxidation stability • viscosity class SAE 15 W-40
- equipment • bottle capacity 1.0 I





## Oil for Lossy Lubrication **MOL Dynamic Forest**

- oil for lubricating chainsaw
- suitable for year-long use in petrol and electric saws
- reduces friction temperature and the wear on the chain
- integrated filler for comfortable filling
- bottle capacity 0.6 l

# ACCESSORIES



## **FZR 9050**

- 1.6 litre vessel capacity
- 2x PVC hose
  - diameter 8 mm and length 1 m
  - diameter 10 mm and length 1.3 m
- funnel
- can be used for all types of fuel



## **FZO 8050**

- 2 litre vessel capacity
- metal jet with spray regulation
- over-pressure valve
- switch with option to secure after running



## **FZO 8060**

- 5 litre vessel capacity
- metal nozzle with spray control and position adjustment
- over-pressure valve
- shoulder harness
- maximum pressure 2.5 bar











## Work Gloves

## **FZO 5010**

- palm segment made of fine goatskin
- finger segment made of fine goatskin
- top part made of elastic synthetic fabric
- Velcro wrist strap
- size 10"(XL)

## Work Gloves

### FZO 6010/FZO 6011

- reinforced palm lining to absorb vibrations
- bottom palm part made of synthetic leather
- top part made of flexible and permeable synthetic cloth
- secure wrist strap prevents slipping
- size 10"(XL) / 11"(XXL)

## Work Gloves

## **FZO 7010**

- lower part made of synthetic leather
- upper part made of flexible neoprene
- loop for easy wearing
- protection against slipping with Velcro tape size 10 "/ XL





## Garden Cart FZO 4001

- practical cart useful in every garden and the surroundings of houses
- stable frame and easy handling
- replaceable plastic sack with 80 I capacity
- loading capacity 25 kg



## Steel Folding Shovel FPL 4001

- steel thickness 1.5 mm
- steel handle
- extended size 57 cm
- folded size 23.5 cm
- maximum recommended weight 23 kg
- weight: 0.99 kg
- shovel width 15 cm
- package includes: carrying sack



## Steel Folding Shovel FPL 4002

- extended size 82 cm
- folded size 66 cm
- aluminium shovel with anodized surface size: 22 x 28 cm
- ergonomic handle for easy handling
- maximum recommended weight 15 kg
- safety locks to prevent spontaneous folding
- weight: 0.6 kg



# Garden Spreader

- tank volume 25 I / 50 kg
- dosing setting 32 positions
- spreading width up to 3 m
- folding handle
- pneumatic wheels
- weight: 6.3 kg



With the arrival of warm weather, we like to move outside for air and sun. If we have a garden, we don't even have to walk a long way to do some activities. With the **FIELDMANN** brand you can relax in the garden in wooden and metal furniture or artificial rattan furniture. It is produced in the guaranteed quality in the facilities of the Czech brand.

## **Tropical Acacia Wood Furniture**

The timelessness, safety, durability and the charm of natural material means the furniture is still immensely popular with customers. **FIELDMANN** wooden furniture is made of tropical acacia wood, which is characterized by its hardness and robustness and its resistance to weathering, aging and biological degradation. Acacia wood is an ideal material for garden furniture as it is

extremely durable, stiff and resistant to fungal pests.

FIELDMANN wooden furniture also has durable solid brass joints, including fuses against spontaneous assembly.

## **Garden Furniture Care and Maintenance**

The most valuable feature of solid wood tropical acacia is resistance to rain, snow, frost, sun and mould, and thus much easier maintenance. In addition, each part of **FIELDMANN** wooden furniture is already impregnated with oil from the factory, so it can be coated with special oil at least once a year for a long-term beautiful appearance. The protective coating revives the appearance of the wood and protects it against UV radiation and the weather and prolongs its life. The surface then resists mould and fungi better. Consistently clean the furniture before applying the oil. A brush, sponge or broom and soapy water can be used to clean wooden garden

## **Balcony Set CAROL-T**

- a practical furniture set that is not only restricted to balconies
- the chairs and table can be easily folded and stored
- made from hard tropical acacia wood
- resilient against climate conditions
- the set includes seats and backrest cushions





## **Balcony Set ALICE-T**

- a larger and more comfortable balcony furniture set
- easy to fold 60 x 60 cm square table
- 2 chairs 55 × 40 × 81 cm
- intended for outdoor use
- made from hard tropical acacia wood

Optional accessories: green and cream chair cushions





furniture. Then simply shower off the furniture with a garden hose and let it dry. In the case of soiling, special wood detergents should be used. Remove algae, mould and fungi with fine sandpaper. Nevertheless, we recommend the furniture is cleaned or suitably covered during winter. High resistance to any weather as well as minimal maintenance requirements have also made metal and artificial rattan furniture popular.

# Metal Furniture and Artificial Rattan Furniture

Strength, durability and stability are the main advantages of metal and artificial rattan furniture with steel-aluminium profiles from **FIELDMANN**. The furniture does not creak or move and is lightweight and easy to handle. No maintenance is required - just wash the furniture with soapy water and rinse. The surface is not absorbent,

so rain, snow and strong sunlight do not affect it and mould and pests are not attracted to it. Modern surface treatments ensure corrosion resistance. The filling of the metal armchairs consists of a durable and flexible synthetic fabric, which does not ignite even in direct sunlight and is also maintenance-free. Besides, it makes the furniture light, which is appreciated when lifting it. The furniture is timeless in appearance, suitable for balconies, terraces and gardens and adapts to the surroundings.

**FIELDMANN** garden furniture can be retrofitted with special covers in many colours, which match the dimensions and shapes of the loungers and armchairs. Solid 100% polyester (180 g/m²), from which the covers are sewn, is provided with waterproof impregnation in case you forget to use the covers when raining. The droplets simply run off the surface. The thickness of **FIELDMANN** covers is at least 5 cm for really soft seating.

## Serving Table FDZN 4050-T

- serving table
- luxurious serving table from acacia
- dimensions: 80 × 50 × 86 cm
- two removable handles
- floors can be used as separate trays
- wheels for easy handling
- the table is treated by oil coating
- suitable for outdoor use





## **Set of Garden Furniture EMILY-T**

- the set consists of 4 chairs and a folding table
- table  $120 \times 70 \times 74$  cm with folding option
- a sunshade umbrella can be fitted into the opening
- folding, ergonomically shaped chair  $49 \times 57 \times 94$  cm
- load capacity of the chair 110 kg
- option to buy additional cushions
- suitable for outdoor and indoor use, oil coated
- made from hard tropical acacia wood

Optional accessories: green and cream seat cushions







### **Garden Furniture**

- the set consists of 4 armchairs and a rectangular table  $90 \times 150$  cm
- the backrest and the ergonomically-shaped armrest can be set to 5 positions by sliding the armrests
- armrests for extra seating comfort
- armchairs can be folded and therefore minimize storage space
- the table has an opening for installing a sunshade umbrella
- made from tropical acacia wood
- suitable for outdoor use

#### Optional accessories:

upholstery chairs with different colours and designs

## Set of Garden Furniture

## **CARMEN I.-T/CARMEN II.-T**

- Carmen I-T / II.-T set for seating up to 6/7 people
- the basis of the CARMEN II.-T set are 4 armchairs, a three-seater bench and a folding table
- the basis of the CARMEN I.-T set is 6 armchairs and a folding table
- table measuring 150/200 × 90 cm with a hole for a parasol
- folding armchairs with adjustable backrest and armrests
- comfortable three-seat sofa with backrest
- made from tropical acacia wood

#### Optional accessories:

 upholstery chairs with different colours and designs



CARMEN

ALSO FOR SALE IS A SET WITH 6 CHAIRS



### Set of Garden Furniture

## **ARIA-T**

- a luxury set consisting of 6 armchairs, a rectangular folding table and sunshade umbrella
- the robust, reinforced chairs are ergonomically shaped
- option to install back rest for the armchair
- the basic table length of 150 cm can be extended to 200 cm
- opening for installing a sunshade umbrella
- Intended for outdoor and indoor use
- made from tropical acacia wood

### Optional accessories:

• upholstery chairs with different colours and designs



### Set of Garden Furniture

## MOLLY II.

- the set consists of 4 chairs and table
- table 120 × 70 × 74 cm
- a sunshade umbrella can be fitted into the opening
- folding, ergonomically shaped armchairs with armrests 54  $\times$  65  $\times$  94 cm
- chair loading capacity 110 kg
- made from hard tropical acacia wood
- chair filling made of durable artificial fabric
- seat cushion sold separately
- · intended for outdoor and indoor use
- treated with oil coating













### **FDZN 4011-T**

- dimensions:  $120 \times 70 \times 74 \text{ cm}$
- table top with sunshade umbrella slot
- option to fold the table
- suitable for outdoor and indoor use, oil coated
- made from tropical acacia wood

## Garden Table FDZN 4002-T

- rectangular table 150 × 90 cm
- ideal in combination with 4 armchairs or 2 armchairs and a bench
- opening for installing a sunshade umbrella
- made from tropical acacia wood
- for exteriors and interiors

### **FDZN 4004-T**

- folding garden table
- basic size 150 × 90 cm, after unfolding  $200 \times 90 \text{ cm}$
- we recommend combining with 6 armchairs or 4 armchairs and a bench
- a sunshade umbrella can be installed in the middle of the table when unfolded
- made from acacia wood
- for exteriors and interiors

## **FDZN 4104-T**

- rectangular shape
- · dimensions: 150/200 × 90 × 75 cm
- easy to fold and unfold, stable frame
- opening for installing a sunshade umbrella
- suitable for outdoor and indoor use
- made from tropical acacia wood

### **FDZN 4017-T**

- · dimensions:  $150 \times 86 \times 74 \text{ cm}$
- table top with sunshade umbrella slot
- option to fold the table
- suitable for outdoor and indoor use, oil coated
- made from tropical acacia wood

## Garden Bench FDZN 4013-T /FDZN 4006-T

- two/three-seat garden bench
- dimensions: 122 × 57 × 85 cm/ 150 × 61 × 90 cm
- comfortable seating, covers sold separately
- simple assembly
- for exteriors and interiors
- made from tropical acacia wood

#### Optional accessories:

• recliner covers in various colours and patterns









## **FDZN 4201-T**

- dimensions: 54 × 65 × 94 cm
- loading capacity 110 kg
- minimum storage space required when folded
- seat cushion sold separately
- intended for outdoor and indoor use
- treated with oil coating
- made from tropical acacia wood

## **FDZN 4001-T**

- recliner with armrests
- 5 reclining backrest positions
- dimensions:  $71 \times 56 \times 108$  cm
- · made of acacia wood
- for exteriors and interiors
- the package contains two items (the stated price includes packing)

### Optional accessories:

· upholstery chairs with different colours and designs

## **FDZN 4101-T**

- well-crafted garden chair with dimensions:  $74 \times 58 \times 105$  cm
- 5 backrest positions
- ergonomically shaped seat and armrest in folded condition, minimum storage requirements, option to purchase covers
- suitable for outdoor and indoor use
- made from tropical acacia wood
- · loading capacity 140 kg

### Optional accessories:

· upholstery chairs with different colours and designs

## Garden Deckcha<u>i</u>r

### **FDZN 4009-T**

- · modern design, ergonomically shaped
- dimensions:  $182 \times 54 \times 63$  cm
- minimum storage space required when folded
- suitable for outdoor and indoor use
- made from tropical acacia wood

### Optional accessories:

 green and cream covers

### **FDZN 4007-T**

- adjustable lounger measuring 190 × 70 cm
- option to set the angle of the backrest and the leg support
- made from tropical acacia wood
- for exteriors and interiors

## Optional accessories:

 green and cream covers









## Balcony Set

- BELLA (FDZN 5002)
- balcony set consists of 2 chairs and a table
- chair material: steel construction
- chair filling made of durable artificial fabric
- $\bullet$  chair dimensions: 57  $\times$  47  $\times$  76 cm (2 pcs in the package)
- table material: metal construction
- black tempered glass table top
- table dimensions:  $60 \times 60 \times 71$  cm
- chair load: 100 kg
- Product advantages: easy storage (folding option)



### **NEW**

### Garden Furniture Set

## ELLA LIGHT (FDZN 5020 + FDZN 5112)

- set of metal furniture consisting of 4 armchairs and a table
- table dimensions:  $150 \times 96 \times 71$  cm with clear tempered glass plate
- seat size:  $55 \times 73 \times 94$  cm, artificial fabric filling
- opening for installing a sunshade umbrella
- maintenance-free
- suitable for outdoor and indoor use





ALSO FOR SALE IS A SET OF 6 + 1 AND A DARK VERSION OF THE ARMCHAIRS



### **NEW**

### Garden Furniture Set

## **ELLA DARK (FDZN 5030 + FDZN 5111)**

- set of metal furniture consisting of 4 armchairs and a table
- table dimensions:  $150 \times 96 \times 71$  cm with clear tempered glass plate
- seat size:  $55 \times 73 \times 94$  cm, artificial fabric filling
- opening for installing a sunshade umbrella
- maintenance-free
- suitable for outdoor and indoor use





ALSO FOR SALE IS A 6 + 1 SET AND A LIGHT VERSION



## NEW

### Garden Furniture Set

## CHARLOTTE (FDZN 5050 + FDZN 5016)

- a luxury set consisting of 4 adjustable seats, table with wood-plastic top and aluminium construction
- size of the table  $150 \times 90 \times 74$  cm
- the backrest of the armchair can be set to 5 positions
- double glazed synthetic fabric allows comfortable sitting even without a sit cushions
- does not require special maintenance
- intended for outdoor and indoor use
- option to buy seat cushions



ALSO FOR SALE IS





## Metal Table With Glass Top FDZN 5020

- dimensions:  $150 \times 96 \times 71 \text{ cm}$
- transparent tempered glass table top
- can be combined with up to 6 chairs FDZN 5010 and parasol FDZN 5006/5007
- intended for outdoor and indoor use
- materials used do not require special maintenance



### Metal Table With Glass Top FDZN 5030

- dimensions:  $150 \times 96 \times 71 \text{ cm}$
- black tempered glass table top
- can be combined with up to 6 chairs FDZN 5010 and parasol FDZN 5006/5007
- intended for outdoor and indoor use
- materials used do not require special maintenance



## **FDZN 6030-PR**

## quality garden table

- made of artificial rattan and wood
- solid steel construction
- · the steel frame of the table is covered with artificial rattan
- the table top is made of tropical acacia
- table dimensions:  $150 \times 90 \times 74 \text{ cm}$
- wooden parts are treated by oil



## **FDZN 6005-PR**

- quality garden table made of artificial rattan and glass
- steel structure
- the steel frame of the table is covered with artificial rattan
- transparent tempered glass table top
- table dimensions:  $145 \times 85 \times 72$  cm



## **NEW**

## **FDZN 5050**

- designer garden table
- dimensions: 150 × 90 × 74 cm
- construction: aluminium
- top: wood-plastic
- designed for outdoor and indoor use: maintenance free black



## **FDZN 5016**

- recliner with armrests
- 5 reclining backrest positions
- dimensions:  $55 \times 105 \times 47$  cm
- resistant synthetic cloth padding
- for outdoor and indoor USO
- materials used do not require special maintenance



## **FDZN 6010-PR**

## luxurv aarden chair

- made of artificial rattan
- the armchairs are made of artificial rattan • the armrests are made of tropical acacia wood
- seat cushion treated with waterproof impregnation included
- · armchair size:  $82 \times 57 \times 59$  cm
- loading capacity of recliners up to 110 kg
- wooden parts are treated by oil



## **FDZN 8012**

- dimensions:  $161 \times 64 \times 48/100$  cm
- auality steel-aluminium frame upholstered with synthetic fabric
- option to adjust reclining backrest positions
- strength of loadbearing profiles:  $42 \times 14 \, \text{mm}$
- intended for outdoor and indoor use
- materials used do not require special maintenance



Garden Deck Chair Rattan FDZN 6007-PR

- the luxury lounger is made of artificial rattan
- steel construction
- dimensions:  $190 \times 65 \times 35 \text{ cm}$
- option of back positioning.
- the deck chair is suitable for indoor and outdoor areas, gardens, terraces, conservatories, balconies...



Garden Deck Chair Ration FDZN 6002-PR

- dimensions:
- 55 × 59 × 93 cm
- steel frame made of artificial
- rattan
- colour black
- suitable for outdoor and indoor use
- maintenance-free
- loading capacity 120 kg





## **FDZN 5010**

- dimensions:  $55 \times 77 \times 92$  cm
- padding made of durable synthetic fabric
- suitable for outdoor and indoor use
- maintenance-free
- loading capacity 120 kg



## **FDZN 5111**

- dimensions:  $55 \times 73 \times 94$  cm
- filling made of durable artificial synthetic fabric
- suitable for outdoor and indoor use
- · maintenance-free
- loading capacity 120 kg



## **FDZN 5112**

- dimensions:  $55 \times 73 \times 94 \text{ cm}$
- filling made of durable artificial synthetic fabric
- suitable for outdoor and indoor use
- · maintenance-free
- loading capacity 120 kg









## Garden Set made of Artificial Rattan

- ....
- luxury set of artificial rattan
- water-resistant coatings included in cream colour
- 4 × seat cushion + 3 × back cushion + 2 × decorative cushion
- rear sofa size: 128 × 74 × 69 cm
- lounger size: 128 × 71 × 69 cm
- table with tempered glass
- size of the table 62 × 62 × 35 cm
- the set is suitable for indoor and outdoor spaces, gardens, terraces, conservatories...

#### Garden Furniture Set

## **EVA**

- garden furniture made of artificial rattan
- the set consists of two armchairs, a sofa and a table with the top from hardened glass
- seat size: 82 × 57 × 59 cm
- sofa size: 127 × 73 × 78 cm
- table dimensions: 48 × 76 × 44 cm
- the set includes white waterproof covers
- $\bullet$  coating thickness 5 cm, solid polyester 180 g/m  $^2$

## Garden Furniture Set

## **ANGELA**

- luxury garden furniture made of artificial rattan
- the set consists of 4 armchairs and a folding table
- the steel frame of the table is covered with artificial rattan
- the table top is made of tropical acacia
- table dimensions:  $150 \times 90 \times 74$  cm
- ${\mbox{\footnote{in}}}$  the armchairs are made of artificial rattan
- the armrests are made of tropical acacia wood
- part of the seat cushion treated with waterproof impregnation size of seats: 82  $\times$  57  $\times$  59 cm
- load capacity of seats: 110 kg
- wooden parts are treated by oil

### **Garden Furniture Set**

## **RACHEL**

- a set of furniture consisting of 4 armchairs and a table made of artificial rattan
- transparent tempered glass table top
- table dimensions: 145 × 85 × 72 cm
- chair dimensions:  $55 \times 59 \times 93$  cm
- chair load: 120 kg
- the steel frame of the table and chair is covered with artificial rattan
- colour black
- suitable for outdoor and indoor use
- maintenance-free

## Storage Box

## **FDD 1100 PR**

- designer garden box made of artificial rattan
- easy to handle
- steel frame
- colour: black
- polyester lining
- suitable for storing upholstery, garden furniture and tools
- dimensions: 126 × 50 × 60 cm







## **FDZN 9012**

- base for artificial resin umbrella
- stand diameter: 44.5 cm
- total stand height: 32.5 cm
- weight: 12 kg
- variable sunshade umbrella diameter slot 32/38/48 mm



## Sunshade Umbrella

## FDZN 4014/4015

- luxury wooden frame sunshade umbrella
- diameter: 3 m
- impregnated fabric
- colour green/cream
- rod diameter: 3.5 cm
- intended for outdoor and indoor use
- treated with oil coating
- made from tropical acacia wood

## Sunshade Umbrella

## FDZN 5006/5007

- diameter: 3 m
- black/beige coating from 100% polyester 160 g/m<sup>2</sup>
- controlled by handle
- adjustable tilt angle

• material: metal

- rod diameter: 3.8 cm
- intended for outdoor use



## **NEW**

## **FDZN 5103**

- diameter: 3 m
- cream coating from 100% polyester 160 g
- controlled by handle
- adjustable tilt angle
- rod diameter: 3.8 cm
- for outdoor use

## NEW

## Sunshade Umbrella

## **FDZN 5105**

- diameter: 3 m
- grey coating from 100% polyester 160 g
- controlled by handle
- adjustable tilt angle
- rod diameter: 3.8 cm
- for outdoor use

## **NEW**

## Sunshade Umbrella

## **FDZN 5107**

- cover dimensions: 3 × 3 m
- light grey coating made from 100% polyester 160 g
- controlled by handle
- adjustable tilt angle
- rod diameter: 3.8 cm
- for outdoor use





## **NEW**

#### Swing

## **FDZN 5205**

- garden swing for 2 people
- construction: metal with powder coating
- seat cushion: waterproof fabric
- weight capacity: 240 kg
- dimensions: 108 × 162 × 155 cm
- the roof of the swing is made from polyester 160 g/m<sup>2</sup>
- stylish and comfortable garden swing for 3 people
- construction: metal with powder coating
- dimensions: 200 × 120 × 164 cm
- the swing can be unfolded in the lying position
- comfortable upholstered seat
- seat and waterproof covers made from 180 g polyester



## NEW

### Garden Gazebo

## **FDZN 7010**

- metal garden pavilion with a roof
- dimensions: 3 × 3 m
- construction: powder coated steel against corrosion
- roof construction: steel ribs
- the roof covering is made from polyester 180 g/m²
- suitable for any garden
- the package includes sidewalls for protection against wind and insects




## NEW

### Garden Gazebo

## **FDZN 7005**

- metal garden pavilion with a roof
- dimensions: 3 × 3 m
- construction: steel with powder coating against corrosion
- roof construction: steel ribs
- $\mbox{\ \ }$  the roof covering is made from polyester  $180\mbox{\ g/m}^2$
- suitable for any garden





We usually spend a lot of time preparing food in the kitchen. And as it warms up outside, we prefer to spend this time outside the house and fully enjoy the beautiful weather. So it is ideal to move the cooking outside and not only relax and dine in the garden but also prepare food.

**FIELDMANN** offers a wide range of grills, not only charcoal and accessories. Since last year, we have offered gas grills.

With a gas grill you can start grilling immediately. You can put the grill into operation with one button; the output can be easily and precisely regulated. Compared to charcoal grills, handling is more convenient and there is no need to store charcoal. On the other hand, charcoal grills are enhanced by the unmistakable taste and aroma of the food, which can only be achieved by preparing it over charcoal or wood.

Charcoal grills with compact dimensions can be easily stored in a car or even in a backpack ready for weekend camping, and the cost will not significantly burden your wallet. You will appreciate the larger types of grills when inviting larger company to the table or when you want to cook.









## Integrated Ignition System

FIELDMANN grills are equipped with an IRS system. Light your grill by turning the knob...

## Temperature Under Control

The built-in thermometer ensures perfectly cooked food, and the temperature is always under control.

## Easy Handling

Most of our grills have wheels for easier handling around the garden or terrace.

## Place for Accessories

The higher range of FIELDMANN grills takes your accessories into consideration. Place your tools on the integrated hooks.





### **NEW**

## **FZG 2005**

- input power: 1,600 W
- grill dimensions:  $98 \times 64.5 \times 62$  cm
- non-stick surface healthy grilling
- easy to clean
- continuous temperature control
- spice rack and other ingredients
- drip tray
- grilling on a stand (stable, easily removable stand)
- $\bullet$  can also be used separately as a table grill
- weight: 7 kg



## FZG 3102

- size of the grill:  $110 \times 57 \times 112$  cm
- 2× main burner (6 kW)
- grilling surface: 48 × 42 cm
- ignition: integrated system
- grilling height: 86 cm
- stainless steel control panel and handle
- thermometer
- wheels for easier handling



## Gas Grill

## **FZG 3003**

- size of the grill:  $107 \times 53 \times 110$  cm
- 3× main burner (8.1 kW)
- ignition: integrated system
- grilling surface: 49.5 × 36 cm
- grilling height: 86 cm
- cast iron grate
- folding side tables
- thermometer
- wheels for easier handling



## **FZG 3005**

- size of the grill:  $122 \times 57 \times 112$  cm
- 3× main burner (9 kW)
- ignition: integrated system
- grilling surface: 60 × 42 cm
- grilling height: 86 cm
- stainless steel parts: lid, handle, door
- grate and plate: cast iron
- thermometer
- 4× wheels with brake for easier handling



## **FZG 3010**

- size of the grill:  $107 \times 53 \times 110$  cm
- 3× main burner and 1× side burner (11.7 kW)
- ignition: integrated system
- grilling surface: 50.5 × 39 cm
- grilling height: 86 cm
- cast iron grate
- thermometer
- wheels for easier handling



### **NEW**

- $\bullet$  size of the grill: 122  $\times$  57  $\times$  112 cm
- 3× main burner and 1× side burner (11.5 kW)
- ignition: integrated system
- grilling surface: 60 × 42 cm
- grilling height: 86 cm
- stainless steel control panel and handle
- grate and plate: cast iron
- thermometer
- 4× wheels with brake for easier handling





## Fireplace FZG 1010

- wood fireplace
- grilling container diameter 75 cm
- fireplace size: ø 51 cm
- sheet thickness: 0.8 mm
- heat-resistant coating
- stable stand

## Fireplace FZG 1020

- wood fireplace
- diameter: 54.5 cm
- grate height from the ground: 25 cm
- heat-resistant coating
- net cover against flying coal
- collapsible legs for economical storage
- packaging for handling and storage

## Charcoal Table Grill FZG 1000/FZG 1000G

- grill size: ø 35.5 cm
- fireplace size: ø 34 cm
- grilling area height: 22 cm
- chrome grid
- lid

## Charcoal Table Gril

## FZG 1102 G

- grill size: 36.5 cm
- grilling area: ø 34 cm
- grilling height: 28 cm
- chrome grill grate
- lid



## NEW

## Charcoal Grill FZG 1103 B

- grill size: 37 cm
- grilling area: ø 35 cm
- grilling height: 30 cm
- chrome plated grilling grid
- cover

## Travel Charcoal Grill FZG 1003

- grill size: ø 26 cm, height:
- 12.5 cm
- fireplace size: ø 25 cm
- thermo bag with dimensions: 29.5 × 18.5 cm for cooling drinks
- chrome grid
- portable

## Garden Charcoal Grill

- grilling container diameter 41.5 cm
- grilling area: ø 41 cm
- grilling height: 58 cm
- $\bullet$  grilling grid: 41  $\times\,0.5$  cm
- chrome plated grilling grids
- cover







## Garden Charcoal Grill

## FZG 1004

- grill size : ø 57 × 20 cm
- grilling area height: 68 cm
- grilling area size: ø 54.5 cm
- chrome grid
- lid

## Garden Charcoal Grill

## FZG 1007

- size of the grill:  $76 \times 42$  cm
- fireplace size: 71 × 38 cm
- grilling area height: 78 cm
- grate size: 72 × 42 × 0.4 cm
- heating grate size: 68 × 20 × 0.4 cm
- chrome grid
- lid
- thermometer

### **FZG 1008**

- grill size: 61 × 45.5 cm
- grilling surface: 55.6 × 41.5 cm
- grilling height: 78 cm
- $2\times$  grilling grid:  $27.8\times41.5\times$ 0.5 cm
- heating grid:  $53.5 \times 24$  cm
- chrome grill grates
- cover
- thermometer

### FZG 1013

- size: 71 × 74 × 97.3 cm
- grilling area: ø 57 cm
- grilling height: 80.5 cm
- · grilling grid, heating grid
- chrome-plated grilling grids
- enamelled surface
- cover





## Garden Charcoal Grill

- size: 126 × 62 × 90 cm
- grilling area: ø 54 cm
- grilling height: 77 cm
- grilling grid, heating grid
- chrome-plated grilling grids
- storage top
- cover
- thermometer







## FZG 9000 U

- dimensions: 19.5 × 30.5 cm
- heating grid
- safety side handle



## **Electric Lighter** Charcoal and

## FZG 9001-E

- size:  $50 \times 19.5 \times 8.5 \text{ cm}$
- voltage: 230 V/50 Hz, 800 W
- stainless heating coil
- cable length: 1.5 m



## Grill Cleaning **FZG 9003**

- length: 36 cm
- 3 in 1
- scraper steel brush abrasive sponge



# Grill Cleaning

## FZG 9012

- length: 30 cm
- oval steel brush



- length: 30 cm
- oval steel brush

# Set of Grilling

## FZG 9014

- 3 piece grill accessories set
- grill fork, shovel, tongs
- length: 35 cm
- aluminium case
- case dimensions:  $37 \times 10 \times 8$  cm



- 4 grill utensils
- shovel, fork, pliers, brush
- plastic handles, stainless steel
- length: 40-42 cm



# FZG 9016

- 5 grill utensils
- shovel, fork, knife, pliers, brush
- stainless steel



# **FZG 9017**

- 3 grill utensils
- shovel, fork, pliers
- rubber handles, stainless steel
- length: 43,5-46 cm



## FZG 9018

- 3 grill utensils
- fork, scoop and pliers
- length: 38,5-39,5 cm
- bamboo handles
- stainless steel



## FZG 9050

- dimensions:  $110 \times 55 \times 110 \text{ cm}$
- waterproof material
- for models FZG 1008, 3102, 3003, 3010



## **NEW**

## FZG 9051

- dimensions: 130 × 62 × 115 cm
- waterproof material
- for models FZG 3005, 3013



## **NEW**

- dimensions: ø 80 × 75 cm
- waterproof material
- for models
- FZG 1004, 1013







No household and workshop can be without basic tools and implements. Whether you're passionate about DIY or just want to be prepared for the necessary home repairs, with the FIELDMANN brand you can buy quality functional products.
FIELDMANN tools combine reliability, safety and easy operation. They excel in thoughtful ergonomic shapes for maximum comfort at work.





operation of cordless tools are ensured by modern batteries providing freedom of work without worrying about the length of the extension cable and the availability of a socket. With a cordless tool, you can attach the console to the curtain immediately, without finding and stretching the extension cable, which will not interfere with your work.

Thanks to the independence of the electrical socket, cordless **FIELDMANN** tools also enable you to work outdoors and in hard-to-reach places. The light and simple character of the control of these tools means more complicated work can be done.

Assembling or disassembling furniture is a task for cordless screwdrivers. You can adjust some models from the pistol grip to a horizontal position relative to the screwdriver head. This will prepare a straight tool that will not leave you in a tight spot, even if you need to access narrow spaces.



## **Under Control**

Thanks to the battery signalling LEDs, you will always know how long it will take to charge the battery.



## Small But Powerful

The FDV 10252/10253 model series is supplied with an extremely small but powerful 12 V battery, which is also supplied in a package of 2 pieces.



# Integrated LED Light

The Fieldmann cordless series is equipped with built-in LED lights for more comfortable work.




## Just Around the Corner

We supply the FDS 10155-A cordless screwdriver with a flexible tool cable for work in places where there is not enough space.



Also on offer are 5 AKU machines for hand tools within the range **FAST POWER 20 V**, pages 4-7







## FDV 10352-55AR

- Li-lon 14,4 V 2000 mAh
- 2 speeds: 0-400 / 0-1,400 rpm.
- torque moment 35 Nm
- torque: 18 + 1 + 1
- impact
- 13 mm fast switching chuck
- LED light
- charging time 1-1.5 hours
- · included:
- 9 pc masonry drill set
- 30 bits 25 mm
- 3 bits 75 mm
- 1 handle for bits
- 1 screwdriver:
- 4 socket heads





# FDV 10351-A

- 14.4 V Li-Ion 1,300 mAh
- 2 speeds: 0-400/0-1,500 rpm
- Torque levels: 15 + 1
- fast switching chuck 10 mm
- USB port power bank function
- 3 level LED battery indicator
- LED light



Power bank

## FDV 10301-A

- Li-lon 14.4 V 1500 mAh
- 2 speeds: 0-400 / 0-1,400 rpm.
- torque moment 30 Nm
- torque: 18 + 1 + 1
- LED light
- maximum drilling diameter 10 mm
- weight: 1.2 kg



## Cordless Drill FDV 10201-A

- Li-Ion 12 V 1,300 mAh
- 2 speeds:0-400/0-1350 rpm
- torque moment 25 Nm
- 17 torque levels and 1 drilling
- 3-level LED battery charge indicator
- LED light
- charging time 3-5 hours
- keyless chuck
- maximum drilling diameter
- weight: 1.05 kg



PRACTICAL CASE INCLUDED



## rdless Drill FDV 10252-A/53-A

- Li-lon 12 V 1300 mAh
- 2 speed: 0-350/0-1,350 rpm
- torque: 22 + 1
- 10 mm fast switching chuck
- LED light
- included:
- 6 drills • 6 bits
- 1 handle for bits
- spare battery
- FREE OF CHARGE





## Cordless Screwdriver

## **FDV 10103-A**

- 3.6 ∨ 800 mAh Li-ion battery
- idle revolutions: 280 rpm
- rotation direction switch
- charging time 1 h by USB cable
- LED liaht
- · low weight: 0.16 kg

## Cordless FDV 10155-A

- 3.6 V 1300 mAh Li-ion battery
- idle revolutions: 230 rpm
- torque moment 3.5
- Torque levels: 6 + 1
- LED light and flashlight
- 90° swivel handle

### included:

- 8× 1/4" heads
- 32 bits
- 2 drills
- 1 magnetic bit holder
- 1 connecting shaft
- 1 head adapter

# We supply selected products in

the Fieldmann cordless series with a wide range of accessories.

**Plenty of Accessories** 



## Cordless FDV 10102-A

- 3.6 V 1300 mAh Li-ion battery
- idle revolutions: 220 rpm
- head with 6 bits
- LED light
- battery charge indicator
- 90° swivel handle
- · ergonomic handle



## Cordless

## FDV 10101-A

- 3.6 V 1300 mAh Li-ion battery
- idle revolutions: 180 rpm
- Torque levels: 6 + 1
- LED light
- battery charge indicator
- 90° swivel handle



Manually tightening screws and hammering in nails is a long and arduous task in the home and the workshop. Sometimes it is simply necessary to use the mechanical force of the machines. Where there is good access to electricity, DIYers traditionally choose electric hand tools for higher performance, unrelenting power and unlimited endurance.











## **Laser Sight**

The new range of cutting tools is equipped with a laser for more accurate cuttina. You will always find your line in the sea of dust.

## It Will Last Demolish the

wall, beat the tiles... **FIELDMANN** rotary hammers have a durable construction

### Safety

We emphasise safety at work. Hand tools are equipped with a number of safety features.

### **Extensions**

Choose the right one. Not just hot air guns have several types of attachments.



Fieldmann electric hand tools are intended for anyone who is looking for reliable, yet affordable equipment for work in the workshop and around the house. They combine advanced technical solutions with exceptional user comfort. Copper winding for motors extends the service life of the tools. The advantage when transporting and storing tools is the practical boxes.







## **FDV 200501-E**

- voltage: 230 V/50 Hz
- input power: 500 W
- quick-action chuck up to 13 mm
- no load speed: 0-3,000 rpm
- drilling or impact drilling
- speed control
- ergonomic side handle
- comfortable switch control

## Impact Drill FDV 200711-E

- voltage: 230 V/50 Hz
- power output: 710 W
- no load speed: 0-2,800 rpm
- chuck size: 13 mm
- option for drilling and hammer drilling
- option of speed regulation
- side handle and depth stop

## Impact Drill FDV 200751-E

- voltage: 230 V/50 Hz
- power output: 750 W
- no load speed: 0-2,800 rpm
- chuck size: 13 mm
- keyless chuck
- option of drilling and impact drilling
- option of speed regulation
- side handle and depth stop



## SDS Drill/Hammer Drill FDV 211050-E

- voltage: 230 V/50 Hz
- input power: 1,050 W
- no load speed: 0-1050 rpm
- impact strength:
- 0-5,200 strokes / min., 2.8 J
- maximum drilling: concrete 26 mm, metal 13 mm, wood 42 mm
- no load speed: 0-850 rpm
- · 3 drills and 2 chisels,
- 1 chuck
- SDS-PLUS system

## Rotary Hammer FDV 201502-E

- voltage: 220 V/50 Hz
- input power: 1,500 W
- no load speed: 0-880 rpm
- impact strength:
- 0-4,250 strokes / min., 5.5 J
- maximum drilling: concrete 32 mm, metal 13 mm, wood 40 mm
- no load speed: 0-850 rpm
- 3 drills and 2 chisels
- SDS-PLUS system
- weight: 4.9 kg

## Demolition Hammer FDBK 201301-E

- voltage: 230 V/50 Hz
- input power: 1300 W
- SDS-Max
- impact strength: 0-3,600/min./15 J
- 1 pc single point muzzle 18 × 320 mm
- 1 pc flat chisel 18 x 320 mm





## Angle Grinder FDB 200901-E

- voltage: 230 V/50 Hz
- input power: 900 W
- no load speed: 11,000 rpm
- disk diameter: 125 mm
- · side handle and key
- · copper motor winding

## Angle Grinder FDB 201201-E

- voltage: 230 V/50 Hz
- input power: 1,200 W
- no load motor speed: 12,000 rpm
- 3 ergonomic side handle positions
- · disk diameter: 125 mm
- · copper motor winding
- 1 grinding wheel included in the package

## Angle Grinder FDB 201401-E

- voltage: 230 V/50 Hz
- input power: 1400 W
- no load speed: 4000-8600 rpm
- disk diameter: 150 mm
- side handle and key
- copper motor winding

## Angle Grinder FDB 202201-E

- voltage: 230 V/50 Hz
- input power: 2,200 W
- no load motor speed: 6,000 rpm
- side handle adjustable to 3 positions
- · disk diameter: 230 mm
- · copper motor winding



PRACTICAL CASE INCLUDED







## **NEW**

## FDP 200805-E

- voltage: 230 V/50 Hz
- input power: 800 W
- maximum cutting depth: 80 -100 mm
- no load motor speed 2,800 rpm
- ergonomic handle
- AC laser and LED light

### Package contents:

- rectangular distance holder
- cutter, 2 saw blades, briefcase

## FDK 200802- E

- voltage: 230 V/50 Hz
- input power: 800 W
- no load motor speed: 4,500 rpm
- ergonomic side handle
- · disk diameter: 140 mm
- · copper motor winding

## Package contents:

• rectangular cutting distance holder, 1 cutting disc

## FDK 201301- E

## voltage: 230 V/50 Hz

- input power: 1,300 W
- no load motor speed: 4,700 rpm
- ergonomic side handle
- · disk diameter: 185 mm
- · Robust aluminium body

## Package contents:

• circular saw, T-shaped cutting distance aligning tool, 1 cutting disk

## **NEW**

## Circular Saw

## FDK 201302- E

- voltage: 230 V/50 Hz
- input power: 1300 W
- engine speed without load 4,500 rpm.
- side ergonomic handle
- · disk diameter: 185 mm
- · Robust aluminium body
- AC laser for more precise cutting

### Package contents:

• rectangular cutting distance holder, 1 cutting disc





PRACTICAL CASE INCLUDED



## FDB 2004-E

### • voltage: 230 V/50 Hz

- power output: 150 W no load motor speed
- 11,000 rpm
- grinding surface: 198 × 90 mm
- · copper motor winding
- ergonomic handle

## NEW DESIGN

## ration Grinder

## FDB 200221-E

- voltage: 230 V/50 Hz
- power output: 200 W
- no load motor speed 7000-12,000 rpm.
- power regulation (1-5)
- 3 exchangeable plates:

122 mm ( ) 150 × 150 × 100 mm 184 × 92 mm

## FDB 200131-E

- voltage: 230 V/50 Hz
- power output: 130 W
- no load speed: 13,000 rpm
- grinding surface: 140 × 140 × 80 mm
- · copper motor winding

## Eccentric Grinder FDEB 200431-E

- voltage: 220 V/ 50 Hz
- input power: 430 W
- no load motor speed 5,000-13,000 rpm.
- grinding area size: 125 mm
- copper motor winding

## Belt Grinder FDBP 200901-E

- voltage: 230 V/50 Hz
- input power: 900 W
- grinding speed: 200-380 m<sup>3</sup>/min.
- belt size: 76 × 533 mm
- copper motor winding





PRACTICAL CASE INCLUDED



## FDB 200301-E

- voltage: 230 V/50 Hz
- input power: 300 W
- no load speed 10,000 - 18,500 rpm
- variable speeds
- · cutting, grinding, scraping etc.

### Package contents:

• 11 piece accessory set case

## FDTP 2020/2100-E

- melting pistols
- voltage / frequency: 230 V/50 Hz
- input power: 20 W/100 W
- glue stick diameter 7 mm / 11 mm
- melting ability: 3-6 g/9-16 g
- preheating time: 3-5

## 20 pcs

 coloured/transparent with diameters of 7 and 11 mm

## for **FDTP 2020-E** (7 mm):

- FDTP 9020 melting rods trans.
- FDTP 9021 colour melting sticks.

### for FDTP 2010-E (11 mm):

- FDTP 9100 melting rods trans.
- FDTP 9101 colour melting sticks.

## **Nodelling Grinder**

## FDMB 200172-E

- voltage: 230 V/50 Hz
- input power: 170 W
- no load speed 10,000 - 35,000 rpm.
- chuck size: 1,6-3,2 mm
- 440 piece accessory set
- plastic packaging for transport
- copper motor winding



## Modelling Grinder FDMB 200171-E

- voltage: 220 V/50 Hz
- input power: 170 W
- no load motor speed 10,000 - 35,000 rpm.
- chuck size 0.8-3.2 mm
- 210 piece accessory set
- copper motor winding





### **NEW**

## ectric Planar FDH 200801-E

- voltage: 230 V/50 Hz
- input power: 800 W
- no load motor speed: 0-17,000 rpm
- mowing width: 82 mm
- chip depth: 0-2 mm
- folding depth: 0-6 mm
- solid aluminium base

## **Table Grinder** FDSB 200251-E

- voltage: 230 V/50 Hz • input power: 250 W
- no load motor speed 2,960 rpm
- 2 grinding wheels: 150/200 mm
- stable and solid construction



### **NEW**

## FDIS 20140-E

- voltage: 230 V/50 Hz
- actual output current: 20-140 A
- electrode diameter: 1.6 - 3.2 mm
- input current: 28 A
- maximum input power: 6.1 kVA included in the package

welding shield



**NEW** 

## **FDIS 20160-E**

- voltage: 230 V/50 Hz
- actual output current: 20-160 A
- electrode diameter: 1.6 - 4.0 mm
- input current: 33 A
- maximum input power: 7.2 kVA
- included in the package welding shield



PRACTICAL CASE INCLUDED



- container capacity 800 ml
- flexible hose length 1.3 m









- voltage: 230 V/50 Hz
- input power: 2000 W
- temperature setting: 1.: 50-450 °C, II.: 60-600 °C
- airflow: I. 250 I/min, II. 500 I/min

### Package contents:

- plastic case
- 5 × extension

## **NEW**

## Saber Saw FDPO 200711-E

## voltage: 230 V/50 Hz

- input power: 710 W
- maximum cutting depth: 115 mm
- no load motor speed 2,800 rpm
- ergonomic handle
- copper motor winding

## Package contents:

• 2 saw blades (wood + metal)

## **Electric Stirrer** FDRM 200851-E

- voltage: 230 V/50 Hz
- input power: 850 W
- no load motor speed: 0-500 rpm
- connecting thread: M 14
- broom dimensions: 120 × 600 mm

## **Electric Stirrer** FDRM 201601-E

## • voltage: 230 V/50 Hz

- input power: 1,600 W
- no load motor speed: 0-660 rpm II. 0-900 rpm
- connecting thread: M 14
- broom dimensions: 140 × 590 mm























# No household and workshop can be without basic tools and implements.

Whether you're passionate about DIY or just want to be prepared for the necessary home repairs, with the **FIELDMANN** brand you can buy quality, functional products. **FIELDMANN** tools combine reliability, safety and easy operation. They excel in thoughtful ergonomic shapes for maximum comfort at work.







High Quality Steel

We use highstrength tool steel CR-V for our tools.

## Wide Range of Bits and Extensions

The tool sets comprise all available and commonly used bits. Just choose.

## Versatile Use

The tools can be used in the workshop and the home.



## FDG 5005-85R

- $3\times$  pliers,  $2\times$  screwdriver: (-) (+)  $6\times100$  mm
- 1× handle for socket wrenches
- 5x open sided wrench:
- 3× tools: knife 18 mm, hammer, meter 5 m
- 2× ratchet handle with tilting head
- $3 \times$  socket for 1/2 "- 1/4" socket wrench
- 1× three-way attachment,  $2 \times$  universal joint
- 2× spark plug socket 1/2"
- 12× socket wrenches 1/4 ", 16 × sizes 1/2"
- 1x connecting member, 1 x sliding rod 1/4 "
- $6 \times \text{ hl. } 1/4 \text{ "plug, } 20 \times \text{ bits } \times 25 \text{ mm with holder,}$   $2 \times \text{ punch (canine and flat chisel)}$

### Gola Set FDG 5001-108R

- 18× ¼ "socket with bits
- 26× ¼ "socket / extended / E
- 2x: "extension: 50 mm and 75 mm
- 1×¼ "ratchet joint, 1 ×¼" blockbuster
- 1× ¼ "screw handle, 1 × ¼" ratchet
- $30 \times \frac{1}{2}$  "socket / extended / E
- $2 \times \frac{1}{2}$  " extension: 125 mm and 250 mm
- 1× ½" ratchet joint, 1 × ½" ratchet
- 2× ½" candle head: 16 and 21 mm
- 3× Allen key: 1.5, 2, 2.5 mm
- 1× bit adapter
- 17× bits
- 1× case

## Gola Set FDG 5000-32R

- 19x ½" socket head: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm
- 2x 1/2" candle head: 16, 21 mm
- 2× ½" extension: 125, 250 mm
- 1× ½" joint
- 1× ½" ratchet
- 6x ½ "socket head (12 pt): 10, 12, 14, 15, 17, 19 mm
- 1× case





## FDG 5003-65R

## • 23× 1/4"-3/8" socket wrenches

- 2× universal joint: 1/4" and 3/8"
- 2× socket wrench for ignition candles 3/8"
- 3× socket for 1/4", 3/8" socket wrench
- 2x ratchet handle with tilting head
- 2× screwdriver (-) (+) 6 × 100 mm
- 20× bits 25 mm + 1 × connecting element
- 1x pliers with long jaws: 6"
- 1× pliers with sliding joint: 10"
- 1x diagonal pliers 6"
- 1× splitting pliers: 7"
- 5x open side key
- 1x handle for socket wrenches



### FDG 5014-66R

- 1×6" combination pliers
- 1× 6" diagonal pliers 1× 10" plumbing pliers
- 3x screwdriver: SL3/100, PH6/100, PH5/75 mm
- 1x handle for socket heads
- 1x measuring band 3 m
- 1×8" adjustable wrench
- 8x Allen wrench
- 1×6" spirit level
- 2× screwdriver with bits:
- 4× wrench 8, 10, 12, 13 mm
- 1x hand saw
- 4× saw blade
- 1× hammer
- 2× file
- 1× magnetic attachment
- 32 bits with holder



## Gola Toolkit

### FDG 5002-54R

- 14x 3/8" socket wrenches: 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 22, 24 mm
- 1× 3/8" ratchet handle with fuse
- 2× screwdriver SL 6 × 100 mm and PH 6x 100 mm
- 22× extensions / holder
- 1×6" pliers with long jaws
- 1× 10" pliers with sliding joint
- 1x 6" diagonal pliers
- 9x Allen key: 1.5 10 mm / holder
- 1× T-handle for 1/4" socket wrenches
- 1× 3/8" universal joint
- 1× 1/4" connecting element



## FDG 5013-138R

- 1×6" combination pliers
- 2× screwdriver: SL6 / PH6× 100 mm
- 1x handle for socket heads
- 4× tools: knife, hammer, spirit level, meter
- 8× sockets: 5 13 mm
- $1 \times 6$  "adjustable wrench +  $8 \times \text{hex key}$
- 1× screwdriver with bits: PH00, 0, SL2, 2.4
- 24× bits 6 / 25 mm, 1 × ratchet 1/4"
- 1x rubber adapter for hammer
- 80× dowel
- 1× screwdriver with tester
- 1× magnetic bit holder



## FDG 5008-53R/FDG 5010-53R

- 1×6" combination pliers
- 1×6" pliers with long jaws
- 8× 3/8" sockets: 8 -17 mm
- 1×3/8" ratchet
- 1×6" adjustable wrench
- 8× 1.5 6 mm Allen wrench
- 2× screwdrivers: PH2 / SL6 × 100 m
- 1x bit holder
- 20 bits 25 mm
- 1x 200 g hammer
- 1×6" level
- 1× measuring band 3 m
- 1× knife



## Gola Se FDG 5012-108R

14× 1/4" socket wrenches

14× 3/8" socket wrenches

2×3/8" spark plug wrench

1x 1/4" socket wrench attachment: 3"

1× ratchet handle with tilting head: 3/8"

1x connecting member

2× screwdriver 6× 100 mm

40× 25 mm bits

2× 6", 10" pliers

6x open side wrench: 6 - 17 mm

1x handle for socket wrenches

1x two-way attachment: 1/2"x 3/8"

22× Allen key





## FDG 5006-60R

- 1×8" adjustable wrench
- 1x snap-off knife
- 1×6" diagonal pliers
- 1×6" combination pliers
- 1×3 m tape measure
- 9× Allen key 1.5 -10 mm
- 9x 1/4" head 5 13 mm
- 1× 1/4" torque wrench
- 1x carpenter's hammer 340 g
- 1× bit holder
- 1×9" spirit level
- 32× 1" bits
- 1x magnetic bit holder



## Gola Toolkit FDG 5007-39R

- 1× combination pliers
- 12× bits 25 mm
- 8× Allen key 1.5 6 mm
- 2 screwdrivers: PH2× 100 mm, SL6 × 100 mm
- 1× bit holder
- 1×3/8" ratchet
- 9× 3/8" socket heads: 8, 10, 11, 12, 13, 14, 15, 17, 19
- 1× hammer 200 g
- 1× extension 3/8" × 3"
- 1× 3/8" universal joint
- 2× 3/8" plug-in head for candles 16, 21 mm



## Gola Toolkii FDG 5015-51R

- 20× bits 1× drawer holder
- 1× magnetic bit holder
- 2× mini screwdrivers CRV
- 1x screwdriver CRV: 5x 100 mm (-, +)
- 1× 1/4" X3" extension
- 7× hexadecimal keys CRV: 1, 5-6 mm
- 12× socket heads 1/4 ": 4, 4, 5, 5, 5, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm
- 1x bracket adapter 1/4" bits
- 1× 1/4" ratchet handle
- 1×6" long nose pliers
- 1×6" combination pliers
- 1× knife



## FDG 6001-47R

### 4 mm bits:

- ⊖ SL 1.0, 1.5, 2.0
- ⊕ PH 1.0, 1.5, 2.5
- T2, T5TX T2, T5

8.0 Y 🕒

1/4" socket heads:

M 2.5, 3.0, 3.5, 4.0, 4.5, 5.0 ∪ 2.6

## 6 mm bits:

- ⊖ SL 3.0, 4.0, 5.0
- ⊕ PH 4.0, 5.0, 6.0
- H 3.0, 4.0, 5.0 ● TX T 6, T 7, T 8
- ♠ Y 2, Y 3, PZ 2, PZ 3

⊙ U 6.0



## FDS 1015-56R

### 25 mm bits:

- H 3, 4, 5, 6
- ♠ T 10, 15, 20, 25, 30
- ⊖ SL 3, 4, 5, 6
- ⊕ PH 1, 2, 3
- ⊕ PZ 1, 2, 3

## 50 mm bits:

⊖ SL 5, 6, ⊕ PH 1, 2

- 1/4" socket wrenches: 4, 4.5, 5, 6, 7, 8, 9, 10, 11, 12 mm
  - 3/8" socket wrenches: 13, 14, 15, 17 mm
  - 3/8" ratchet
- pliers with sliding joint
- extension





## FDG 5011-35R

- tool set 35 pcs
- 1×6" combination pliers
- 1× handle for push-in bits
- 1 x knife
- 1× scissors
- 1× measuring band 3 m
- 20, 6/25 mm bit
- 9× Allen wrench 1.6 -10 mm
- 1× magnetic attachment









## Set of Bits With Screwdrivers FDG 5004-79R

#### 6 mm bits:

- ⊕ PH 0, 1, 2, 3
- ⊕ PZ 1, 2, 3
- TX 4, 5, 6, 7 TH 8, 9, 10, 15, 20
- H 2.5, 3.0, 4.0, 5.0, 6.0
- ⊕ Y 1, 2, 3
- 2.3
- ⊙ U 6, 8

#### 4 mm bits:

- ⊖ SL 1.5, 2.0, 2.5, 3.0, 3.5

- ⊕ PH 1.0, 1.5, 2.0, 2.5, 3.5 ⊕ TX 3, 4, 5, 6, 7, 8, 9, 10, 15, 20 ⊕ H 1.3, 1.5, 2.0, 2.5, 3.0, 4.0 ⊕ Y 2.0
- <u>^</u> 2.0
- € 0.8 ∙ U 2.6

## 1/4" socket heads:

O M 5.0, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0, 12.0, 13.0

## FDS 1005-65R

#### 4 mm bits:

- SL 1.0, 1.5, 2.5
- ⊕ PH 000, 00, 0, 1
- ₱ PZ 0, 1
- TX 5, 6, 7, 8, 9, 10
- H 0.7, 0.9, 1.3 1.5, 2.0

### 1/4" socket heads:

M 5.0, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0, 12.0, 13.0

## 6 mm bits:

- SL 3, 4, 5, 6, 7
- ⊕ PH 0, 1, 2, 3
- ⊕ PZ 0, 1, 2, 3
- TX 10, 15, 20, 25, 30, 40
- H 3, 4, 5, 6
- SQ 0, 1, 2, 3

# FDS 1014-61R

#### 4 mm bits:

- ⊖ SL 1.5, 2.0, 2.5, 3.0, 3.5
- ⊕ PH 1.0, 1.5, 2.0, 2.5, 3.5
- (a) TX 3, 4, 5, 6, 7, 8, 9, 10, 15, 20 (b) H 1.3, 1.5, 2.0, 2.5, 3.0, 4.0
- Y 2.0 2.0
- 8.0
- ∙ U 2.6

### 6 mm bits:

- ⊕ PZ 0, 1, 2, 3
- TX 10, 15, 20, 25, 27, 30, 40
- H 2, 2.5, 3, 4, 5, 5.5, 6

### 1/4" socket heads:

O M 5, 6, 7, 8, 9, 10, 11, 3/16, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16

1x screwdriver with ratchet for 6 mm bits

• 1x screwdriver for 4 mm bits

## FDS 1009-41R

### 6 mm bits:

- SL 3, 4, 5, 6, 7
- ⊕ PH 1, 2, 3
- ⊕ PZ 1, 2, 3
- TX 10, 15, 20, 25
- H 2, 3, 4, 5, 6

## 1/4" socket heads:

O M 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 13/32



## FDS 1004-33R

### 4 mm bits:

- ⊖ SL 1.0, 1.5, 2.0, 2.5, 3.0, 3.5,
- **4.0**
- ⊕ PH 000, 00, 0, 1
- PZ 0, 1
- TX 4, 5, 6, 7, 8, 9, 10, 15, 20 H 0.7, 0.9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0
- screwdriver with extension attachment
- flexible attachment
- magnifying glass



## FDS 1011-22R

## 6 mm bits:

- SL 3, 4, 5, 6
- ⊕ PH 0, 1, 2, 3
- ⊕ PZ 0, 1, 2, 3
- TX 10, 15, 20, 25
- H 3, 4, 5, 6
- screwdriver with ratchet
- 50 mm extension attachment



# Set of Bits With Screw driver FDS 1016-40R

## 25 mm bits:

- T 10, 15, 20, 25
- SL 3, 4, 5, 6
- ⊕ PH 0, 1, 2, 3 H 3, 4, 5, 6
- 28 mm bits:
- ▼ T 5, 6, 7
- SL 2, 2,5, 3
- ⊕ PH 000, 00, 0
- H 1.3, 1.5, 2
- 1/4" extension: M 5, 6, 7, 8, 9, 10, 11, 12, 13 mm



## FDS 1017-37R

### 6 mm bits:

- H 3, 4, 5, 6
- T 10, 15, 20, 25
- ⊖ SL 3, 4, 5, 6
- ⊕ PH 0, 1, 2, 3
- ⊕ PZ 1, 2, 3
- S 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14





## Mini Toolset FDS 1018-23R

- 15 pcs 25 mm bits
- 6 pcs 1/4 extension 5, 6, 7, 8, 9, 10 mm
- 1 ratchet
- 1 extension



## **Hobby Knives FDN 1003-14R**

- Hobby knives 14 pcs
- 2× knife handle
- pumpkin cutters



- 13 knife set
- 2 ruling needles
- magnetic strip
- handle

## Staple Gu

**NEW** 

## **FDN 3001**

- use for round/rectangular clips and nails
- meets TÜV / GS standards
- all-metal stapler construction
- practical plastic case with 1,500 clips included

## Multitool FDM 5025

- narrow pliers classic jaws
- splitting pliers knife awl
- can opener bottle opener
- file flat screwdriver large
- Cross screwdriver
- small flat screwdriver
- serrated knife



# Screw Remover FDV 8101

- cut screw remover
- size: 5, 6, 8, 10 mm



## Mini Toolset FDS 9008-10R

- 10 bits PH2\* 25 mm
- ideal for working with plasterboard



## **NEW**

## Set of Screws FDS 9102-500R

- 5\*60 mm 15 pcs, 5\* 80 mm 10 pcs
- 5\* 50 mm 20 pcs, 5\* 40 mm 22 pcs
- 3.5\* 25 mm 60 pcs, 3.5\* 30 45 pcs
- 4\* 30 mm 40 pcs4\* 40 mm 28 pcs
- 3\* 20 mm 100 pcs, 3\* 16 mm 130 pcs
- 4\* 35 mm 30 pcs



## NEW

## Set of Screws

## FDS 9101-206R

- 5\* 60 mm 15 pcs, 5\* 80 mm 10 pcs
- 5\* 50 mm 20 pcs, 5\* 40 mm 22 pcs
- 3.5\* 25 mm 60 pcs, 3.5\* 30 45 pcs
- 4\* 30 mm 40 pcs, 4\* 40 mm 28 pcs
- 3\* 20 mm 100 pcs, 3\* 16 mm 130 pcs
- 4\* 35 mm 30 pcs





# **FDNP 3301**

- 3 sheet metal shears in a package
- cutting option: left, right and straight
- ergonomically shaped handles







#### **Pliers Set FDN 1020 FDMV 1401**

- combined pliers 150 mm
- diagonal pliers 150 mm
- clipping pliers 150 mm

## **Painting Set**

• the starter kit contains everything for painting: different types of rollers, brushes, tarpaulin, paint mixer/hopper, frames, tape and paint tin opener

#### **FDMV 1501**

- paint tank capacity: 0.54 l
- 3/8" drip roller (perforated)
- 1x protective shield



FIELDMANN

#### **NEW**

#### **Metal Box for Tools**

#### **FDN 4150**

- three-part tool box with built-in wheels and telescopic handle
- dimensions: 520 × 320 × 721 mm
- wheels made of hardened
- weight: 15 kg





#### **NEW**

### Box for Tools 16.5"

#### **FDN 4116**

- material: high-quality plastic
- dimensions: 415 × 210 × 190 mm
- compartment for bits, dowels and screws
- reinforced handle



#### **NEW**

#### Box for Tools 18.5"

#### **FDN 4118**

- material: high-quality plastic
- dimensions: 480 × 250 × 230 mm
- compartment for bits, dowels and screws
- reinforced handle





# FDS 5007-18R

- 4× flat screwdrivers
- 4x cross screwdriver
- 10× small screwdriver with index finger turntable
- · wall mountable bracket



## Screwdriver Set

#### FDS 5008-18R

- 4× flat screwdrivers
- 4x cross screwdriver
- 10 × small screwdriver with index finger turntable
- wall mountable bracket



### Screwdriver Set

#### FDS 5006-37R

- 4× cross screwdriver
- 4x flat screwdriver
- 8× small screwdriver
- 1× screwdriver for bits + 20 × bits"



#### **Screwdriver Set** FDS 1102-6R

- flat screwdrivers:  $3.0 \times 75$  mm,  $4.0 \times 100 \text{ mm}$ ,  $5.0 \times 150 \text{ mm}$
- cross screwdriver:  $4.0 \times 100$  mm,  $5.0 \times 125$  mm, 6.0 × 150 mm
- wall mount or wall panel



# **FDN 1010**

- side wrenches with angle loop
- sizes: 6, 8, 10, 11, 12, 13, 14, 15, 17, 19, 22, 24
- · suspended rolling canvas



# Fixed Head FDN 1050

- size: 8, 10, 12, 13, 14.17, 19 mm

Ratchet Wrench with

Joint FDN 1051

• size: 8, 10, 12, 13, 14, 17,

19 mm plastic case

• plastic case

# **FDLM 1030**

- measuring range: 0.2-30 m
- · accuracy of measurement +/- 0.2 mm
- laser type class 2, 630-670 nm <1 mW
- units m/ft
- Battery type: alkalineAAA 2 DCS
- function of one measurement
- function of further measurements
- beep and backlight functions



# **NEW DESIGN**

## Laser Distance Meter

#### **FDLM 1040**

- measuring range: 0.2 40 m
- · accuracy of measurement  $+/-0.2 \, \text{mm}$
- laser type class 2, 630-670 nm <1 mW
- units m/ft
- battery type: Li-lon
- function of further
- beep and backlight functions
- round surface measurement function





# DRILLS



# **FDV 9004**

- iron drills 6 pcs
- size: 3, 4, 5, 6, 8, 10
- 6 screw bits



**FDV 9006** 

- set of Cobalt drills for masonry 6 pcs
- sizes 3, 4, 5, 6, 8, 10
- 6 screw bits



# **FDV 9101**

- 18 piece masonry
- sizes: 2× 3 mm, 2× 4 mm, 5× 5 mm, 5×6 mm, 3×8 mm, 1× 10 mm



**FDV 9201** 

- iron drills 39 pcs, Premium Quality
- size: 1, 1,5, 2, 2,5, 3, 3,5, 4, 4,5, 5, 5,5, 6, 8, 10 mm



**FDV 9202** 

- iron drills 27 pcs, Premium Quality
- size: 2, 3, 4, 5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 12 mm

# BIT SET



FDS 9005-55R

75 mm bits:

- ⊕ PH 1, 2, 3 × 2
- ⊕ PZ 0, 1, 2, 3
   ⊖ SL 3, 4, 5, 6 × 2, 7
- H 4, 5, 6 x 2
   T 10, 15, 20, 25, 30, 40 2x
- klíč: 4, 6, 8, 10 × 2
- drápový set: 6, 5, 10 2x





- ⊕ PH 10, 15, 20, 25, 27, 30, 40
- 50 mm bits: ⊖ SL 3.0, 4.0, 5.0 ⊖ SL 3.0, 4.0, 5.5 ⊕ PH 10, 15, 20, 30
- 125 mm bits:

⊖ SL 3.0, 4.0, 5.0 PH 10, 15, 20

FDS 9006-27R

6 mm bits: ⊖ SL 3.0, 4.0, 4.5, 5.0, 5.5, 6.0, 6.5, 7.0

FDS 9002-67R

- ⊕ PH 0, 1, 2, 3 ⊕ PZ 0, 1, 2, 3
- ★ TX 8, 9, 10, 15, 20, 25, 27, 30, 35, 40
   ★ H 1.5, 2.0, 2.5, 3.0, 4.0, 4.5, 5.0, 5.5, 6.0, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4

SQ 0, 1, 2, 3



## FDS 9003-56R

25 mm bits:

- ⊕ PH 1, 2, 3 3x
   ⊕ PZ 1, 2, 3 3x
   ⊕ SL 4.0, 5.0, 6.0
   ⊕ T 10, 15, 20, 25, 27, 30, 40 2x
- TR 10, 15, 20, 25, 27, 30, 40
  H 3.0, 4.0, 5.0
- 75 mm bits:
- PH 2, 3 ⊕ PZ 1, 2 ⊖ SL 6.0 mm T 20, 25



# FDS 9004-33R

25 mm bits::

- ⊕ PH 0, 1, 2 -4x, 3 2x
   ⊕ PZ 0, 1, 2 3x, 3
- 50 mm bits::
- ⊖ SL 3.0, 4.0, 5.0, T 10, 15, 25, 30
- 75 mm bits:
- H 2.0, 3.0, 3.5, 4.0, 5.0, 6.0

Nut attachment 5, 6, 7, 8, 9, 10 mm

# SPECIAL **ACCESSORIES**



## SDS Plus Set 13 pcs FDV 9151

- set of 9 SDS drills and 4 chisels
- drills: 6, 8, 10, 12 (various sizes)
- point, flat and grooved chisels



# **FDV 9152**

- set of 12 SDS drills
- drills: 5, 6, 8, 10, 12, 18, 20, 24 (various sizes)



- 2× T 144 D

- 2× T 101 AO wood 5 50 mm • 2× T 101 BR

# ood FDP 9001

- 2× T 118 A wood 2 15 mm
- wood 3 30 mm
- 2× T 101 B wood 3 30 mm
- metal 1 3 mm



# Blades FDP 9002

- 2× T 118 A metal 1 3 mm
- 2× T 101 B - wood 3 - 30 mm
- 2× T 111 C wood 4 50 mm
- 2x T 127 D metal 3 15 mm
- 2× T 119 BO - wood 2 - 15 mm



#### **NEW**

#### Set of 9 Saw Blades **FDPO 9001**

- 2 universal saw blades
- 3 saw blades for wood 4 saw blades for metal.
- universal handle (1/2")







Multi-purpose vacuum cleaners can even vacuum heavy dirt, for example, in a garage, workshop, car or wet mud in the backyard. They handle coarse and fine particles and also with liquid or uncooled ash up to 40 °C.









#### Container

The large capacity container catches everything that goes through the hose directly into the container without the need for sacks, which is a huge advantage, especially for wet cleaning.

#### Hose

Users will
appreciate the
up to 2.5 m long
hose, especially
when cleaning
stairways,
courtyard
niches,
cobwebs
from ceilings,
and heavier
materials.

#### Socket

The electricity socket makes connecting another electrical appliance easy. The vacuum cleaner automatically starts once connected.

## Mobility

The base with wheels makes moving the vacuum cleaner along the floor easy. The wheels can be removed from the vacuum cleaner when they are not required, e.g. when cleaning staircases.

**FIELDMANN** universal vacuum cleaners are equipped with a chrome container for solid dirt and water with a volume of up to 30 litres and a cotton filter made of solid fibres, which captures even the finest particles. The filter can be scraped off, rinsed, and used again after use. The advantage is the vacuum cleaner is fitted with an electrical socket so other devices can be directly connected to it. This is a bonus when using another device, such as a pressure washer and you need to vacuum immediately. The vacuum cleaner immediately absorbs the dirt released by the water jet.





- voltage/frequency 230 V/50 Hz
- input power: 1,400 W
- socket for additional equipment up to 2,000 W
- solid cotton filter
- metal container 30 I
- · adjustable echo intensity
- dust removal function
- hose lock
- drainage
- plastic hose 2.5 m
- $\bullet\,$  aluminium extension tube 0.77 m long
- floor nozzle (smooth vacuuming or with brushes)
- floor nozzle (brush + squeegee)
- upholstery nozzle
- tapered nozzle
- round brush

#### Optional accessories:

- spare cotton filter: FDU 901432
- spare HEPA filter: FDU 911432

#### Wet and Dry Vacuum Cleaner

#### **FDU 2003-E**

- voltage/frequency 230 V/50 Hz
- input power: 1,400 W
- solid cotton filter
- metal container 30 l
- plastic hose 1.5 m
- $\bullet$  2 × plastic extension tube 0.85 m
- floor nozzle
- tapered nozzle
- round brush

#### Optional accessories:

• spare cotton filter: FDU 9004

#### Wet and Dry Vacuum Cleaner

#### **FDU 2004-E**

- voltage/frequency 230 V/50 Hz
- input power: 1,400 W
- socket for additional equipment up to 2,000 W
- solid cotton filter
- metal container 30 I
- plastic hose 2.5 m
- aluminium extension tube 0.77 m long
- floor nozzle (smooth vacuuming or with brushes)
- floor nozzle (brush + squeegee)
- upholstery nozzle
- tapered nozzle
- round brush

#### Optional accessories:

• spare cotton filter: FDU 9004





# VACUUM CLEANERS FOR ASH AND DRY **VACUUMING**

Those who grill a lot in the summer or like to heat their homes at home in the winter will appreciate the vacuum cleaner. It cleans in the vicinity of the fireplace, stove and grill, and easily removes ashes from very difficult-toaccess places without leaving a single speck.

Ash vacuum cleaners have a metal collection container that collects cooled and non-cooled ash up to 40 °C and other dry impurities. The metal suction hose is safe when sucking in uncooled ash. Even the finest ash particles are then captured efficiently by the **HEPA filter**. This year's new in the range, vacuum cleaner FDU 201002-E, is equipped with a flap function that ensures self-cleaning of the filter.



Metal

Container

The container

has the optimal

capacity for

cleaning ash from

the fireplace or

for cleaning a car

or garage and

does not require

too much storage

space.



## **HEPA** filter

The material used in the HEPA filter is designed to catch even the finest particles, such as ash or fine dust.



#### **Accessories**

The variability of the accessories provides the additional reach required with various attachments for cleaning those hard to reach areas.



#### Wheels

The wheels guarantee easy handling during the cleaning process, especially when cleaning the garage, without having to carry the vacuum cleaner around. Nevertheless, users will appreciate the option to easily remove the wheels when cleaning uneven surfaces such as stairwavs



**FDU 2002-E** 

- voltage/frequency 230 V/50 Hz
- input power: 1,200 W
- ash suction up to 40 °C
- HEPA filter
- metal container 20 L
- metal hose 1 m
- aluminium nozzle 0.15 cm
- wheels
- power cord 4.3 m
- declared noise level 80 dB(A)

#### The package includes FDU 9002:

- plastic hose 1.5 m
- extension tube 0.85 cm long
- floor nozzle
- tapered nozzle
- rotating brush

#### Optional accessories:

• spare HEPA filter: FDU 9003





#### FDU 200601-E

- voltage/frequency 230 V/50 Hz
- input power: 600 W
- ash suction up to 40 °C
- · cotton filter
- metal container 11 I
- metal hose 1 m
- aluminium nozzle 0.15 m
- · weight: 2.4 kg
- power cord 3 m
- declared noise level 80 dB(A)

#### Optional accessories:

• spare HEPA filter: FDU 900601

#### FDU 201001-E

- voltage/frequency 230 V/50 Hz
- input power: 1,000 W
- ash suction up to 40 °C
- · cotton filter
- metal container 20 I
- metal hose 1 m
- aluminium nozzle 0.15 m
- weight: 4 kg
- power cord 3 m
- declared noise level 80 dB(A)

#### Optional accessories:

- spare HEPA filter: FDU 9003
- spare cotton filter: FDU 201001

# FDU 201002-E

- ash cleaners
- voltage/frequency 230 V/50 Hz
- input power: 1,000 W
- ash suction up to 40° C
- HEPA filter metal tools: 20 I
- metal hose: 1 m aluminium nozzle 0.23 m
- weight: 3.2 kg
- hose length: 3 m
- filter self-cleaning function by tapping
- up to 70% more filter cleaning efficiency

#### Optional accessories:

• spare HEPA filter: FDU 901002

# Cordless Vacuum Cleaner 18 – 20 V

#### FDU 58120-0

- voltage: 18-20 V max.
- input power: 120 W
- cleaning ash with temperatures up to 40 °C
- cotton filter
- metal container 20 I
- metal hose 1 m
- aluminium nozzle 0.15 m
- weight: 3.5 kg
- declared noise level 75 dB(A)

#### The package includes:

- plastic hose 1.5 m
- plastic tube 2 pcs
- long nozzle
- round brush
- floor nozzle

#### Optional accessories:

 replacement HEPA filter FDU 9003





The advantage of modern ladders is the ability to set the length to your needs. Even at maximum length, the ladder can be easily stored, as when folded it is surprisingly small.

The sufficiently thick materials are very strong and do not sag even when the maximum length is set. Nevertheless, they are light, which helps with easy handling.

The unique system means you can extend the telescopic ladders along the individual rungs and it is secured against unintentional folding with safety catches on both sides of the ladder. Each bar of the ladder is safely folded by pressing the arrester with the thumbs of both

hands. You can use the ladders to the maximum length, even after releasing only one or two bars.

FIELDMANN multifunctional ladder with the articulated mechanism, it can be used as stepladder that compensates for height differences, for example, between individual steps. For more comfortable work, the multifunctional ladder can be fitted with metal platforms to create scaffolding.



## **Unique System**

The unique telescopic system ensures the storage of telescopic ladders and stepladders or when transporting the ladders in a passenger car.



#### Sophisticated Joints

The sophisticated joint means you can extend the ladder or fix it in another adjustable position.



#### Multifunctionality

The multifunctional ladder can be used as scaffolding for easy access to a height of around 3 m in interiors and exteriors.



#### Accessories

The solid metal platforms provide sufficient comfort and safety when working on scaffolding from the multifunctional ladder.



10 steps

· weight: only 13 kg





#### Telescopic Ladder

#### **FZZ 4002**

- unique telescopic system
- extended size 320 x 48 x 8 cm
- dimensions when folded 81 × 48 × 8 cm
- distance between side rails 29 cm
- aluminium thickness 1.3 – 1.5 mm
- maximum load 150 kg
- maximum length 3.2 m
- 11 steps
- weight: only 9.2 kg



#### Telescopic Ladders

#### **FZZ 4004**

- unique telescopic system
- extended size 260 x 47 x 9 cm
- dimensions when folded 75 × 47 × 9 cm
- distance between side rails 29 cm
- aluminium thickness 1.3 - 1.5 mm
- maximum load 150 kg
- maximum length 2.6 m
- 9 steps
- weight: 7 kg



#### Telescopic Ladder

#### **FZZ 4005**

- unique telescopic system
- dimensions when folded 87 × 48 × 9 cm
- extended size 380 x 48 x 9 cm
- distance between side rails 29 cm
- aluminium thickness 1.3 – 1.5 mm
- maximum load 150 kg
- maximum length 3.8 m
- 13 steps
- weight: 11 kg



#### Telescopic Ladder/ Stepladder FZZ 4003

- unique telescopic system
- dimensions when folded  $87 \times 67 \times 15$  cm
- distance between side rails 29 cm
- aluminium thickness 1.3 - 1.5 mm
- maximum load 150 kg
- maximum stepladder length 1.6 m
- maximum ladder length 3.2 m
- 10 steps
- weight: only 11.5 kg



### Telescopic Dimensions Ladder/Stepladder

#### **FZZ 4006**

- unique telescopic system
- dimensions when folded 90 × 49 × 18 cm
- distance between side rails 29 cm
- aluminium thickness 1.3 1.5 mm
- maximum load 150 kg
- maximum stepladder length 2.2 m
- maximum ladder length 4.4 m
- 14 steps
- weight: 15 kg



#### Multifunctional Ladder

#### FZZ 4107

- maximum ladder length 360 cm
- maximum stepladder length 174 cm
- maximum scaffolding height 98 cm
- distance between side rails 28 cm
- stabilizer length 61.5 cm
- maximum load 150 kg
- weight: 11 kg





#### **Ladder Platform**

#### **FZZ 9107**

- designed for multifunctional ladder FZZ 4107
- board size 1: 86.5 × 30 cm
- board size 2: 56.5 × 30 cm
- weight: 3.4 kg
- maximum load: 120 kg



Folding Platform

#### FZZ 2001

- dimensions when unfolded 103 × 41 × 49 cm
- platform size 76 × 30 cm
- length when folded 78 cm
- aluminium thickness 1.0 mm
- weight: 3.6 kg













### Storage Compartment

Organise your car accessories on metal shelves.
New corner variant.



# Measure it Yourself

The sample measurement, thread depths, drilled holes. You can do it now.

#### Adapter

A universal accessory for compressors for flexibly inflating various toys.

# Order is the Foundation

Modern
organisers made
of durable
and washable
materials will
make long
journeys more
pleasant for your
passengers.

for every car. Sometimes you don't even have to wait for service, for example, when changing wheels. The **FIELDMANN** impact wrench means you can easily and quickly loosen the wheels and tighten them again. The compressor can inflate the tyres.

And if the digital tyre pressure gauge measures the right pressure, your journey will be comfortable, safe and environmentally friendly. Have the sufficient depth of the sample confirmed with a depth gauge, also from the **FIELDMANN** range, which you can also use at home when measuring the depth of drilled holes.

Car accessories and car accessories have been an integral part of the FIELDMANN brand range for several years. Durable scrapers, car brooms and folding snow shovels were the first to become popular; today FIELDMANN includes a wide range of car accessories. This year, for example, it has expanded to include car kits for the car's interior and exterior. The offer of these sets is supplemented by brushes with which you can remove the pet hair from car seats. Individual products from washing sets are also excellent for household cleaning.





# FDAK 201524-E

- voltage: 230 V/50 Hz
- input power: 1,500 W
- rated power 2,850 rpm
- bottle capacity 24 I
- maximum pressure 8 bars
- approximate suction power 198 I/ min.
- weight: 25 kg



#### FDAK 201550-E

- voltage: 230 V/50 Hz
- input power: 1,500 W • rated power 2,850 rpm
- bottle capacity 50 I
- maximum pressure 8 bars
- approximate suction power 198 I/ min.
- weight: 32 kg





#### Air Compressor

#### **FDAK 12011**

- plug into a 12 V cigarette lighter
- pressure gauge in bar with an accuracy of 0.1 bar
- diameter of the cylinder 30 mm
- power cord 3 m
- 1 m hose with screw connector
- non-stop operation up to 15 min.
- inflation time of a conventional tyre up to 2.4 bars: 3 min.



#### Air Compressor

#### FDAK 201101-E

- voltage: 230 V/50 Hz
- input power: 1,100 W
- · air compressor without oil and tank
- suction capacity: 180 I/min
- PVC pipe length: 3 m
- 8 piece accessory set



#### FDAK 901501-E

- set of 6 pcs
- tyre inflation pistols with pressure gauge
- blowguns
- adapter and needle for inflating toys
- spiral PU hose



### Charger Car Battery 6 V/12 V

#### **FDAS 12002**

- voltage: 230 V/50 Hz
- DC output
- 6 V/12 V, 2 A/4 A
- display
- charged, reversing of polarity,
- excess current, protection against overheating
- usable for cars, motorcycles, electric cars, toy cars, sailboats, etc. with 6 V/12 V
- (4--120 Ah) lead (Lead Acid) battery





#### **Metal Shelf FDR 1800**

- metal shelf with 5 shelves
- dimensions: 90 × 40 × 180 cm
- frame: galvanized steel 0.7 mm thick
- shelf: MDF board 5 mm thick
- maximum loading of each shelf: 175 kg
- the height of the shelf can be adjusted according to your needs
- easy and fast assembly without the use of screws
- versatile use: in the workshop, garage, for storage and in the office
- plastic corner protectors
- weight: 16 kg



#### Metal Shelf **FDR 1820**

#### • metal shelf with 5 shelves

- dimensions: 120 × 40 × 180 cm
- frame: galvanized steel 0.7 mm thick
- shelf: MDF board 5 mm thick
- maximum loading of each shelf: 175 kg
- the height of the shelf can be adjusted according to your needs
- · helps maximize the use of your space
- easy and fast assembly without the use of screws
- versatile use: in the workshop, garage, for storage and in
- plastic corner protectors
- weight: 17 kg



# **FDR 1840R**

#### • corner shelf with 5 shelves

- dimensions: 90 × 40 × 180 cm
- frame: galvanized steel 0.7 mm thick
- shelf: MDF board 5 mm thick
- maximum loading of each shelf: 175 kg
- the height of the shelf can be adjusted according to your
- helps maximize the use of your space
- · easy and fast assembly without the use of screws
- versatile use: in the workshop, garage, for storage and in the office
- plastic corner protectors



#### **FDAZ 6001**

- size 1,300 × 600 mm
- mainly for summer use
- blocks harmful UV rays
- reduces indoor temperature



# Windshield Protection Against Sun and Icing

## **FDAZ 6002**

- size 1,300 × 600 mm
- · mainly for winter use • blocks harmful UV rays
- reduces ice on glass



## Car Scraper

### **FZO 5011**

- anti-freeze ABS plastic
- softened handle
- length 31.5 cm • width 11.5 cm

#### Car Brush FZO 5012

- 2-in-1 brush and scraper combo
- length 60 cm
- aluminium handle
- ABS scraper
- PVC bristle

# **FZO 5013**

- 3-in1 brush, scraper and wiper
- length 81-120 cm
- aluminium handle
- ABS scraper
- PVC bristle







## Washing Set 6 Pcs

#### FDAC 1001

- window squeegee
   1 pc
- squeegee for fans
- 2 in 1 (soft cotton / mesh structure)
- washing gloves 2 in 1 (microfibre/mesh structure)
- microfiber cloth



#### Set Of Car Cleaners

#### **FDAC 1003**

- swivel head 1 pc
- folded handle 1 pc
- spray bottle 1 pc
- microfibre cloth 2 pcs
- flexible duster 1 pc



#### Gumicuk 8 pcs FDAG 1001

- material: rubber fibres
- 8 pcs
- length: 20-120 cm
- thickness: 8 mm



# Strap with Hooks FDAG 1101

- material: nylon
- ratchet
- catching hooks
- length: 2.5 × 500 cm



- voltage 230 V / 50 Hz
- power 1,200 W
- no load speed: 500-3,300 rpm.
- polishing pad diameter: 180 mm
- 1× polishing pad
- 1x type D holder
- 1 pair of spare carbon



# Tyre Pressure Gauge FDLM 0101

- autocalibration
- range up to 12 bars
- deviation 0.05 bar
- LCD display
- units: bar, kpa, psi, kg/cm²



## Car Assistant

#### FDAM 0251

- 5-in-1 car emergency assistant
   tyre pressure gauge
- range: up to 12 bars
- units: bar, kpa, psi, kg/cm²
- belt cutter
- safety hammer
- LED lamp
- red warning LED lighting



#### Depth Gauge FDAM 0201

- tyre sample measurement, thread depths, drilled holes
- autocalibration
- range up to 25 mm




- pad under a child car seat
- seat protection against bruises
- fluid resistant



#### Car Organiser

#### FDAP 60301

- folding car organiser
- number of storage compartments
- in the luggage compartment and for mounting on a free seat



**Protective Trunk Cover** 

#### **FDAP 60501**

- pad under the pet in the car
- adjustable headrest strapsVelcro for most cars
- protects the car from pet hair, dirt, liquids, scratches



Protective Car Seat Cover

#### FDAP 60551

- pad under the pet on the back seat
- window for visual contact with the animal
- protection from all sides
- protects the car from pet hair, dirt, liquids, scratches



Seat Organise FDAP 60401

- universal
- simple installation
- point clamping
- improves the interior environment of the vehicle





CHAINSAWS	FIELDMANN CHAIN	CODE	FIELDMANN LATHE	CODE	OREGON CHAIN	CODE	OREGON LATHE	CODE
Electric saw FZP 2000-E	FZP 9016	50001704	FZP 9014	50001702				
Electric saw FZP 2005-E	FZP 9016	50001704	FZP 9014	50001702				
Electric saw FZP 2020-E	FZP 9023	50002931	FZP 9002	50000307				
Petrol saw FZP 3714-B	FZP 9001	50000306	FZP 9002	50000307	FZP 9003	50000862	FZP 9022-B	50002682
Petrol saw FZP 4216-B	FZP 9001	50000306	FZP 9005-B	50000307	FZP 9003	50000862	FZP 9022-B	50002682
Petrol saw FZP 4516-B	FZP 9001	50000306	FZP 9005-B	50001272	FZP 9003	50000862	FZP 9022-B	50002682
Petrol saw FZP 5016-B	FZP 9008-B	50001275	FZP 9020-B	50002591	FZP 9010-B	50001277		
Petrol saw FZP 5216-B	FZP 9008-B	50001275	FZP 9020-B	50002591	FZP 9010-B	50001277		



	_					
STRING LAWNMOWERS	NYLON STRING 60 m	CODE	COIL	CODE	COIL COVER	CODE
FZS 2105 E	FZS 9017-60	50004231	FZS 9030	50004074	FZS 9031	50004075
FZS 2306 E	FZS 9019	50001705	FZS 9032	50004076	FZS 9033	50004077
FZS 2505 E	FZS 9019	50001705	FZS 9025	50003392	FZS 9026	50003393
FZS 2002 E	FZS 9019	50001705	FZS 9012	50001323	FZS 9011	50001322
FZS 2050 E	FZS 9020	50001689	FZS 9015	50001691		

	NYLON STRING 60 m	CODE	BASIC STRING HEAD	CODE	STRING HEAD TWIST&GO	CODE	MOWING KNIFE	CODE	STRAP	CODE
FZS 3003-B	ZS 9021	50001690	FZS 9016	50001683	FZS 9023	50004708	FZS 9004	50000519	FZS 9052	50003133
FZS 3020-B	ZS 9021	50001690	FZS 9016	50001683	FZS 9023	50004708	FZS 9004	50000519	FZS 9052	50003133
FZS 4004-B	ZS 9021	50001690	FZS 9016	50001683	FZS 9023	50004708	FZS 9004	50000519	FZS 9052	50003133
FZS 5003-B	ZS 9021	50001690	FZS 9016	50001683	FZS 9023	50004708	FZS 9004	50000519	FZS 9052	50003133





CORDLESS PRUNER	OREGON LATHE 20 cm	CODE	OREGON CHAIN	CODE
FZP 70505-0 20V	FZS 9008	50004703	FZS 9019	50004704






EL. LAWNMOWERS	MOWING KNIFE	CODE						
FZR 2015-E	FZR 9030-E	50003805						
FZR 2021-E	FZR 9021-E	50002348						
FZR 2025-E	FZR 9021-E	50002348						
FZR 2028-E	FZR 9028-E	50003595						
FZR 2035-E	FZR 9024-E	50003263						

	BATTERY	FZO 9006	50004821
	NYLON STRING 60 m	FZS 9019	50001705
	COIL	FZS 9025	50003392
	COIL COVER	FZS 9026	50003393
۲.			





CORDLESS SHEARS	BATTERY	CODE
FZN 4101-2 A/AT	FZO 9003	50001967
FZN 5101-A	FZO 9005	50003792





CORDLESS TOOLS	CHARGER	CODE	BATTERY	CODE
FDV 10252-A			FDV 90252	50004687
FDV 10253-A			FDV 90252	50004687
FDV 10201-A	FDV 90201RN	50003044	FDV 90201	50003043
FDV 10251-A	FDV 90251RN	50003574	FDV 90251	50003573
FDV 10301-A	FDV 90301N	50003655	FDV 90301	50003654
FDV 10351-A			FDV 90351	50002153
FDV 10352-55AR	FDV 90352RN	50003704	FDV 90352	50003702
FDV 10401-A			FDV 90401	50004244

PETROL LAWNMOWERS	MOWING KNIFE	CODE
FZR 4003-79BH, FZR 4008-79B	FZR 9023-B	50003262
FZR 4005-127BH	FZR 9018-B	50001714
FZR 4210-B	FZR 9033-B	50004342
FZR 4608 B, FZR 4614-144B; BES	FZR 9025-B	50003264
FZR 4611-144B, FZR 4616-144B/BES, FZR 4618-144BV, FZR 4625BV	FZR 9019-B	50002079
FZR 4615 LIBES	FZR 9015-BES	50004422
FZR 5115-170B	FZR 9020-B	50002080
FZR 5114-170B/BV; FZR 5124BV	FZR 9029-B	50003596
FZR 5611-B	FZR 9032-B	50004343




	2 Ah BATTERY	CODE	4 Ah BATTERY	CODE	QUICK CHARGER	CODE
18 V SERIES ONE BATTERY	FDUZ 50020	50002986	FDUZ 50040	50002987	FDUZ 51000	50003960
FOR ALL	FDUZ 50003	50003293			FDUZ 50000	50002121
	FDUZ 50004	50003996				



20 V SERIES	2 Ah BATTERY	CODE	4 Ah BATTERY	CODE	QUICK CHARGER	CODE
FAST POWER	FDUZ 79020	50004543	FDUZ 79040	50004544	FDUZ 79100	50004602
20 V					FDUZ 79110	50004603







#### FAST ČR, a. s. U Sanitasu 1621 251 01 Říčany u Prahy

Products that appear in the catalogue are subject to change without prior warning for technical improvements, colour specification changes and stock availability in each country. The manufacturer is not responsible for any published errors.

We repair all the machines that we sell! We undertake warranty and post-warranty repairs at our 32 service centres and always use genuine spare parts. You can also have your equipment checked as a precaution or get a post-season inspection.

More information about the nearest service centre can be found on the website **WWW.FIELDMANN.EU** 

