



FIELDMANN®
Home & Garden Performance



Everything for your Home and Garden



2022 Catalogue

www.fieldmann.eu

Quality, Design and Innovation, That Is **FIELDMANN**®

Introduction

It was born twelve years ago and is literally growing before our eyes. It keeps up with the times, but it does not lose its style. We are not talking about an unknown girl, but about the Czech brand **FIELDMANN**, which is celebrating twelve years on our market this year. The popularity of **FIELDMANN** products is growing year by year, the circle of loyal customers is expanding. Mainly thanks to them, we are able to continuously adjust the offer, supplement it with other items, and above all, improve the overall range.

After twelve years **FIELDMANN** is no longer just a brand of garden equipment for the maintenance of lawns, trees, shrubs and flower beds. It is also an assistant in cleaning the house and in the garden, a partner in the maintenance and improvement of the house, but also a supplier of equipment for pumping water. For several years now, customers can choose from a wide range of garden furniture, and the range of grills or car accessories is also expanding.

All these products are connected with a very good quality, reliability, safety and easy operation. **FIELDMANN** brings the latest trends, but maintains maximum comfort when working in the garden, in the house and in the workshop. And as it also relies on reliability, the machines of this brand are equipped with quality components, the tool excels in precise processing. Modern design, optimal parameters and good quality are available at the **FIELDMANN** brand at reasonable prices.

Catalogue that you are currently holding in your hands is significantly wider, for example in the category of cordless tools. The **FIELDMANN** AKU FAST POWER 20 V program represents a comprehensive range of garden and workshop tools and implements. You no longer have to worry about whether there is an electrical outlet, whether the power cord reaches you, or where you can get an extension cord, you don't care about the amount of gas in the tank or the oil. The convenience is offered by the battery helpers even during the use itself, which is not obstructed by any cables. Thanks to the use of state-of-the-art technologies, the AKU FAST POWER 20V series offers the performance and dynamics of petrol machines.

For new products as well as for the existing range, you can rely on **FIELDMANN** brand. We believe that this year you will be pleasantly surprised by our novelties.





GARDEN

Cordless Workshop/Garden Program **FAST POWER 20 V** ...4-7

Lawn Care

Electric Rotary Lawn Mowers	8-9
Reel, Petrol and Cordless Rotary Lawn Mowers	10-15
Scarifiers	16-17
String Trimmers, Trimmers and Brush Cutters.....	18-21

Shrub and Tree Care

Chain Saws	22- 24
Hedge Trimmers.....	26-27
Lopping Shears, Garden Tools.....	28-29
Grass Shears, Hedge and Tree Trimmers, Tree Pruners....	30-31

Cleaning and maintenance of the garden

Shredders and Chippers	32-33
Garden Vacuum Cleaners.....	34-35

Water

Submersible Pumps, Water Pumps.....	36-37
Hose Winches, Irrigation Guns	38-39
High Pressure Washers	40-41

Power Generators.....	42
Cultivators	43

Accessories

Oils, Gloves and Folding Shovels	44-45
--	-------

Garden Furniture

Garden Sets.....	46-47
Wooden Furniture	48-49
Tables, Chairs, Benches, Deckchairs	50-51
Metal Furniture, Rattan Sets	52-53
Sunshades, Swings.....	54-55

Garden Grills

Gas Grills.....	56-57
Charcoal Grills.....	58
Grilling Accessories	59

SERVICE AND WORKSHOP

Manual Tools

Cordless Tools.....	62-63
Electric Tools.....	64-71

Gola Tool Sets.....	74-77
Set of Bits with Screwdrivers	78
Special Small Tools	79
Pliers, Painting Supplies and Tool Boxes.....	80-81
Sets of Screwdriver, Wrenches and Laser Meters.....	82
Drills, bit sets and special accessories	83

Vacuum Cleaners

Universal Vacuum Cleaners.....	84-85
Vacuum Cleaners for Ash	86-87

Ladders

Ladders and Steps.....	88-89
------------------------	-------

Car Accessories

Compressors, Chargers	90-91
Racks, Winter Accessories, Gauges, Organisers	92-93
Optional Accessories, Spare Parts.....	94



20V_{Li-ION}
FASTPOWER

CORDLESS PROGRAM

20 V FAST POWER



Variability of ACU program

The current 20 V FAST POWER series contains more than 17 different machines for the garden, workshop and garage.

Emphasis on ergonomics

The new FAST POWER series emphasises ergonomics. It fits perfectly in the hand.

Easy battery replacement

Press the yellow catch and pull. It couldn't be easier.

State-of-the-art Li-ion technology

All our machines have their own electronic control unit for efficient use of the entire battery capacity.

LED status indicator

All batteries in this series have a modern LED indication of the current remaining battery capacity.

It is quiet, ecological, economical. No petrol, no cable, no noise, no exhaust fumes. This is the new cordless series **FIELDMANN**. Nothing will stop you with them

You don't have to worry about whether there is an electrical outlet somewhere, whether the power cord reaches you, or where you can get an extension cord, you don't care about the amount of petrol in the tank or the oil. The convenience is offered by the battery assistants even during the use itself, when no cables interfere.

The program is a comprehensive range of garden and workshop tools and equipment that work with a single type of battery. You need the other battery only in rotation during longer use, when the first one runs out of energy, or in pairs for larger machines, such as garden lawn mowers or brush cutters, where the full power of two batteries is used at the same time. It is definitely not a waste of investment.

BRUSHLESS ENGINE



- » longer engine service life
- » longer operating time
- » more power



20V Li-ion Battery 2 Ah/4Ah FDUZ 79020/79040

- patented battery cell technology for longer life
- LED charge status indicator directly on the battery
- battery capacity: 2,000/4,000 mAh
- compatible with all items from the FAST POWER 20 V series



Quick Charger 20 V FDUZ 79100

- AC 230V/50Hz, DC 20 max 2.4 A
- LED indication / battery overheating protection
- charging time: 60 min (2 Ah), 120 min (4 Ah)
- compatible with all items from the FAST POWER 20 V series



Quick Charger 2 × 20 V FDUZ 79020

- AC 230V/50Hz, DC 20 max 2.4 A
- LED indication / battery overheating protection
- charging time: 60 min (2 × 2 Ah), 120 min (2 × 4 Ah)
- compatible with all items from the FAST POWER 20 V series



Everything for your Home and Garden



FIELDMANN®
Home & Garden Performance

**JUST
ONE BATTERY
FOR ALL 17
20V MACHINES**



20V Li-Ion
FASTPOWER

ONE BATTERY FOR ALL / NEW GENERATION

www.fieldmann.eu



brushless engine

included
in the package



2x 20 V Cordless Lawn Mower FZR 70335-A

- cutting width: 370 mm
- grass catcher: 40 l
- 6 positions of the mowing height
- cutting height: 25–75 mm
- recommended mowing area: up to 500 m²
- with batteries and charger

350 m²



33 cm



brushless engine

2x 20 V Cordless Lawn Mower FZR 70375-O

- cutting width: 370 mm
- grass catcher: 40 l
- 6 positions of the mowing height
- cutting height: 25–75 mm
- recommended mowing area: up to 500 m²
- without battery and charger

500 m²



37 cm



novelty



brushless engine

2x 20 V Cordless Lawn Mower FZR 70435-O

- cutting width: 430 mm
- grass catcher: 40 l
- X positions of the mowing height
- cutting height: 25–75 mm
- recommended mowing area: up to 750 m²
- without battery and charger

750 m²



43 cm

20V Cordless Grass Trimmer FZS 70105-O

- cutting width: 300 mm
- string diameter: 1.6 mm
- speed without load: 0–7,500 rpm
- telescopic handle
- adjustable trimmer head angle
- without battery and charger



2x 20 V Cordless Brushcutter FZS 70705-O

- max. width of cut 38 cm
- string trimmer head: 33 cm
- string diameter: 2.0 mm
- 3-pointed metal disc: 23 cm
- shoulder strap
- handlebars with softened grip
- content: string head, metal disc and strap, without battery and charger



single shoulder strap



Starting Set
(included
a bag
for free)

98035044

The FDUA 59010 bag can be
purchased separately



20V Cordless Hedge Trimmer FZN 70205-O

- guide bar length: 510 mm
- cutting diameter: 16 mm
- speed without load: 0–1,300 rpm
- electronic brake
- without battery and charger



20V Cordless Leaf Blower FZF 70605-O

- speed without load: 0–17,000 rpm
- maximum velocity of air: 38 m/s
- suction power 350 CFM
- without battery and charger

ONE TYPE OF BATTERY FOR ALL 17 MACHINES



**20V Cordless Circular Saw
FDUK 70305-0**

- speed without load: 0–3,700 rpm
- disc diameter: 165 mm
- ergonomic handle
- AC Laser
- **without battery and charger**



**20V Cordless Angle Grinder
FDUB 70605-0**

- speed without load: 0–7,500 rpm
- wheel diameter: 115 mm
- with side handle and ergonomic handle
- **without battery and charger**
- grinding wheel included



**20V Cordless Sabre Saw
FDUO 70505-0**

- speed without load: 0–3,000 rpm
- cutting length: 26 mm
- max. cutting capacity: wood: 100 mm
soft metal: 20 mm
steel: 10 mm
- **without battery and charger**



we also offer a starting set FDUV 70115-A

**20V Cordless Drill
FDUV 70105-0**

- speed without load: 0–360 rpm,
0–1 300 rpm
- max. diameter: 10 mm
- max. torque: 35 Nm
- **without battery and charger**



**20V Cordless Jig Saw
FDUP 70405-0**

- speed without load: 0–2,800 rpm
- max. cutting capacity: wood: 80 mm, soft metal: 10 mm, steel: 5 mm
- **without battery and charger**



**2x 20V Cordless Chain Saw
FZP 70805-0**

- chain speed: 15 m/s
- length of the guide bar: 300 mm
- guide bar and chain included
- oil tank capacity: 180 ml
- **without battery and charger**

novelty



brushless engine

**20V Cordless Telescopic Hedge Trimmers
FZN 70405-0**

- guide bar length: 420 mm
- cutting diameter: 16 mm
- telescopic handle: ± 70 cm
- adjustable head
- **without battery and charger**



**20V Cordless Branch Pruner
FZP 70505-0**

- chain speed: 5 m/s
- guide bar length: 200 mm
- guide bar and chain included
- telescopic handle: ± 70 cm
- **without battery and charger**



novelty

**20V Cordless High Pressure Washer
FDW 70905-0**

- water flow rate: 2.5 l/min
- work pressure: 7/25 bar (2 speeds)
- the package includes: self-priming suction hose, brush and shampoo container
- **without battery and charger**



variable nozzle



**20V Cordless Air Compressor
FDAK 70205-0**

- max. outlet pressure: 10.3 bar
- air flow rate: 235 l/min
- the package includes: valve adapter, ball inflation needle, universal adapter and high pressure hose
- **without battery and charger**

novelty

Electric/Cordless Lawn Mowers

Caring for a lawn without a lawn mower is unimaginable today. This garden assistant not only saves time and effort, but also allows you to take care of the grass efficiently and regularly, thus maintaining both its appearance and quality. Rotary lawn mowers are the most commonly used type in private gardens.

They mow the grass with a horizontally mounted rotating blade, which ensures an even "cut" for the lawn. **FIELDMANN** offers both electric rotary lawn mowers and cordless lawn mowers that can withstand even the more demanding conditions, in addition to unnecessary noise and cable restrictions.

FIELDMANN rotary mowers, regardless of the type of drive or coverage, combine the quality of the materials used and their workmanship, modern design, but also the emphasis on safety, excellent ergonomics, overall comfortable operation and easy maintenance. They have practical features that facilitate using. These include central adjustment of mowing height with a single movement of the lever and a height-adjustable handle, which can be easily folded down during storage by unlocking the quick-release screws. For selected models, the switch across the entire width of the handle is the advantage. This switch allows you to control the lawn mower with both hands. The grass collection will be taken care of by durable, large-volume grass catchers with full signalling. Thanks to the fact that the chassis of the machines exceeds the width of the wheels, you will always mow the grass to the edge without the need for additional adjustments with hand shears or a string trimmer.



Central height adjustment

The cutting height can be adjusted for all wheels together by moving a single lever.

Switch across the entire width of the handle

The switch across the entire width of the handle allows comfortable left and right hand operation.

Grass catchers with indicator

The plastic grass catchers of the selected models are equipped with a fill indicator, which notifies you in good time that the basket is full.

Handle height adjustment

The height of the handle can be very easily adjusted to suit everyone.



included in the package



350 m²

Cordless Lawn Mower

FZR 2110-Li

- battery Li-Ion 40 V, 2 000 mAh
- mowing coverage: 32 cm
- 3 positions of mowing height adjustment
- mowing height: 20–56 mm
- plastic grass catcher capacity 30 l
- with fill indicator
- height-adjustable handle
- recommended mowing area up to 350 m²
- the battery and charger included in the package is not compatible with FAST POWER 20V

Model	Engine input power	Cutting width	Deck material	Cutting height adjustment	Cutting height	Grass catcher capacity	Folding handle	Handle height adjustment	Weight	Recommended area
FZR 2110-Li	40 V	32 cm	plastic	3 positions	20–56 cm	30 l	YES	YES	7.2 kg	350 m ²
FZR 2021-E	1,200 W	32 cm	plastic	3 positions	20–56 mm	30 l	YES	NO	7.5 kg	450 m ²
FZR 2025-E	1,300 W	32 cm	plastic	3 positions	20–56 mm	30 l	YES	YES	7.5 kg	600 m ²
FZR 2028-E	1,300 W	33 cm	plastic	3 positions	20–60 mm	30 l	YES	YES	8.2 kg	600 m ²
FZR 2035-E	1,600 W	38 cm	plastic	5 positions	20–70 mm	45 l	YES	NO	14.2 kg	800 m ²
FZR 2046-E	2,000 W	43 cm	plastic	6 positions	20–70 mm	50 l	YES	YES	15.4 kg	1,000 m ²

We also offer
cordless lawn
mowers
FAST POWER 20 V,
page 4-7



450 m²



Electric Lawn Mower **FZR 2021-E**

- engine input power: 1,200 W
- cutting width: 32 cm
- plastic grass catcher with a volume of 30 l with a fill indicator
- cutting height: 20–56 mm
- 3 positions of cutting height adjustment
- folding handle for easy storage
- transport handle in the lawn mower's centre of gravity
- recommended mowing area – 450 m²

600 m²



Electric Lawn Mower **FZR 2025-E**

- engine input power: 1,300 W
- cutting width: 32 cm
- plastic grass catcher with a volume of 30 l with a fill indicator
- cutting height: 20–56 mm
- 3 positions of cutting height adjustment
- height-adjustable handle
- easy folding of the handle with quick-release screws
- recommended mowing area – 600 m²

600 m²



Electric Lawn Mower **FZR 2028-E**

- engine input power: 1,300 W
- cutting width: 33 cm
- divided grass catcher (plastic/textile) with a volume of 30 l
- cutting height: 20–60 mm
- 3 positions of cutting height adjustment
- height-adjustable handle
- transport handle in the lawn mower's centre of gravity
- recommended mowing area – 600 m²

800 m²



Electric Lawn Mower **FZR 2035-E**

- engine input power: 1,600 W
- cutting width: 38 cm
- divided grass catcher (plastic/textile) with a volume of 45 l
- cutting height: 20–70 mm
- 5 positions of cutting height adjustment
- folding handle for easy storage
- central mowing height adjustment
- recommended mowing area – 800 m²

1,000 m²



Electric Lawn Mower **FZR 2046-E**

- engine input power: 2,000 W
- cutting width: 43 cm
- divided grass catcher (plastic/textile) with a volume of 50 l
- cutting height: 20–70 mm
- 6 positions of cutting height adjustment
- height-adjustable handle with the possibility of complete folding
- central mowing height adjustment
- recommended mowing area – 1,000 m²

Petrol and Reel Lawn Mowers

In more rugged gardens situated, for example, on a slope or where the terrain is more complicated, higher and denser grassland, petrol lawn mowers are used. Their advantage is higher performance and standard coverage of up to 56 cm, thanks to which you can comfortably manage even larger areas. Above all, they are independent of energy sources – if you have enough fuel, you can work with them far from civilization.

The **FIELDMANN** petrol lawn mowers category includes machines with different engine power, cutting width, with and without travel. Smaller assistants without travel are ideal for larger but flatter terrains, where you will appreciate their performance, endurance and lower weight. Lawn mowers with travel are suitable for areas where it would be necessary to push the machine up a slope or over uneven terrain. The **FIELDMANN** top petrol machines have a continuously adjustable travel speed.

The reliability of **FIELDMANN** petrol mowers is determined by the use of quality materials and individual components. Some higher-class machines are equipped with Briggs & Stratton engines, which are considered high quality and reliable worldwide. An automatic engine choke and electric starter can then facilitate easy starting.

The reel lawn mower will help you grow a close-cropped "English" lawn. It is equipped with helical blades, which do not mow the grass, but basically cut it. The ends of the stalks are not frayed and do not dry out, the lawn is healthy green and dense. The electric reel lawn mower manages even larger areas within reach of electricity, but it can also work without electricity – as manual.



4-speed travel

Selected models allow you to change the travel speed. You can select from 4 speeds. Changing the speed has no effect on the rotating speed of the blade.

Handle adjustment

At most lawn mower models, the height of the handle can be adjusted to make the work comfortable for all members of the family.

4 in 1 mowing system

Lawn mowers with this system allow collection, side ejection, rear ejection and mulching.

Briggs & Stratton engines

The equipment of selected Fieldmann lawn mowers includes engines from the renowned American company Briggs & Stratton. They include the state-of-the-art models of the E-Series series, engines with valve distribution **DOV** and automatic choke **READYSTARTER**.

We recommend MOL oils for Fieldmann lawn mowers.





Reel Lawn Mower **FZR 1010**

150 m²

- suitable for smaller lawns, where it is not within reach of electrical energy
- cutting width: 40 cm
- fluent cutting height adjustment 14–47 mm
- textile grass catcher of 23 l
- folding handle for easy storage
- **recommended mowing area – 150 m²**

Reel Lawn Mower **FZR 1050**

200 m²

- cutting width: 38 cm
- 5 knives
- cutting height: 13–38 mm
- 4 positions of cutting height adjustment
- textile grass catcher of 45 l
- folding handle
- possibility of use without electric current as a hand reel lawn mower
- **recommended mowing area – 200 m²**

Petrol Lawn Mower **FZR 4003-79BH**

650 m²

- engine OHV 79 cm³
- cutting width: 40 cm, plastic chassis
- cutting height adjustment – 3 positions 25, 40 and 55 mm
- textile grass catcher of 40 l reducing dust permeability
- folding handle for easy storage
- weight: 17.5 kg
- **recommended mowing area – 650 m²**



Petrol Lawn Mower **FZR 4005-127BH**

750 m²

- engine OHV RATO RV 125-S
- engine power: 1.8 kW
- cutting width: 40 cm, plastic chassis
- cutting height adjustment – 3 positions
- cutting height: 25/45/65 mm
- textile grass catcher of 40 l reducing dust permeability
- folding handle
- weight: 19 kg
- **recommended mowing area – 750 m²**





self propelled

self propelled

self propelled

self propelled

Petrol Lawn Mower FZR 4008-79B

- engine OHV 79 cm³
- cutting width: 40 cm, steel deck
- central cutting height adjustment – 7 positions from 25 to 75 mm
- textile grass catcher of 45 l reducing dust permeability
- ball bearings in wheels
- folding handle for easy storage
- weight: 23 kg
- **recommended mowing area – 800 m²**

800 m²



Petrol Lawn Mower FZR 4210-B

- engine: Rato OHV, 127 cm³, 1.9 kW
- steel deck
- cutting width: 42 cm
- 3 in 1 cutting system – collection, rear ejection, mulching
- central cutting height adjustment – 6 positions
- cutting height: 25–75 mm
- grass catcher: 45 l
- ball bearings in wheels
- front wheels 150 mm, rear wheels 200 mm
- weight: 21.7 kg
- folding handle with soft grip
- **recommended mowing area – 900 m²**

900 m²



Petrol Lawn Mower FZR 4608-B

- OHV 139 cm³ four-stroke engine
- engine power: 2.2 kW
- steel deck with a cutting width of 46 cm
- textile grass catcher with a capacity of 55 l
- cutting height: 25–75 mm
- central cutting height adjustment
- folding handle with soft grip
- possibility of mulching – included in the box
- ball bearings in wheels
- **recommended mowing area – 1,000 m²**

1,000 m²



Petrol Lawn Mower FZR 4611-144B

- OHV RATO SV 145-S four-stroke engine
- engine power: 2.5 kW
- quality steel deck with a cutting width 46 cm
- divided grass catcher (plastic/textile) with a volume of 65 l with a fill in indicator
- cutting height: 25–70 mm
- central cutting height adjustment – 8 positions
- folding handle with soft grip, panel for drinks and tools
- possibility of mulching – included in the box
- **recommended mowing area – 1,000 m²**

1,000 m²





self propelled



self propelled



with variable speed



self propelled

Petrol Lawn Mower **FZR 4614-144B**

- OHV RATO SV 145-S, 2.5 kW
- steel deck
- cutting width: 46 cm
- 4 in 1 cutting system – collection, rear and side discharge, mulching
- central cutting height adjustment – 8 positions
- cutting height: 30-80 mm
- grass catcher: 60 l
- adjustable handle
- ball bearings in wheels
- weight: 32 kg
- recommended mowing area – 1,000 m²

1,000 m²



46 cm

Petrol Lawn Mower **FZR 4616-144B**

- OHV RATO SV 145-S four-stroke engine
- engine power: 2.5 kW
- quality steel deck with a cutting width 46 cm
- divided grass catcher (plastic/textile) with a volume of 65 l with a fill in indicator
- cutting height: 25-70 mm
- central cutting height adjustment – 8 positions
- height-adjustable handle with soft grip, panel for drinks and tools
- 4 in 1 system – collection, mulching, rear and side discharge
- recommended mowing area – 1,000 m²

1,000 m²



46 cm

Petrol Lawn Mower **FZR 4618-144BV**

- OHV RATO SV 145-S four-stroke engine
- engine power: 2.5 kW
- quality steel deck with a cutting width 46 cm
- grass catcher with a volume of 65 l with a fill in indicator
- cutting height: 25-70 mm
- central cutting height adjustment – 8 positions
- height-adjustable handle with soft grip, panel for drinks and tools
- 4 in 1 system – collection, mulching, rear and side discharge
- recommended mowing area – 1,200 m²

1,200 m²



46 cm

Petrol Lawn Mower **FZR 5114-170B**

- OHV RATO SV 170-S four-stroke engine
- engine power: 2.8 kW
- quality steeldeck with a cutting width 51 cm
- grass catcher with a volume of 62 l with a fill in indicator
- cutting height: 25-70 mm
- central cutting height adjustment – 8 positions
- height-adjustable handle with soft grip, panel for drinks and tools
- 4 in 1 system – collection, mulching, rear and side discharge
- recommended mowing area – 1,800 m²

1,800 m²



51 cm



Petrol Lawn Mower FZR 5114-170BV

- OHV RATO SV 170-S four-stroke engine
- engine power: 2.8 kW
- quality steel deck with a cutting width 51 cm
- grass catcher with a volume of 62 l with a fill in indicator
- cutting height: 25–70 mm
- central cutting height adjustment – 8 positions
- height-adjustable handle with soft grip, panel for drinks and tools
- 4 in 1 system – collection, mulching, rear and side discharge
- ball bearings in wheels
- recommended mowing area – 1,800 m²

1,800 m²



Petrol Lawn Mower FZR 5115-170B

- OHV RATO SV 170-S four-stroke engine
- engine power: 2.8 kW
- quality steel deck with a cutting width 51 cm
- grass catcher with a capacity of 65 l
- cutting height: 25–70 mm
- central cutting height adjustment – 8 positions
- height-adjustable handle with soft grip, panel for drinks and tools
- 4 in 1 system – collection, mulching, rear and side discharge
- ball bearings in wheels
- recommended mowing area – 1,800 m²

1,800 m²





Petrol Lawn Mower FZR 5124-BV

- Briggs & Stratton 750 DOV engine
- engine power: 2.68 kW
- auto choke
- quality steel deck with a cutting width 51 cm
- grass catcher with a volume of 62 L with a fill in indicator
- cutting height: 25–80 mm
- central cutting height adjustment
- height-adjustable handle with soft grip, panel for drinks
- 4 in 1 system – collection, mulching, rear and side discharge
- ball bearings in wheels
- **recommended mowing area – 1,800 m²**

1,800 m²


Petrol Lawn Mower FZR 5611-B

- OHV 200 cm³ four-stroke engine
- engine power: 3.5 kW
- cutting width: 56 cm, steel deck
- 4 in 1 cutting system – collection, side and rear discharge, mulching
- central cutting height adjustment – 6 positions
- cutting height: 25–75 mm
- divided grass catcher of 75 L
- soft antivibration handle cover
- panel with compartment for small items
- front handle for easier handling when cleaning
- ball bearings in wheels
- weight: 33.9 kg
- **recommended mowing area – 2,000 m²**

2,000 m²


Model	Engine	Engine power	4 in 1 system	Cutting width	Deck	Cutting height adjustment	Number of cutting height positions	Grass catcher capacity	Folding handle	Handle height adjustment	Weight	Recommended area
FZR 4003-79BH	OHV 79 cm ³	1.3 kW	NO	40 cm	PLASTIC	YES	3 positions	40L	YES	NO	17.5 kg	650 m ²
FZR 4005-127BH	OHV 127 cm ³	1.8 kW	NO	40 cm	PLASTIC	YES	3 positions	40L	YES	NO	19.0 kg	750 m ²
FZR 4008-79B	OHV 79 cm ³	1.3 kW	NO	40 cm	STEEL	YES	7 positions	45L	YES	NO	23.0 kg	800 m ²
FZR 4210-B	OHV 127 cm ³	1.9 kW	NO	42 cm	STEEL	YES	6 positions	45L	YES	NO	21.7 kg	900 m ²
FZR 4608-B	OHV 139 cm ³	2.2 kW	NO	46 cm	STEEL	YES	8 positions	55L	YES	NO	32.0 kg	1,000 m ²
FZR 4611-144B	OHV 144 cm ³	2.5 kW	NO	46 cm	STEEL	YES	8 positions	65L	YES	NO	28.0 kg	1,000 m ²
FZR 4614-144B	OHV 144 cm ³	2.5 kW	YES	46 cm	STEEL	YES	5 positions	60L	YES	YES	32.0 kg	1,000 m ²
FZR 4616-144B	OHV 144 cm ³	2.5 kW	YES	46 cm	STEEL	YES	8 positions	65L	YES	YES	29.0 kg	1,000 m ²
FZR 4618-144BV	OHV 144 cm ³	2.5 kW	YES	46 cm	STEEL	YES	8 positions	65L	YES	YES	31.7 kg	1,200 m ²
FZR 5114-170B	OHV 170 cm ³	2.8 kW	YES	51 cm	STEEL	YES	8 positions	62L	YES	YES	38 kg	1,800 m ²
FZR 5114-170BV	OHV 170 cm ³	2.8 kW	YES	51 cm	STEEL	YES	8 positions	62L	YES	YES	38 kg	1,800 m ²
FZR 5115-170B	OHV 170 cm ³	2.8 kW	YES	51 cm	STEEL	YES	8 positions	65L	YES	YES	37.5 kg	1,800 m ²
FZR 5124-BV	B&S 161 cm ³	2.6 kW	YES	51 cm	STEEL	YES	8 positions	62L	YES	YES	38.0 kg	1,800 m ²
FZR 5611-B	OHV 196 cm ³	3.5 kW	YES	56 cm	STEEL	YES	6 positions	75L	YES	YES	33.9 kg	2,000 m ²



Fuel Can 5L FZR 9060

- swivel cap and special drain tube
- resistant to UV radiation, weathering or mechanical damage
- the containers are designed for the transport and storage of fuel, including petrol
- UN approval

novelty



Electric and Petrol Scarifiers



Cylinder with blades

While maintaining the correct depth of scarification, the blades gently damage the surface, thus supporting the growth of the root system.



Cylinder with springs

The springs effectively remove grass felt, which is formed from the remains of cut grass and also by mulching. Removing grass felt aerates the lawn and prevents the spread of weeds and moss.



Powerful petrol engines

We also supply a scarifier in a version with a petrol engine.



Adjusting the depth of scarification

In connection with the wear of the knives, you can adjust the position so that the depth of scarification is always optimal, i.e. 2–3 mm.

Petrol Scarifier FZV 6050-B

2,000 m²

- OHV 212 cm³/4.3 kW engine
- working width: 40 cm, steel chassis
- equipped with a cylinder with 18 blades as standard
- central working depth adjustment
- adjustment deep -15 to +5 mm, 8 positions
- textile grass catcher of 35 l reducing dust permeability
- ball bearings in wheels
- folding handle for easy storage
- optional accessory: cylinder with springs

The scarifier or aerator is an important assistant in the care of lawn health. With the help of vertically placed knives, it will cut the lawn easily and gently and with the help of springs, it then removes the air-tight layer, which prevents the supply of nutrients and moisture. You can use hand tools in the mini-garden, but for a normal garden, choose one of the electric or petrol machines, which are fast, take up more width and work at a precisely set depth of a maximum of 3 mm below the surface.

Like the lawn mower, the scarifier should match the size and nature of the plot. The electric assistant is more compact and runs quieter without emissions. Powerful machines can handle grassy space with an area of up to 1,000 m², the only condition is the reach of the electricity source. Although the petrol scarifier is noisier and less environmentally friendly, it offers greater coverage and faster work with unlimited possibilities of movement in the field, even if it is hilly or sloping.

Scarifiers **FIELDMANN** have height-adjustable folding handle and simultaneously, the possibility of continuous regulation of the working depth, and the electrical machines have just two interchangeable cylinders – one for scarifying and the other for aeration.





Electric Scarifier FZV 2102-E

600 m²

- electric scarifier designed for smaller areas
- electric engine input power: 1,300 W
- working width of scarifying: 32 cm
- two interchangeable cylinders are included
- adjustment of the working depth
- scarifying roller with 20 blades
- aeration cylinder with 24 springs
- height-adjustable handle
- grass catcher with a capacity of 40 l



Electric Scarifier FZV 2004-E

800 m²

- electric scarifier suitable for medium-sized areas
- electric engine input power: 1,500 W
- working width of scarifying: 32 cm
- two interchangeable cylinders are included
- adjustment of the working depth
- scarifying roller with 20 blades
- aeration cylinder with 16 springs
- grass catcher with a capacity of 40 l



Electric Scarifier FZV 4003-E

1,000 m²

- robust scarifier with solid plastic chassis designed for larger areas
- electric engine input power: 1,600 W
- working width of scarifying: 38 cm
- two interchangeable cylinders are included
- adjustment of the working depthscarifying roller with 20 blades
- aeration cylinder with 24 springs
- grass catcher with a capacity of 48 l



Electric Scarifier FZV 4010-E

1,200 m²

- electric scarifier designed for larger areas
- electric engine input power: 1,800 W
- working width of scarifying: 40 cm
- two interchangeable cylinders are included
- adjustment of the working depth
- scarifying roller with 20 blades
- aeration cylinder with 24 springs
- height-adjustable handle
- grass catcher with a capacity of 55 l

String Trimmers, Trimmers and Brush Cutters



Twist & Go trimmer head

Unique construction for easy refilling of the string without the need to disassemble the head.



Adjustable trimmer head angle

The angle of the string trimmer's head can be adjusted to keep hard-to-reach places.



String trimmer head

The string can be extended to the maximum allowable length by simply tapping the string trimmer head on the surface.



Split shaft

The string can be extended to the maximum allowable length by simply tapping the string trimmer head on the surface.



The guide against unwanted plant mowing

The guide defines the reach area of the string and thus prevents unwanted mowing of ornamental plants in flower beds.

We recommend MOL oils for the preparation of the fuel mixture.



There are places where even the most wieldy rotary lawn mower may not be used: on steep slopes, in ditches, on the banks of streams, under bushes, but a conventional lawn mower fails even where the vegetation is already too large. That's when string trimmers, trimmers and brush cutters start.

Smaller machines eliminate the rank growth with the help of a rotating string, more powerful types offer the possibility to use a steel three tooth blade. The devices are easily operated by hand, for easier handling of heavier types, a solid shoulder strap is available.

String trimmers are used where there are uncut areas left after working with a conventional rotary lawn mower, but they also tame overgrown lawns, nettles, etc. Semi-automatic heads allow comfortable unwinding of the strings – just tap the cutting head on the ground. Some models are equipped with support wheels for easier work on larger areas. You can adjust the string trimmer with the telescopic handle to make it more comfortable according to your height. The possibility of adjusting the position of the upper handle and, for selected models, the angle of the cutting head is practical.

With the trimmer, you can easily manage bigger challenges, more overgrown grass, stronger plants, denser vegetation.

If even the strongest trimmer is not enough, there is the highest category – brush cutters or electric trimmers. Their advantage is comfortable operation using a double handle resembling a bicycle handlebars.

We also offer
a cordless string
trimmer
FAST POWER 20 V,
page 4-7



Electric Trimmer FZS 2105-E



- electric engine
input power: 250 W
- cutting width: 220 mm
- semi-automatic string trimmer
head
- weight: 1.3 kg
- optional accessory:**
 - spare string 60 m / 1.0 mm

Electric Trimmer FZS 2306-E



- electric engine
input power: 350 W
- cutting width:: 250 mm
- adjustable handle
- telescopic handle 95-105 mm
- weight: 1.7 kg
- optional accessory:**
 - spare string 60 m / 1.4 mm

Electric Trimmer FZS 1005-A



- Li-Ion battery
18 V/1 500 mAh
- operating time of approx. 35 min,
- string 1.4 mm
- cutting width: 260 mm
- semi-automatic string trimmer
head
- telescopic handle 85-110 mm
- adjustable cutting head angle
and spacer strip
- **battery and charger are included**
- weight: only 2 kg
- optional accessory:**
 - spare string 60 m / 1.4 mm

Electric Trimmer FZS 2505-E



- electric engine input
power: 550 W
- cutting width: 300 mm
- semi-automatic string trimmer head
- telescopic handle 105-125 mm
- weight: 2.3 kg
- optional accessory:**
 - spare string 60 m / 1.4 mm

Electric Trimmer FZS 2002-E



- model with a more
powerful engine with the input
power of 500 W
- cutting width: 300 mm with the
possibility of adjusting the angle of
the string trimmer head
- telescopic handle 92-114 cm
- support wheels
- protective guide against mowing
ornamental plants
- weight: 2.4 kg
- optional accessory:**
 - spare string 60 m / 1.4 mm

Electric Trimmer FZS 2050-E



- powerful electric
engine 1,400 W
- cutting width: 420 mm
- semi-automatic string trimmer head
- steel blade included
- split shaft for better storage and
transport
- height-adjustable handle
- shoulder strap in the package
- weight: 6 kg
- optional accessory:**
 - spare string 60 m / 1.6 mm



Petrol Brush Cutter FZS 3003-B

- two-stroke engine with a capacity of 25.4 cm³ with an output of 0.7 kW
- **TWIST & GO** semi-automatic string trimmer head – easy addition of a new string
- steel three tooth blade for mowing more resistant plants – part of the package
- double handle with ergonomic grips
- weight: 6.6 kg
- optional accessory:**
 - spare string 2.4 mm / 60 m
 - steel blade
 - semi-automatic string trimmer head
 - working gloves



Petrol Brush Cutter FZS 3020-B

- light and easy to control brush cutter
- two-stroke engine with a capacity of 32.5 cm³ with an output of 1.15 kW
- **TWIST & GO** semi-automatic string trimmer head – easy addition of a new string
- steel knife for mowing more resistant plants
- double adjustable handle and strap
- weight: 6.6 kg
- optional accessory:**
 - spare string 2.4 mm / 60 m
 - steel blade
 - semi-automatic string trimmer head
 - working gloves



Petrol Brush Cutter FZS 4004-B

- a powerful brush cutter designed for demanding conditions
- suitable for liquidation of self-sown trees
- two-stroke engine with a capacity of 43 cm³ with an output of 1.4 kW
- double handle with ergonomic grips
- **TWIST & GO** semi-automatic string trimmer head – easy addition of a new string and steel three tooth blade included in the package
- large fuel tank for uninterrupted operation
- weight: 7.2 kg
- optional accessory:**
 - spare string 2.4 mm / 60 m
 - steel blade
 - semi-automatic string trimmer head
 - working gloves



Petrol Brush Cutter FZS 5003-B

- a powerful brush cutter designed for demanding conditions
- suitable for liquidation of self-sown trees
- powerful two-stroke engine with a capacity of 52 cm³ with an output of 1.6 kW
- double handle with ergonomic grips
- **TWIST & GO** semi-automatic string trimmer head – easy addition of a new string and steel three tooth blade
- large fuel tank for uninterrupted operation
- weight: 7.0 kg
- optional accessory:**
 - spare string 2.4 mm / 60 m
 - steel blade
 - semi-automatic string trimmer head
 - working gloves



Petrol Brush Cutter FZS 5025-B

- the most powerful machine in our range with patented anti-vibration technology
- suitable for liquidation of self-sown trees
- powerful two-stroke engine with a capacity of 51.7 cm³ with an output of 1.45 kW
- double handle with ergonomic grips
- **TWIST & GO** semi-automatic string trimmer head – easy addition of a new string and steel three tooth blade
- large fuel tank for uninterrupted operation
- weight: 8.5 kg
- optional accessory:**
 - spare string 2.4 mm / 60 m
 - steel blade
 - semi-automatic string trimmer head
 - working gloves



Model	Engine type	Input power	Cutting width	String diameter	Head angle adjustment	Telescopic handle	Support wheels	Protective guide	Weight
FZS 1005-A	Cordless electric engine	18 V / 1,500 mAh	26 cm	1.4 mm	YES	YES	NO	YES	1.9 kg
FZS 2105-E	electric engine	250 W	22 cm	1.0 mm	NO	NO	NO	NO	1.3 kg
FZS 2306-E	electric engine	350 W	25 cm	1.4 mm	NO	YES	NO	NO	1.7 kg
FZS 2002-E	electric engine	500 W	30 cm	1.4 mm	YES	YES	YES	YES	2.4 kg
FZS 2505-E	electric engine	550 W	30 cm	1.4 mm	YES	YES	NO	YES	2.3 kg
FZS 2050-E	electric engine	1,400 W	42 cm	1.6 mm	NO	NO	NO	NO	6.0 kg

Model	Engine type	Engine capacity	Engine power	Cutting width	String trimmer head	String diameter	Steel three tooth blade	Double handle	Weight
FZS 3003-B	two-stroke	25.4 cm ³	0.70 kW	44cm	TWIST & GO	2.4mm	YES	YES	6.6kg
FZS 3020-B	two-stroke	32.5 cm ³	1.15 kW	44cm	TWIST & GO	2.4mm	YES	YES	6.6kg
FZS 4004-B	two-stroke	43 cm ³	1.40 kW	44cm	TWIST & GO	2.4mm	YES	YES	7.2kg
FZS 5003-B	two-stroke	52 cm ³	1.60 kW	44cm	TWIST & GO	2.4mm	YES	YES	7.0kg
FZS 5025-B	two-stroke	51.7 cm ³	1.45 kW	44cm	TWIST & GO	2.4mm	YES	YES	8.5kg

Petrol and Electric Chain Saws



Safety brake

Safety features such as a non-slip handle, safety brake and clutch are standard on all Fieldmann chain saws.

Tensioning chain

Selected Fieldmann electric saws are equipped with a system that allows the chain and guide bar to be manipulated without the use of tools.

Accessories

Petrol and electric chain saws can be combined with different types of guide bars of various lengths. The same goes for chains.

C.D.I. ignition system

This system makes it much easier to start an unheated saw. You will appreciate its advantages especially in winter.



We recommend MOL oils for lubricating saw chains and preparing the fuel mixture.



The chain saw is a necessary assistant when processing wood for the winter, but also for a more thorough pruning of woody plants. Choose its drive, power and length of the guide bar according to the nature of the activity, the amount of work you have to do with it, and also which user and how often he/she will work with the saw. **FIELDMANN** chain saws have a guide bar 35 or 40cm long, which ideally handle occasional cutting of smaller amounts of firewood or pruning trees.

Electric Chain Saws are easy to maintain, environmentally friendly and suitable even where exhaust fumes may be otherwise a problem – for example in a closed workshop. The quieter operation welcome in the gardens in dense areas or in recreational areas is also an advantage. Use is limited by the range of electricity.

The category of petrol devices is intended for those who use the saw more often, thus requiring higher power, or even the possibility of working without restricting the electricity supply. Petrol saws can also handle larger amounts of wood and thicker branches or tree trunks.

Safety comes first when working with a chain saw. **FIELDMANN** chain saws manufactured using high-quality materials and components have a safety brake as standard for immediate chain stopping, selected models also have a safety clutch or a fixed tooth support that prevents kickback.



Petrol Chain Saw FZP 4216-B

- two-stroke engine with a capacity of 45 cm³
- Fieldmann guide bar 40 cm long
- safety chain brake
- C.D.I. starting system
- calibrated container for correct mixing the fuel mixture
- weight: 5.5 kg

optional accessory:

- Fieldmann: guide bar 40 cm long and chain
- oil for lossy lubrication
- oil for two-stroke engines
- working gloves

Petrol Chain Saw FZP 5216-B

- two-stroke engine with a capacity of 52 cm³
- guide bar 40 cm long
- Fieldmann chain
- safety chain brake
- C.D.I. starting system
- calibrated container for correct mixing the fuel mixture
- weight: 5.2 kg

optional accessory:

- Fieldmann: guide bar 35, 40 cm and chain
- oil for lossy lubrication
- oil for two-stroke engines
- working gloves

Petrol Chain Saw FZP 5816-B

- two-stroke engine with a capacity of 58 cm³
- guide bar 40 cm long
- Fieldmann chain
- safety chain brake
- C.D.I. starting system
- calibrated container for correct mixing the fuel mixture
- weight: 6.0 kg

optional accessory:

- Fieldmann: guide bar 40 cm long and chain
- oil for lossy lubrication
- oil for two-stroke engines
- working gloves



Model	Engine capacity /power	Guide bar length	Safety brake	Safety clutch	Automatic chain lubrication	Chain lubrication regulation	Weight
FZP 4216-B	45 cm ³ / 1.6 kW	40 cm	YES	NO	YES	YES	5.5 kg
FZP 5216-B	52 cm ³ / 1.7 kW	40 cm	YES	NO	YES	YES	5.2 kg
FZP 5816-B	58 cm ³ / 2.4 kW	40 cm	YES	NO	YES	YES	6.0 kg



Electric Chain Saw FZP 2105-E

- electric engine input power: 1,800 W
- Fieldmann guide bar 35 cm long
- safety chain brake
- tooth rest for increased safety
- visual inspection of the oil level
- automatic oil pump
- weight: 5 kg with a guide bar and chain

optional accessory:

- spare guide bar 35 cm long
- spare chain
- oil for lossy lubrication
- working gloves

Elektrická řetězová pila FZP 2005-E

- electric engine input power: 2,000 W
- guide bar 40 cm long
- quick chain tensioning system
- safety chain brake
- rubberised non-slip handle
- tooth rest for increased safety
- automatic oil pump
- weight: 5.5 kg with a guide bar and chain
- quick chain tensioning system

optional accessory:

- Fieldmann: guide bar 35 cm long and chain
- Fieldmann: guide bar 40 cm long and chain
- Oregon: guide bar 40 cm long and chain
- oil for lossy lubrication
- working gloves



Electric Chain Saw FZP 2020-E

- electric engine input power: 2,400 W
- guide bar and chain Oregon with a length of 40 cm
- excellent balance thanks to unique design
- quick chain tensioning system
- safety chain brake
- rubberised non-slip handle
- tooth rest for increased safety
- automatic oil pump
- weight: 5.5 kg with a guide bar and chain

optional accessory:

- Fieldmann: guide bar 35 and 40 cm long and chain
- Oregon: guide bar 40 cm long and chain
- oil for lossy lubrication
- working gloves



Electric Chain Saw FZP 2025-E

- electric engine input power: 2,400 W
- guide bar and chain Oregon with a length of 40 cm
- excellent balance thanks to unique design
- quick chain tensioning system
- safety chain brake
- rubberised non-slip handle
- tooth rest for increased safety
- automatic oil pump
- weight: 5.5 kg with a guide bar and chain

optional accessory:

- Fieldmann: guide bar 35 and 40 cm long and chain
- Oregon: guide bar 40 cm long and chain
- oil for lossy lubrication
- working gloves



Model	Input power	Guide bar length	Safety brake	Safety clutch	Automatic chain lubrication	Chain lubrication regulation	Weight
FZP 2105-E	1,800 W	35 cm	YES	NO	YES	NO	5.0 kg
FZP 2005-E	2,000 W	40 cm	YES	NO	YES	NO	5.5 kg
FZP 2020-E	2,400 W	40 cm	YES	YES	YES	NO	5.5 kg
FZP 2025-E	2400 W	40 cm	YES	YES	YES	NO	5.4 kg



We also offer
a cordless chain saw
FAST POWER 20 V,
page 4-7



20V pp. 4-7
Li-ION
FASTPOWER
ONE BATTERY FOR ALL / NEW GENERATION

Electric and Petrol Hedge Trimmers



Enough fuel for work

Petrol hedge trimmers have a fuel tank large enough so that frequent refuelling does not limit you

Safety

The safety system of the double switches does not allow the machine to be switched accidentally. It only starts when both switches turn on at the same time.

Diverse uses

Trimmers can be used to maintain all types of shrubs and ornamental trees. The design of the guide bar allows cutting branches up to 16 mm in diameter.

Power cord retainer

The holes in the rear handle are used to secure the power cord. The retainer prevents the cable from being accidentally disconnected.

If you want to have a well-tended hedge, you can't do without its maintenance aids. But with mechanical clippers, you will only manage really small areas. For hedges, which are usually several tens of meters long, hedge trimmers or powered hedge cutters – electric or petrol are needed. Working with electric or petrol hedge trimmers is easier, faster, more comfortable, but also more accurate than with manual hedge clippers.

With an electric hedge cutter, you get the advantage of a lighter device, zero emissions and basically zero maintenance, with petrol machines the limit of the availability of electricity and the supply cable is eliminated. Petrol machines offer more power and higher speed.

Choose the right assistant according to the power – the longer, more high-grown, denser and thicker the branches of the plant, the greater the power you need. Focus also on the length of the guide bar – a longer one (40 cm and more) is suitable for wide hedges, large areas or shaping larger bushes, a shorter guide bar will suffice for a solitary thuja. It is worth buying telescopic hedge trimmers for a high or difficult-to-access hedge (these can be found among tree pruners). It is practical to be able to adjust the cutting head or handle to different angles, with which you can easily manage even vertical surfaces, places low to the ground, etc.

All **FIELDMANN** hedge cutters are equipped with a safety switch system that prevents unintentional lowering, a guide bar cover for safe storage or a protective shield against flying branches.



Electric Hedge Trimmers **FZN 2000-E**

- core model
- input power: 520 W
- guide bar length: 400 mm
- safety two-hand engine switch
- safety brake
- adjustment of branches up to a diameter of 16 mm
- guide bar protective cover
- weight: 2.25 kg

Electric Hedge Trimmers **FZN 2305-E**

- input power: 550 W
- guide bar length: 500 mm
- cutting diameter – 16 mm
- safety switch system
- guide bar protective cover for safe storage
- weight: 2.5 kg

Electric Hedge Trimmers **FZN 2505-E**

- input power: 600 W
- guide bar length: 550 mm
- adjustable shear angle
- 4 horizontal handle positions
- cutting diameter – 20 mm
- safety switch system
- guide bar protective cover for safe storage
- weight: 2.6 kg

Petrol Hedge Trimmers **FZN 4006-B**

- two-stroke engine with a capacity of 26 cm³
- guide bar length: 510 mm
- maximum cutting diameter – 24 mm
- adjustable handle for vertical cutting
- safety switch system, protective front shield
- guide bar cover for safe storage
- weight: 5.4 kg

Model	Engine type	Input power / power	Guide bar length	Maximum cutting diameter	Sensor security system	Weight
FZN 2000-E	electric engine	520 W	40 cm	16 mm	YES	2.25 kg
FZN 2305-E	electric engine	550 W	50 cm	16 mm	YES	2.5 kg
FZN 2505-E	electric engine	600 W	55 cm	20 mm	YES	2.6 kg
FZN 4006-B	petrol	26 cm ³ / 0.75 kW	51 cm	24 mm	YES	5.4 kg



Lopping Shears, Garden Tools



Aluminium handles

Aluminium alloy handles are light and strong at the same time.

Telescopic system

The telescopic system allows the shears to be adjusted up to five different handle lengths.

Diverse uses

Shears can be used to maintain all types of shrubs and ornamental trees. The design of the guide bar allows cutting branches up to 16 mm in diameter.

SK5 stainless steel blades

The blades boast their high sharpness and comfortable cutting of branches up to a diameter of 15 mm.

You can't do without hedge clippers in the garden. They are needed for cutting an ornamental shrub, for liquidating overly rank offsets of woodbine or for a quick pruning of a fruit tree, for cutting off a bouquet of roses... The brand **FIELDMANN** offers several types of these assistants tailored to specific activities straight away.

One-handed double-shear (double-edge) clippers are designed especially for detailed shaping of shrubs, pruning, rejuvenation or grafting of trees or cutting of thicker flower stems. Thanks to the shears made of high-quality metal, they can also handle young tree branches up to thickness of 15 or even 20 mm. Ergonomically designed handles ensure that they are comfortable and easy to work with.

Lever shears for branches are designed for thicker branches – up to a thickness of 50 mm, which they can manage thanks to longer handles and a leverage. At telescopic lever shears **FIELDMANN** handles can be even extended, from the standard 68 up to 92 cm. This will allow adjustment to several different lengths, and therefore different range. The low weight of these tools due to the use of high-quality aluminium alloy also increases the cutting comfort. All **FIELDMANN** lopping shears are equipped with ergonomic handles with a rubberised surface.

Do you need to conquer even stronger branches? Then a hand saw will be suitable or a telescopic pruning saw for work in higher positions, with a range of up to 5 meters.

Everything for your Home and Garden



Lopping Shears FZNR 1006

- lopping shears
- double-bladed
- max. thickness of wet branch: 20 mm
- SK5 stainless steel blade
- suitable for fast pruning of fresh branches



Lopping Shears FZNR 1007

- lopping shears
- double-bladed
- max. thickness of wet branch: 20 mm
- 2 cutting pitch positions
- suitable for fast pruning of fresh branches



Hand Saw FZNR 1310

- blade length: 240 mm
- total length: 410 mm
- blade treated against corrosion
- weight: 380g
- protective case
- possibility of attachment to the belt
- suitable for pruning branches

Telescopic Hand Saw FZNR 1350

- suitable for pruning branches
- in the treetops
- high sharpness, hardened teeth
- telescopic rod with adjustable range, max. 5 m
- also includes a plastic blade cover



Lever Shears for Branches FZNR 1013

- telescopic shears
- single-bladed
- shears length 680–920 mm
- shears weight: only 1,980 g
- cut of branches up to 50 mm
- steel handles
- rubberised handles

Lever Shears for Branches FZNR 1022

- telescopic shears
- shears length 680–920 mm
- shears weight: only 1,980 g
- cut of branches up to 50 mm
- steel handles
- rubberised handles



Garden Tools Set FZNR 1101

- set of 5 hand tools
- hoe, fork, garden claw, root puller and transplanting trowel
- plastic with strong polyamide fibres
- high heat resistance
- high strength



Garden Tools Set FZNR 1104

- set of 4 hand tools
- trowel, small rake, cultivator, weed puller
- high durability
- material: aluminium
- softened handle

Grass Shears and Hedge Trimmers, Pole Saws



Shear angle adjustment

Even in this case, you can adjust the angle of the cutting head for efficient shaping and work in inaccessible places.

Adjustments and shaping

You can use two types of guide bars when working with shears and trimmers. One is primarily intended for cutting and dressing a lawn, the other for shaping ornamental trees.

Efficiency and comfort

Thanks to the possibility of adjusting the angle of the shear or cutting head, you can reach even hard-to-reach places.

All-purpose use

The telescopic handle of the pruner can be adjusted up to a length of 2.9 m. With telescopic hedge trimmers you can reach up to a height of 2.5 m.

Detailed shaping of decorative hedges or ornamental shrubs as well as final treatment after work with a classic lawn mower can be facilitated by grass shears and hedge trimmers. They use two-edged blades to cut the edge of the lawn precisely. All you have to do to shape higher-grown shrubs or just a short hedge of low-hardy plants is to replace the knives with a guide bar for dressing ornamental trees, with which you can cut branches up to a thickness of 1 cm.

The swivel handle allows you to choose one of four working positions for comfortable work even in less accessible places. Among the optional accessories, you will find a telescopic pole with a length of up to 130 cm, additionally equipped with wheels for easier work standing up, which is useful, for example, when trimming grass along the pavement. Of course, there is a safety lock to prevent accidental starting and a protective cover of the guide bar. The high-quality Li-Ion battery of the cordless shears and trimmers has no memory effect and does not suffer from self-discharge.

To prune the branches in the tree crown, you need a ladder or stepladder – working with cutting tools at height is, however, associated with many risks. These are eliminated when using an electric telescopic pruner. Thanks to the handle, which can be adjusted to a length of up to 290 cm, you can easily reach it from the ground to the crowns of, for example, fruit trees. The **FIELDMANN** telescopic cutter has the option of adjusting the angle of the cutting head, the comfort of use is increased by the softened handle cover or shoulder strap.



Everything for your Home and Garden



We also offer
battery options
FAST POWER 20V,
page 4-7



Telescopic Hedge Trimmers **FZN 6005-E**



- electric engine input power: 450 W
- length of the shear guide bar
- maximum cutting diameter – 16 mm
- cutting head angle adjustment – 8 positions
- telescopic handle adjustment in the range of 1.9–2.5 m
- shoulder strap included
- weight: 3.70 kg

Telescopic Pole Saw **FZN 6005-E**



- electric engine input power: 600 W
 - Fieldmann guide bar and chain
 - guide bar length – 25 cm
 - possibility to adjust the cutting head angle – 3 positions
 - telescopic handle adjustment in the range of 2.3–2.9 m
 - shoulder strap included
 - weight: 3.50 kg
- optional accessory:**
- oil for lossy lubrication

Cordless Grass Shears **FZN 4000-A**

- Li-Ion battery 3.6 V / 1,500 mAh
- operating time of approx. 30 min
- recharging time of approx. 4 hours
- 2 cutting blades – easy exchange
- shrub trimmer blade – 100 mm
- grass shear blade – 70 mm
- safety switch
- battery charge status indicator
- weight: 0.60 kg

Cordless Grass Shears **FZN 4101-A/4102-AT**

- replaceable Li-Ion battery 3.6 V / 1,300 mAh
- swivel head with 4 positions
- grass shear blade – 80 mm
- shrub trimmer blade – 110 mm
- battery power indicator
- weight: 0.60 kg
- the **FZN 4102-AT** option also includes a telescopic handle (130 cm)
- weight 1.00 kg

Shredders and Chippers

Where to place waste after pruning trees or preparing firewood? Fresh branches are difficult to burn, in some areas such disposal is not even allowed by a local decree. Drying them in the corner of the garden is also not ideal, and if you do not own a car with a trailer, transport to waste recycling centres can be technically demanding. Garden shredders and chippers will easily help with disposal, which will also allow the waste to be further effectively used.

FIELDMANN electric shredders process the branches of shrubs and trees, which they crush them into small pieces using rotary blades. The resulting pulp, which is collected in a plastic box or textile bag, can be composted or used as mulch in flower beds where you want to prevent weed growth.

The pieces that form a wood chipper from the branches can also be used as mulch, but they are also suitable for kindling of fire in stoves or boilers. The wood chipper does not crush the branches, but with the help of a slowly rotating teeth roller it breaks them into larger chips, which are caught in a plastic box. The **FIELDMANN** wood chipper can handle branches up to a diameter of 44 mm, has a self-feeding function, reverse run and overload protection.



Wide entry openings

Fieldmann garden shredders can handle branches up to a diameter of 45 mm.

Two-blade system

It ensures perfect crushing of waste, which does not only need to be composted. It can also be used as a mulch to prevent weeds from growing.

Work without cleaning

The shredder also includes a large box or bag into which the crushed material is caught.

Cutting roller system

The material is crushed using a slowly rotating cutting roller. The resulting wood chips are larger and after drying them can be used up on heating.





Electric Shredder **FZD 4010-E**

- shredding system: 2 blades
- input power: 2400 W
- 2 rotating blades
- overload protection
- maximum diameter of crushing: 40 mm
- rpm: 4500
- large catcher opening
- weight: 14 kg



Electric Shredder **FZD 4020-E**

- electric engine input power: 2,500 W
- blade crushing system – 2 blades
- waste crushing up to a diameter of 4 cm
- overload protection
- solid steel construction with wheels for easy relocation
- box with a capacity of 50 l with safety lock for easy handling of crashed material
- weight: 14.1 kg



Electric Wood Chipper **FZD 5015-E**

- electric engine input power: 2,800 W
- crushing with a teeth roller
- box for crushing material with a volume of 60 l
- crushing of garden waste up to a diameter of 4.4 cm
- overload protection and reverse run
- robust steel construction with wheels for easy handling
- weight: 19.4 kg

Garden Vacuum Cleaners and Blowers



Operating modes

The vacuum cleaner allows leaves or other dirt to be vacuumed or blown to form a pile. In addition, in the vacuum mode, the waste is minimised by crushing.

Mode switch lever

With one movement of the lever, you can switch modes from vacuum cleaning to blowing and vice versa. When changing the mode, it is not necessary to change the vacuum cleaner nozzle.

Steel shredder

The shredder ensures perfect crushing of the leaves, thanks to which the volume of material is reduced and the speed of the decomposition in the compost is increased.

Continuous power control

You can use the continuous power control especially when cleaning places that are covered with mulching bark or pebble gravel. You simply adjust the power so that you only suck or blow the fallen leaves.



A garden blower or a vacuum cleaner is primarily used while cleaning autumn leaves. With the help of a strong wind current, it blows the fallen leaves into one place, removes them even from hard-to-reach corners and thus saves hours of strenuous work with rakes.

When reverse run is engaged, for which a single lever movement is sufficient, it works as a vacuum cleaner. It sucks the leaves from a blown pile into the attached bag, crushes them on the way, thus preparing the ideal material for compost. However, the garden blower can also be used elsewhere around the house – you can easily remove powder snow with it or blow out sawdust out of the backyard after cutting wood.

FIELDMANN blowers and vacuum cleaners reach air velocity 250 km/h, higher category models of 270–300 km/h! They also have practical bulky collection bags that are attached to the body of the device with a simple movement. Continuous power control is useful, for example, in a situation where you need to suck leaves from the flower bed, but no longer carefully spread mulch. **FIELDMANN** blowers are equipped with a guide wheel and a shoulder strap for easier handling.


FIELDMANN
 Home & Garden Performance


Everything for your Home and Garden

We also offer
a cordless blower
FAST POWER 20 V,
page 4-7



Electric Garden Blower **FZF 4030-E**

- possibility of continuous power control
- electric engine input power: 3,000 W
- soft start – smooth engine start
- 3 functions – blowing, sucking, crushing
- air velocity 100 to 270 km/h
- suction power up to 13 m³/min.
- mulching ratio 10:1
- collection bag volume 45 l
- guide wheel
- shoulder strap included
- weight: 3.5 kg
- steel shredder



Electric Garden Blower **FZF 4050-E**

- possibility of continuous power control
- electric engine input power: 3,000 W
- soft start – smooth engine start
- 3 functions – blowing, sucking, crushing
- air velocity 100 to 300 km/h
- suction power up to 16 m³/min.
- mulching ratio 15:1
- collection bag volume 45 l
- guide wheel
- shoulder strap included
- weight: 3.7 kg
- steel shredder
- retractable small rake and telescopic nozzle
- easy access to the workspace



Submersible pumps, water pumps

Water management, and in the garden, especially rainwater management, has been a strong trend in recent years. Underground tanks, older or almost forgotten wells, but also above-ground large-volume containers, barrels are an ideal solution.

From them it is necessary to get water into irrigation systems, garden showers, swimming pools, etc. **FIELDMANN** offers a wide range of special equipment for this purpose, from clean water pumps or sludge pumps to drain flooded cellars, septic tanks or garden ponds through universal garden and drum pumps to domestic waterworks. All products in this category are equipped with a float that ensures automatic switching on and, when the liquid level drops to a minimum level, also switching off the device.



Garden Boost pump FVC 8510-EC

- garden waterworks with an input power of 800 W
- maximum delivery 40 m
- maximum transferred amount 3,200 l/h
- maximum pressure 3.0 bar
- maximum suction depth 8 m
- tank volume 20 l
- possibility to connect FVC 9010



Water suction hose

Suction hose 7 m long also designed for FVC 8010, 8020, 8510 and 8550.

Integrated float

This design allows the pump to operate in automatic mode at depths of only 5 cm.

Easy connection

Drum pump FVC 3002 equipped with a quick coupling and valve for easy connection of the garden hose.

Pressure switch

We install domestic waterworks with a high-quality pressure switch.

Garden Boost pump FVC 8550-EC

- garden waterworks with an input power of 1,000 W • maximum delivery 44 m
- maximum transferred amount 3,500 l/h • maximum pressure 3.0 bar
- maximum pumping depth 8 m
- tank volume 25 l
- possibility to connect FVC 9010



Submersible Garden Pump FVC 2001-EK

- input power of 250 W
- maximum delivery 6 m
- maximum suction depth 5 m
- maximum transferred water amount 5,000 l/h
- maximum size of solid impurities 5 mm
- possibility to connect 1" or 2" hose



Submersible Garden Pump FVC 2003-EK

- universal pump with an input power of 400 W
- maximum delivery 5 m
- maximum suction depth 5 m
- maximum transferred water amount 7,500 l/h
- maximum size of solid impurities 35 mm
- possibility to connect 1" or 2" hose



Submersible Garden Pump FVC 4001-EK

- powerful sludge pump with an input power of 750 W
- maximum delivery 8 m
- maximum immersion depth 8 m
- maximum transferred water amount 12,000 l/h
- maximum size of solid impurities 35 mm
- possibility to connect 1" or 2" hose




Submersible Garden Pump FVC 4002-EK

- submersible sludge pump with a durable stainless steel body
- input power: 900 W
- maximum delivery 10 m
- maximum immersion 10 m
- maximum transferred water amount 14,500 l/h
- maximum size of solid impurities 25 mm
- possibility to connect 1" or 2" hose
- internal diameter 12.5 mm
- external diameter 18 mm



Submersible Garden Pump with Integrated Float FVC 5015-EK

- input power: 750 W
- max. flow rate: 14,000 l/h
- max. immersion depth: 7 m
- max. delivery: 8 m
- max. pressure: 0.8 bar
- automatic operation in small spaces
- residual level in automatic operation 5 cm
- residual level in manual operation 1 mm
- maximum size of solid impurities 16 mm
- possibility to connect 1" or 2" hose



Rain Water Pump FVC 3002-ED

- input power: 250 W
- maximum flow rate 2,000 l/h
- maximum immersion depth 7 m
- maximum delivery 9 m
- maximum size of solid impurities 3 mm
- power cord length 10 m
- float switch



Petrol Garden Pump FVC 6010-B

- engine type: 2-stroke single cylinder 52 cm³
- engine power: 1.45 kW
- fuel mixture ratio (oil/fuel) 1:25
- max. delivery 30 m
- max. immersion depth 7 m
- max. flow rate 20,000 l/h



Garden Jet Pump FVC 8010/8020-EC

- powerful pump with an input power of 600/800 W
- maximum delivery 35/40 m
- maximum pumping depth 7/8 m
- maximum transferred water amount 2,800/3,200 l/h
- power cord length 1.2 m
- possibility to connect FVC 9010

Model	Input power	Max. flow rate	Maximum delivery	Max. immersion / pumping depth	Max. medium temperature	Max. size of solid impurities	Power cord length	Container volume
FVC 2001-EK	250 W	5,000 l/hour	6 m	5 m	35 °C	5 mm	10 m	–
FVC 2003-EK	400 W	7,500 l/hour	5 m	5 m	35 °C	35 mm	10 m	–
FVC 4001-EK	750 W	12,000 l/hour	8 m	8 m	35 °C	35 mm	10 m	–
FVC 4002-EK	900 W	14,500 l/hour	10 m	10 m	35 °C	25 mm	10 m	–
FVC 3002-ED	250 W	2,000 l/hour	9 m	7 m	35 °C	3 mm	10 m	–
FVC 5015-EK	750 W	14,000 l/hour	8 m	7 m	35 °C	16 mm	10 m	–
FVC 8010-EC	600 W	2,800 l/hour	35 m	7 m	35 °C	–	1.2 m	–
FVC 8020-EC	800 W	3,200 l/hour	40 m	8 m	35 °C	–	1.2 m	–
FVC 8510-EC	800 W	3,200 l/hour	40 m	8 m	35 °C	–	1.5 m	20 l
FVC 8550-EC	1,000 W	3,500 l/hour	44 m	8 m	35 °C	–	1.2 m	25 l
FVC 6010-B	–	20,000 l/hour	30 m	7 m	35 °C	–	–	–

Hose Winches, Irrigation Guns and Garden Hoses

So that you don't have to untangle the garden hose before each watering, it is worth buying a winch. Thanks to it, you can easily and quickly unroll and roll up the hose. In addition, using a winch will extend the service life of the hose.

Whether you are choosing a wall winch or a free-standing model, the universal novelty **FIELDMANN** FZH 1021 is the ideal choice. It is suitable for both applications. **FIELDMANN** also offers high-quality garden hoses that ensure good service with a long service life. They are resistant to UV radiation and have high temperature stability. At the same time, they are flexible, resistant to mechanical pressure, twisting or breaking. Both three-layer and five-layer hoses do not let the light through, which stimulates the formation of algae in the hose. The range also includes accessories, especially various irrigation guns and end pieces.



**Irrigation Gun
FZH 9007**

- compatible with end piece 1/2", 13 mm
- length 450 mm
- 8 positions
- easy flow rate control



Easy to handle

We have equipped garden winches with wheels for easier movement around your garden.

Firm in hand

The controls of the garden winches are made of durable materials.

Automatic winch

The FZH 1220 type is equipped with a self-winding system for easier work with the irrigation hose.

Exact dosing

Not a single drop more. Irrigation guns have up to 10 types of water nozzles.

Everything for your Home and Garden



Irrigation Hoses FZH 9115

- 1" • length 15 m
- 3 layers
- operating temperature: from -5 °C to + 65 °C
- working pressure 6 bar
- burst pressure: 18 bar
- internal diameter 25 mm
- external diameter 30 mm
- suitable for FVC 2001, FVC 2003, FVC 4001, FVC 4002, FVC 5010



Irrigation Hoses FZH 9120

- 3/4"
- length 20 m
- 3 layers
- operating temperature: from -5 °C to + 65 °C
- working pressure 8 bar
- burst pressure: 24 bar
- internal diameter 19 mm
- external diameter 24 mm



Irrigation Hoses FZH 9130

- 1/2"
- length 30 m
- 5 layers
- operating temperature: from -5 °C to + 65 °C
- working pressure 10 bar
- burst pressure: 30 bar
- internal diameter 12.5 mm
- external diameter 18 mm



Irrigation Hoses FZH 9150

- 1/2"
- length 50 m
- 5 layers
- operating temperature: from -5 °C to + 65 °C
- working pressure 10 bar
- burst pressure: 30 bar
- internal diameter 12.5 mm
- external diameter 18 mm



Set of Terminals 1/2" FZH 9006

- compatible with a hose 1/2"
- 3 × end piece – female
- 1 × stop end piece – female
- adapter 1/2" and 3/4"
- variable irrigation gun



Set of Terminals 3/4" FZH 9008

- compatible with a hose 3/4"
- 3 × end piece – female
- 1 × stop end piece – female
- adapter 1/2" and 3/4"
- variable irrigation gun



Irrigation Set 1/2" FZH 9005

- compatible with a hose 1/2"
- 3 × end piece – female
- 1 × stop end piece – female
- adapter 1/2" and 3/4"
- irrigation gun 8 positions




Irrigation Gun FZH 9004

- compatible with end piece 1/2"
- 13 mm
- 10 positions
- easy flow rate control



Garden Winch FZH 1160

- a hose (1/2") in the length of 60 m can be used
- resistance to corrosion
- easy installation
- light construction
- convenient carrying
- economical storage



Garden Winch FZH 1146

- a hose (1/2") in the length of 45 m can be used
- resistance to corrosion
- easy installation
- light construction
- convenient carrying
- economical storage



Garden Winch FZH 1221

- hose length: 20 m (outlet) + 2 m (inlet)
- hose diameter: 1/2"
- adapter: 1/2" and 3/4"
- working pressure 8 bar
- burst pressure: 24 bar
- operating temperature: from -5 to + 45 °C



Garden Winch FZH 1220

- hose length: 20 m (outlet) + 2 m (inlet)
- hose diameter: 1/2"
- adapter: 3/4" BSP
- operating temperature: from -5 to + 45 °C
- working pressure 8 bar
- burst pressure: 24 bar

High Pressure Washers

Pressure washers are a welcome assistant, which can be used in a variety of situations not only at home and in the garden, but now also on the road. In workshops or garages, they take care of the cleanliness of the car, even in less accessible parts of the body, clean the fence, garden furniture, interlocking paving, terrace and facade around the house, wash muddy bikes, boats or caravans on the road...

At the same time, they handle even grime, which they remove with the help of a strong, precisely measured stream of water. **FIELDMANN** high pressure washers, including this year's new high-performance models, offer great performance and low water consumption. Compared to conventional washing, it is up to several tens of percent smaller. Spray guns with variable nozzles are also practical.



Wheels

It is necessary to always have optimal comfort when working. The wheels on the Fieldmann high-pressure washers guarantee maximum comfort when handling the machine.



Hose winch

A big advantage of the hose winch is that it saves space. At the same time, the hose remains part of the machine, so it cannot be lost or possibly mechanically damaged.



Quick coupling

Ideal for quick replacement variable nozzles with turbo nozzle. The advantage is easy handling even with a wet palm.



Shampooing

Shampooing is undoubtedly a part of the quality washing process. This is possible with Fieldmann high-pressure washers using an integrated or external shampoo container.



We also offer
a cordless pressure
washer
FAST POWER 20V,
page 4-7



High Pressure Washer **FDW 201402-E**

- voltage/frequency: 230 V / 50 Hz
- input power: 1,400 W
- maximum pressure: 105 bar
- maximum flow rate: 396 l/hour
- power cord: 5 m
- high-pressure hose length: 3 m
- spray gun with variable nozzle



High Pressure Washer **FDW 201602-E**

- voltage/frequency: 230 V / 50 Hz
- input power: 1,600 W
- maximum pressure: 130 bar
- maximum flow rate: 420 l/hour
- power cord: 5 m
- high-pressure hose length: 5 m
- spray gun with variable nozzle
- integrated shampoo container
- wheels



High Pressure Washer **FDW 201650-E**

- voltage/frequency: 230 V / 50 Hz
- input power: 1,650 W
- max. pressure: 135 bar
- max. flow rate: 420 l/hour
- power cord: 5 m
- high-pressure hose length: 5 m
- spray gun with variable nozzle
- shampooing nozzle
- turbo nozzle
- car brush
- surface cleaner
- wheels
- integrated shampoo container

novelty



High Pressure Washer **FDW 202205-E**

- voltage/frequency: 230 V / 50 Hz
- input power: 2,200 W
- max. pressure: 165 bar
- max. flow rate: 450 l/hour
- power cord: 5 m
- high-pressure hose length: 5 m
- spray gun with variable nozzle
- shampooing nozzle
- turbo nozzle
- car brush
- surface cleaner
- wheels
- integrated shampoo container

novelty

Inverted Generators

It is suitable wherever there is no source of electricity or where there is a risk of more frequent outages, such as in bad weather. **FIELDMANN** portable petrol generators will offer welcome help in these situations.

Thanks to them, you can use electric tools on the plot where underground services have not been installed yet, but you can also put the light, compressor or electric cooker into operation, for example, when camping, in a caravan or on a boat. When there is a power cut, the generator will also help save food stored in the freezer and ensure the smooth operation of the electric heater and computer. You don't have to worry about sensitive electronics like computers or televisions. Thanks to inverter technology, **FIELDMANN** generators provide stable voltage. They also excel in low weight, which makes them easy to move, low consumption and quiet operation.

FRAME



INVERTED

MAIN ADVANTAGES OF INVERTED GENERATORS

- » LOW WEIGHT
- » LOW CONSUMPTION
- » LOW NOISE
- » IDEAL FOR ELECTRONIC DEVICES (PC/TV)



Petrol Generator FZI 4020-Bi

- OHV engine 80 cm³
- maximum power 1,800 W
- permanent power 1,600 W
- inverter technology eL output control
- outputs: 1x ~230 V/50 Hz, 1x = 12 V, 1x USB
- tank volume 4.5 l
- operating time per tank up to 6 h
- weight: 21 kg



Oil level check

Thanks to the accurate indication of the oil level, you will always know when to top up the machine.

Connectivity

Our generators are ready for your smart phones and other devices thanks to the USB connector.

Economical mode

FIELDMANN generators are equipped with the Economy system, thanks to which we save fuel and the environment.

12/220 V output

FIELDMANN generators are equipped with both 12 V and 220 V outputs. It is up to you which appliance you connect.



Petrol Generator FZI 4010-Bi

- OHV engine 54 cm³
- maximum power 1,000 W
- permanent power 900 W
- inverter technology eL output control
- outputs: 1x ~230 V/50 Hz, 1x = 12 V, 1x USB
- tank volume 3 l
- operating time per tank up to 8.5 h
- weight: 15 kg

Everything for your Home and Garden



Tillers

With a hoe, you will manage a small flower bed at most. If you are going to loosen larger areas, use a tiller with a drive. **FIELDMANN** offers electric and petrol tillers, which use rotating blades to loosen and aerate the soil, disintegrate hardened lumps and pieces of turf, bring stones and weeds to the surface and at the same time plough in compost, fertiliser or seedlings into the soil.

Electric tillers are ideal for medium-sized flower beds within reach of an electrical outlet, they are light and easy to handle. Low noise and zero emissions make them great assistants in soil preparation in enclosed greenhouses. The petrol machine offers other advantages, especially the ability to work on large areas without limiting the availability of electricity.



Electric Tiller FZK 2002-E

- electric engine input power: 750 W
- working width 32 cm
- aluminium gearbox
- steel gears
- 4 steel blades
- blade diameter 20 cm
- folding handle
- weight: 8 kg

Electric Tiller FZK 2004-E

- electric engine input power: 1,200 W
- working width 40 cm
- aluminium gearbox
- steel gears
- 6 steel blades
- blade diameter 20 cm
- folding handle
- support transport wheels
- weight: 11 kg

Electric Tiller FZK 2115-E

- electric engine input power: 1,500 W
- working width 35/45 cm
- steel gears
- 6 steel blades
- blade diameter 21 cm
- folding handle
- support transport wheels
- weight: 12 kg
- possibility to add two more blades

Petrol Tiller FZK 6015-B

- engine: OHV, 139cm³, 2.2 kW
- working width: 36 cm
- blade diameter: 26 cm
- safety steel blade cover
- tilting transport wheel
- weight: 31 kg

Petrol Tiller FZK 6115-B

- engine: OHV, 139cm³, 2.2 kW
- working width: 36/59 cm
- blade diameter: 26 cm
- safety steel blade cover
- tilting transport wheel
- weight: 34 kg
- possibility to add two more blades

Model	Input power / power	Working width	Number of blades	Blade diameter	Folding handle	Support wheels	Weight
FZK 2002-E	750 W	32 cm	4	20 cm	YES	NO	8 kg
FZK 2004-E	1,200 W	40 cm	6	20 cm	YES	YES	9.45 kg
FZK 2115-E	1,500 W	35/45 cm	6	21 cm	YES	YES	12 kg
FZK 6015-B	2.2 kW	36 cm	4	26 cm	NO	YES	31 kg
FZK 6115-B	2.2 kW	36/59 cm	4/6"	26 cm	NO	YES	34 kg



Engine Oil MOL Dynamic Garden 2T

- oil designed to mix the fuel mixture for two-stroke engines
- ensures engine cleanliness and thus reduces its wear
- prevent plug damage
- suitable for garden machinery
- package volume 0.6 l



Engine Oil MOL Dynamic Garden 4T

- designed for lubrication of four-stroke petrol engines
- retains its excellent properties even at low temperatures
- suitable for year-round use
- viscosity class SAE 10W-30
- suitable for garden machinery
- package volume 0.6 l



Oil for Lossy Lubrication MOL Dynamic Forest

- oil designed for lubrication of chain saw chains
- suitable for year-round use in petrol and electric saws
- reduces the friction temperature and reduces wear on the chain and guide bar
- integrated funnel for convenient pouring
- package volume 0.6 l



Engine Oil MOL Essence

- oil for lubrication of four-stroke petrol engines
- high thermo-oxidative stability
- viscosity class SAE 15W-40
- suitable for garden machinery
- package volume 1.0 l



Oil Extractor FZR 9050

- container capacity 1.6 litres
- 2 x PVC hose
- - diameter 8 mm and length 1 m
- - diameter 10 mm and length 1.3 m
- funnel
- also applicable for all types of fuels



Hand Sprayer FZO 8050

- container capacity 2 litres
- metal nozzle with spray control
- overpressure valve
- switch with the possibility of locking after start-up



Hand Sprayer FZO 8060

- container capacity 5 litres
- metal nozzle with spray control + position adjustment
- overpressure valve
- shoulder strap
- max. pressure 2.5 bar



Garden Cart FZO 4001

- practical cart for use in every garden or around the house
- stable construction and easy handling
- replaceable plastic bag with a volume of 80 l
- cart load capacity 25 kg



Work Gloves FZO 5010

- palm part of fine goatskin
- finger part of fine goatskin
- upper part – elastic synthetic fabric
- velcro strap to attach to the wrist
- size 10"(XL)



Work Gloves FZO 6010/6011

- reinforced palm lining to dampen vibrations
- lower palm part made of synthetic leather
- upper part made of flexible and breathable synthetic fabric
- the securing strap on the wrist prevents slipping
- size 10" (XL) / 11" (XXL)



Work Gloves FZO 7010

- lower part made of synthetic leather
- upper part made of elastic neoprene
- loop for easy donning
- anti-slip protection with Velcro tapesize 10"/XL



Work Gloves FZO 7011

- lower part made of genuine leather
- upper part made of premium neoprene
- loop for easy donning
- size 10"(XL)

novelty



Work Female Gloves FZO 2111

- lower part made of synthetic leather
- upper part made of flexible SPANDEX material
- elastic material on the wrist against slipping
- size 8"(S)

novelty



Work Female Gloves FZO 2110


- lower part made of synthetic leather
- upper part made of flexible SPANDEX material
- elastic material on the wrist against slipping
- size 8"(S)

novelty



Aluminium Folding Shovel FPL 4002

- unfolded length 82 cm
- folded length 66 cm
- aluminium shovel with anodised surface with a size: 22 x 28 cm
- ergonomic handle for easier handling
- max. recommended weight 15 kg
- security locks against spontaneous folding up
- weight: 0.6 kg



Steel Folding Shovel FPL 4001

- steel thickness 1.5 mm
- steel handle
- unfolded length 57 cm
- folded length 23.5 cm
- max. recommended weight 23 kg
- weight: 0.99 kg
- shovel width 15 cm
- package includes: portable bag



Garden Spreader FZO 4030

- tank volume 25l / 50 kg
- dosing adjustment – 32 positions
- spreading width up to 3m
- folding handle
- pneumatic wheels
- weight: 6.3 kg



Garden Furniture

Garden / Garden Furniture

Today, it is no longer just a seasonal affair, quality garden furniture is used all year round in indoor gardens, covered pergolas or on glazed balconies. Maybe that's why the assortment in this area is increasingly similar to the offer of interior furniture. Even in the garden (or pergola), comfort comes first, it is no longer enough just to have a dining table and chairs, or a sunshade, although they are available in a wide range of shapes and sizes.

There are also sofas and entire sofa systems, swings, serving tables and other pieces of furniture, which used to be exclusively a matter of interior spaces. **FIELDMANN** offers quality garden furniture made of tropical wood, metal and artificial rattan.

Furniture made of tropical acacia wood

Wooden garden furniture is very popular due to its originality and naturalness of the natural material, which easily fits into stylish as well as purely modern gardens. **FIELDMANN** wooden garden furniture is made of exotic acacia wood, which is characterised by an olive brown to grey-brown shade with a fine texture. It is hard wood, highly resistant to moisture and other weather conditions, so you don't have to be afraid to leave the furniture outside all season, regardless of the weather.

Care for wooden furniture

Despite its resistance to climatic influences, it is ideal to store furniture made of exotic wood in a dry environment for the winter or to cover it with a cover or tarpaulin. It should be impregnated with oil at least once a season, which will support its durability, service life and strengthen protection against UV radiation and pests, while maintaining the beautiful appearance of the wood. This is not a difficult task. Before impregnating, you only need to



Balcony Set **CAROL-T**

CUSHIONS IN WHITE INCLUDED
IN THE PACKAGE



- practical set of furniture usable not only on balconies
- the chair and table can be easily folded and stored comfortably
- made of tropical acacia hard wood
- resistant against weather influences
- set also includes cushions and armrests



Balcony Set **ALICE-T**

COLOUR OF SEAT
CUSHIONS



- larger and more comfortable balcony furniture set
 - easily foldable square table 60 x 60 cm
 - 2 chairs 55 x 40 x 81 cm
 - designed for outdoor use
 - made of tropical acacia hard wood
- optional accessories: seat cushions in green and cream

clean the furniture well, you can remove any algae, mould or fungi with fine sandpaper. Impregnate the wood with the specified products when it is dry, free of dust and dirt.

Metal furniture

Strength, stability, dimensional stability, weather resistance and a long service life supported by advanced finishes, as well as modern design, elegance and minimal maintenance, these are the features for which many people choose metal furniture for their gardens. The offer of **FIELDMANN** metal furniture includes various sets of tables and chairs, which you can freely combine into an ideal set, as well as comfortable deckchairs or swings. The weaves of armchairs and chairs are made of durable, flexible and maintenance-free fabric, which does not get hot even in direct sunlight. Thanks to the continuing popularity of metal furniture, **FIELDMANN** has added new models to its offer this year as well.

Rattan furniture

Soapy water to remove any dirt or dust and clean rinsing water. That is all you need to maintain artificial rattan furniture. For this reason, it has more and more fans who also appreciate the durability as well as the comfort and variability that this material offers. The **FIELDMANN** range includes both sets of tables and chairs made of artificial rattan, as well as a deckchair or luxury sofa set, with which you can create the perfect lounge zone in the open air.

Textile accessories

Textile seat cushions and upholstery are an opportunity to further increase the comfort of garden sitting. In the **FIELDMANN** offer, these accessories are available in several colours, including the popular cream and bottle green. They are made of high-strength, water-resistant polyester. The height of the seat cushions of 5 cm ensures really comfortable sitting. They are available for most types of chairs, armchairs, deckchairs and benches.



COLOUR OF SEAT CUSHIONS

Garden Furniture Set

EMILY-T

- set consists of 4 chairs and a folding table
- table 120 × 70 × 74 cm with the possibility of folding
- possibility of placing a sunshade in the prepared hole
- folding, ergonomically shaped chair 49 × 57 × 94 cm
- load capacity of the chair 110 kg • possibility to buy additional seat cushions
- designed for outdoor and indoor use, treated with oil paint
- made of tropical acacia hard wood

optional accessory:

- chair seat cushions in green and cream

Serving Table

FDZN 4050-T


- luxury acacia serving table
- dimensions: 80 × 50 × 86 cm
- two removable levels
- levels can also be used as separate trays
- wheels for easy handling
- table is treated with oil paint
- suitable also for outdoor use



Balcony Set

BELLA (FDZN 5002)

- balcony set consists of 2 chairs and a table
- chair material: steel construction
- chair made of durable artificial fabric
- chair dimensions: 57 × 47 × 76 cm (2 pcs in package)
- table material: metal construction
- table top from black hardened glass
- table dimensions: 60 × 60 × 71 cm
- chair load capacity: 100 kg
- product advantages: easy storage (possibility of folding)



Garden Furniture Set CALYPSO-T

- the set consists of 4 armchairs and a rectangular table 90 × 150 cm
 - the backrest of the ergonomically shaped chair can be adjusted to 5 positions
 - armchair armrests increase seating comfort
 - armchairs can be fully folded up to minimise storage requirements
 - the table has an opening for placing a sunshade
 - made of tropical acacia wood
 - suitable for outdoor use
- optional accessory:**
- armchair covers of different colours and patterns

COLOR OF CUSHION



Garden Furniture Set CARMEN I-T/CARMEN II-T

- Carmen I-T/II-T set enabling 6/7 people to sit together
 - CARMEN II-T set consists of 4 armchairs, a three-seater bench and a folding table
 - CARMEN I-T set consists of 6 armchairs and a folding table
 - table 150/200 × 90 cm with a hole for a sunshade
 - folding armchairs with adjustable backrest and armrests
 - comfortable three-seat bench with backrest
 - made of tropical acacia wood
- optional accessory:**
- armchair covers of different colours and patterns

COLOR OF CUSHION



A SET WITH 6 CHAIRS ALSO ON SALE

Garden Furniture Set ARIA-T

- luxury set consisting of 6 armchairs and a rectangular folding table
 - robust, reinforced armchairs are ergonomically shaped
 - possibility to adjust the backrest of the armchair
 - basic table length of 150 cm can be extended to 200 cm
 - sunshade placement option
 - designed for outdoor and indoor use
 - made of tropical acacia wood
- optional accessory:**
- armchair covers of different colours and patterns

COLOR OF CUSHION



Garden Furniture Set MOLLY II

- the set consists of 4 chairs and a table
- table 120 × 70 × 74 cm
- possibility of placing a sunshade in the prepared hole
- folding, ergonomically shaped armchairs with armrests 54 × 65 × 94 cm
- chair load capacity 110 kg
- made of tropical acacia hard wood
- chair filling made of durable synthetic fabric
- possibility to buy a seat cushion
- designed for outdoor and indoor use
- treated with oil paint





**Garden Table
FDZN 4011-T**

- dimensions: 120 × 70 × 74 cm
- table top with a hole for a sunshade
- possibility of folding the table
- designed for outdoor and indoor use, treated with oil paint
- made of tropical acacia wood



**Garden Table
FDZN 4002-T**

- rectangular table 150 × 90 cm
- ideal in combination with 4 armchairs or 2 armchairs with a bench
- sunshade placement option
- made of tropical acacia wood
- designed for exteriors and interiors



**Garden Table
FDZN 4004-T**

- folding garden table
- basic size 150 × 90 cm, after unfolding 200 × 90 cm
- the table can be well combined with 6 armchairs or 4 armchairs and a bench
- when unfolded, a sunshade can be placed in the centre of the table
- acacia design
- designed for exteriors and interiors



**Garden Table
FDZN 4104-T**

- rectangular shape
- dimensions: 150/200 × 90 × 75 cm
- easy unfolding and folding, stable construction
- sunshade placement option
- suitable for outdoor and indoor use
- made of tropical acacia wood



**Garden bench
FDZN 4013-T**

- two-seater garden bench
- dimensions: 122 × 57 × 85 cm
- comfortable seating, possibility of buying covers
- easy installation
- designed for exteriors and interiors
- made of tropical acacia wood
- optional accessory:**
- covers of different colours and patterns



**Garden Bench
FDZN 4006-T**

- three-seater garden bench
- dimensions: /150 × 61 × 90 cm
- comfortable seating, possibility of buying covers
- easy installation
- designed for exteriors and interiors
- made of tropical acacia wood
- optional accessory:**
- covers of different colours and patterns



**Garden Armchair
FDZN 4201-T**

- dimensions: 54 × 65 × 94 cm
- load capacity 110 kg
- in the folded state, minimum storage requirements
- possibility to buy a seat cushion
- designed for outdoor and indoor use
- treated with oil paint
- made of tropical acacia wood



**Reclining Armchair
FDZN 4001-T**

- reclining armchair with armrests
- 5 positions of backrest inclination adjustment
- dimensions: 71 × 56 × 108 cm
- made of acacia wood
- designed for exteriors and interiors
- package contains 2 pcs (the price is per package)
- optional accessory:**
- armchair covers of different colours and patterns



**Reclining Armchair
FDZN 4101-T**

- well-crafted garden
- with dimensions: 74 × 58 × 105 cm
- option to adjust the backrest to 5 positions
- ergonomically shaped seat and armrest, in the folded state minimal storage requirements, the possibility of purchasing additional covers, suitable for outdoor and indoor use, made of tropical acacia wood
- load capacity 140 kg
- optional accessory:**
- armchair covers of different colours and patterns




**Adria Garden Deckchair
FDZN 4009-T**

- modern design, ergonomic shaping
- dimensions: 182 × 54 × 63 cm
- after folding, only minimal requirements for storage space
- suitable for outdoor and indoor use
- made of tropical acacia wood
- optional accessory:**
- green and cream cover



**Classic Garden Deckchair
FDZN 4007-T**

- reclining deckchair measuring 190 × 70 cm
- option to set the angle of the backrest and the leg support
- made of tropical acacia wood
- designed for exteriors and interiors
- optional accessory:**
- green and cream cover



MELISA LIGHT SET ALSO ON SALE



Garden Furniture Set

MELISA DARK/LIGHT

- luxury set consisting of 6 reclining armchairs, table with glass top and a sunshade
- table size: 150 × 96 × 71 cm, black hardened glass filling
- the backrest of the chair can be adjusted to 5 positions
- double filling made of synthetic fabric allows comfortable sitting even without cushions
- sunshade of ø 3 m controlled by a handle, an option to adjust the angle of inclination
- sunshade cover made of 100% polyester 160 g/m²
- does not require any special maintenance
- for outdoor and indoor use

RUBY LIGHT SET ALSO ON SALE



Garden Furniture Set

RUBY DARK/LIGHT

- a set consisting of 6 armchairs, a table and a sunshade
- table size: 150 × 96 × 71 cm with black hardened glass table top
- armchair size: 55 × 77 × 92 cm
- armchair filling made of durable synthetic fabric
- sunshade ø 3 m, polyester cover 160 g/m²
- operation of the sunshade with a handle, an option to adjust the angle of inclination
- this furniture does not require any special maintenance
- suitable for outdoor and indoor use



A SET OF 6 + 1, RONY I, RONY II ALSO ON SALE



Garden Furniture Set

ELLA

- furniture set consisting of 4 armchairs and a table
- table size: 150 × 96 × 71 cm with clear hardened glass table top
- armchair size: 55 × 77 × 92 cm
- armchair filling made of durable synthetic fabric
- possibility of placing a sunshade in a prepared hole in the table top
- completely maintenance-free
- suitable for outdoor and indoor use

Garden Furniture Set

ELLA DARK (FDZN 5030 + FDZN 5111)

- set of metal furniture consisting of 4 armchairs and a table
- table size: 150 × 96 × 71 cm with clear hardened glass table top
- armchair size: 55 × 73 × 94 cm, artificial textile filling
- sunshade placement option
- completely maintenance-free
- suitable for outdoor and indoor use



6 + 1 SET AND AN OPTION IN LIGHT ALSO ON SALE

Garden Furniture Set

ELLA LIGHT (FDZN 5020 + FDZN 5112)

- set of metal furniture consisting of 4 armchairs and a table
- table size: 150 × 96 × 71 cm with clear hardened glass table top
- armchair size: 55 × 73 × 94 cm, artificial textile filling
- sunshade placement option
- completely maintenance-free
- suitable for outdoor and indoor use



6 + 1 SET AND A DARK ARMCHAIR OPTION ALSO ON SALE

Garden Furniture Set

FDZN 5055 + FDZN 5018

- luxury set consisting of 4 reclining armchairs and a table with a black hardened glass top
- armchairs and table made of aluminium
- table size: 150 × 90 × 72.5 cm
- armchair size: 62 × 112 × 68 cm
- the backrest of the armchair can be adjusted in 7 positions
- the filling made of durable synthetic fabric allows for comfortable sitting
- even without seat cushions
- does not require any special maintenance
- designed for outdoor and indoor use
- possibility to buy extra covers



6 + 1 SET ALSO ON SALE

Garden Furniture Set

CHARLOTTE (FDZN 5050 + FDZN 5016)

- luxury set consisting of 4 reclining armchairs, table with wood-plastic top and aluminium construction
- table size: 150 × 90 × 74 cm
- the backrest of the armchair can be adjusted in 5 positions
- double filling made of synthetic fabric allows comfortable sitting even without seat cushions
- does not require any special maintenance
- designed for outdoor and indoor use
- possibility to buy extra covers



6 + 1 SET ALSO ON SALE



Metal Table with a Glass Top FDZN 5020

- dimensions: 150 × 96 × 71 cm
- table top from clear hardened glass
- can be combined with up to 6 chairs FDZN 5010 and sunshade FDZN 5006/5007
- designed for outdoor and indoor use, the materials used do not require any maintenance



Metal Table with a Glass Top FDZN 5030

- dimensions: 150 × 96 × 71 cm
- table top from black hardened glass
- can be combined with up to 6 chairs FDZN 5010 and sunshade FDZN 5006/5007
- designed for outdoor and indoor use, the materials used do not require any maintenance



Garden Table made of artificial Rattan FDZN 6005-PR

- quality garden table made of artificial rattan and glass
- steel construction
- the steel frame of the table is covered with artificial rattan
- table top from black hardened glass
- table size: 145 × 85 × 72 cm



Garden Table FDZN 5055

- design garden table
- dimension: 150 × 90 × 72.5 cm
- construction: aluminium frame with powder coating
- the table top is made of black hardened glass
- for outdoor and indoor use
- maintenance-free



Metal Table FDZN 5050

- design garden table
- dimensions: 150 × 90 × 74 cm
- construction: aluminium
- top: wood-plastic
- designed for outdoor and indoor use; maintenance-free, black



Reclining Armchair FDZN 5016

- reclining armchair with armrests
- 5 positions of backrest inclination adjustment
- dimensions: 55 × 105 × 47 cm
- filling made of durable synthetic fabric
- suitable for outdoor and indoor use
- materials used do not require any maintenance



Garden Armchair FDZN 5018

- reclining armchair with armrests
- 7 positions of backrest inclination adjustment
- dimensions: 62 × 112 × 68 cm
- construction: aluminium
- filling made of durable synthetic fabric
- suitable for outdoor and indoor use
- materials used do not require any maintenance



Garden Deckchair FDZN 8012

- dimensions: 161 × 64 × 48/100 cm
- quality steel construction weaved with synthetic fabric
- option to adjust the inclination of the backrest
- strength of load-bearing profiles: 42 × 14 mm
- designed for outdoor and indoor use, the materials used do not require any maintenance



Garden Deckchair made of artificial Rattan FDZN 6007-PR

- luxury deckchair is made of artificial rattan
- metal structure
- dimensions: 190 × 65 × 35 cm
- possibility of back positioning
- the deckchair is suitable for indoor and outdoor areas, gardens, terraces, indoor gardens, balconies...



Garden Armchair made of artificial Rattan FDZN 6002-PR

- dimensions: 55 × 59 × 93 cm
- steel frame
- made of artificial rattan
- black colour
- suitable for outdoor and indoor use
- maintenance-free
- load capacity 120 kg



Metal Chair FDZN 5010

- dimensions: 55 × 77 × 92 cm
- filling made of durable artificial synthetic fabrics
- suitable for outdoor and indoor use
- maintenance-free
- load capacity 120 kg



Metal Chair FDZN 5111

- dimensions: 55 × 73 × 94 cm
- filling made of durable synthetic fabric
- suitable for outdoor and indoor use
- maintenance-free
- load capacity 120 kg



Metal Chair FDZN 5112

- dimensions: 55 × 73 × 94 cm
- filling made of durable synthetic fabric
- suitable for outdoor and indoor use
- maintenance-free
- load capacity 120 kg



AVAILABLE ALSO WITH DARK PILLOWS

Garden Set made of artificial Rattan **SOPHIE**

- luxury set made of artificial rattan
- water resistant covers included – in cream colour
- 4 × seat cushion + 3 × back cushion + 2 × decorative cushion
- rear sofa set size: 128 × 74 × 69 cm
- deckchair size: 128 × 71 × 69 cm
- table with hardened glass
- table size: 62 × 62 × 35 cm
- the set is suitable for indoor and outdoor spaces, gardens, terraces, indoor gardens...



Garden Furniture Set **EVA**

- garden furniture made of artificial rattan
- the set consists of two armchairs, a sofa and a table with a hardened glass top
- armchair size: 82 × 57 × 59 cm
- sofa size: 127 × 73 × 78 cm
- table size: 48 × 76 × 44 cm
- the set includes white, waterproof covers
- cover thickness 5 cm, solid polyester 180 g/m²



REBECCA 6 + 1 SET ALSO ON SALE

Garden Furniture Set **RACHEL**

- a set of furniture consisting of 4 armchairs and a table made of artificial rattan
- table top from black hardened glass
- table dimensions: 145 × 85 × 72 cm
- armchair dimensions: 55 × 59 × 93 cm
- chair load capacity: 120 kg
- the steel frame of the table and chair is covered with artificial rattan
- black colour
- suitable for outdoor and indoor use
- maintenance-free

Storage Box **FDD 1100 PR**

- design garden box made of artificial rattan
- easy handling
- steel frame
- colour: black
- polyester lining
- suitable for storing covers, garden furniture and tools
- dimensions: 126 × 50 × 60 cm





Sunshade FDZN 4014/4015

- luxury sunshade with wooden frame
- diameter: 3 m
- impregnated fabric
- green/cream colour
- bar diameter: 3.5 cm
- designed for outdoor and indoor use
- treated with oil paint
- made of tropical acacia wood



Sunshade FDZN 5006/5007

- diameter: 3 m
- black/beige cover made of 100% polyester 160 g/m²
- handle operation
- option to adjust the angle of inclination
- bar diameter: 3.8 cm
- designed for outdoor use
- material: metal



Sunshade FDZN 5103

- diameter: 3 m
- cream cover made of 100% polyester 160 g
- handle operation
- option to adjust the angle of inclination
- bar diameter: 3.8 cm
- for outdoor use

Sunshade FDZN 5105

- diameter: 3 m
- grey cover made of 100% polyester 160 g
- handle operation
- option to adjust the angle of inclination
- bar diameter: 3.8 cm
- for outdoor use

Sunshade FDZN 5107

- cover dimensions: 3 x 3 m
- light grey cover made of 100% polyester 160 g
- handle operation
- option to adjust the angle of inclination
- bar diameter: 3.8 cm
- for outdoor use



Sunshade Stand FDZN 9012

- sunshade stand made of resin
- stand diameter: 44.5 cm
- total stand height: 32.5 cm
- weight: 12 kg
- variable hole diameter for sunshade 32/38/48 mm



**Swing
FDZN 5202**

- stylish and comfortable garden swing
- construction: metal with powder coating
- dimensions: 170 × 115 × 153 cm
- comfortable upholstered seat
- the seat and covers are made of 140 g polyester
- load capacity: 240 kg



**Swing
FDZN 5204**

- stylish and comfortable garden swing
- construction: metal with powder coating
- dimensions: 170 × 110 × 153 cm
- the seat and covers are made of 160 g polyester
- load capacity: 260 kg



**Swing
FDZN 5207**

- stylish and comfortable garden swing for 3 persons
- construction: metal with powder coating
- dimensions: 200 × 120 × 164 cm
- the swing can be unfolded to the lying position
- comfortable upholstered seat
- seat and waterproof covers made of 180 g polyester



Electric, Gas, Charcoal Grills, Fire Place

Barbecue in the garden or on the terrace is not just a matter of the summer months. You can use the grill from the first warmer spring days until late autumn.

Despite the significant development of the gas and electric grills category, charcoal grills designed for outdoor grilling remain the most popular option. Their popularity is due to the unmistakable aroma that accompanies the preparation of dishes, as well as the taste that the ingredients acquire. Lower purchase prices are also an advantage as well as a certain traditional principle on which they work. **FIELDMANN** offers a wide

range of charcoal grills, from portable to table to large appliances capable of preparing food for a larger group of people at once. Gas grills also have their advantages and they are not just modern technologies that enable perfect food preparation even for less capable cooks. Compared to charcoal grills, they offer much faster and trouble-free heating up, easy temperature control and maintenance.

Finally, the electric grill can be used in the garden and on the terrace, where there is an outlet nearby, as well as in an indoor garden or other interior, for example, when it cools down unexpectedly.



Integrated ignition system
FIELDMANN grills are equipped with an IRS system. Light your grill by turning the knob...



Temperature under control
The built-in thermometer will ensure you perfectly cooked meals the temperature is always under control.



Easy to handle
Most of our grills have wheels for easier handling in your garden or terrace.



Place for accessories
The higher range of **FIELDMANN** grills respects also your accessories. Put your equipment away on the integrated hooks.

Everything for your Home and Garden



Electric Grill FZG 2005

- input power: 1,600 W
- grill dimensions: 98 x 64.5 x 62 cm
- non-stick surface – healthy barbecue
- easy cleaning
- continuous temperature control
- spice and other ingredient rack
- draining container
- grill on a stand (stable, easily removable stand)
- can also be used separately as a table grill
- weight: 7 kg
- **package includes:** regulator and hose



Gas Grill FZG 3102

- grill size: 110 x 57 x 112 cm
- 2 x main burner (6 kW)
- grilling surface: 48 x 42 cm
- ignition: integrated system
- grill height: 86 cm
- cast iron grid
- stainless steel control panel and handle
- thermometer
- wheels for easier handling




Gas Grill FZG 3003

- grill size: 107 x 53 x 110 cm
- 3 x main burner (8.1 kW)
- ignition: integrated system
- grilling surface: 49.5 x 36 cm
- grill height: 86 cm
- cast iron grid
- folding side tables
- thermometer
- wheels for easier handling



Gas Grill FZG 3005

- grill size: 122 x 57 x 112 cm
- 3 x main burner (9 kW)
- ignition: integrated system
- grilling surface: 60 x 42 cm
- grill height: 86 cm
- stainless steel parts: lid, handle, door
- grid and plate: cast iron
- thermometer
- 4 x wheels with brake for easier handling



Gas Grill FZG 3010

- grill size: 107 x 53 x 110 cm
- 3 x main burner and 1 x side burner (11.7 kW)
- ignition: integrated system
- grilling surface: 50.5 x 39 cm
- grill height: 86 cm
- cast iron grid
- thermometer
- wheels for easier handling



We recommend the Grill Cover FZG 9050/FZG 9051



Gas Grill FZG 3013

- grill size: 122 x 57 x 112 cm
- 3 x main burner and 1 x side burner (11.5 kW)
- ignition: integrated system
- grilling surface: 60 x 42 cm
- grill height: 86 cm
- stainless steel control panel and handle
- grid and plate: cast iron
- thermometer
- 4 x wheels with brake for easier handling



Fire Place FZG 1020

- fire place for wood, diameter: 54.5 cm
- grid height from the ground: 25 cm
- coating against high temperatures
- net cover against flying off embers
- foldable legs for economical storage
- cover for handling and storage



Table Charcoal Grill FZG 1000/FZG 1000G

- grill size: ø 35.5 cm
- fire place size: ø 34 cm
- grilling surface height: 22 cm
- chrome grid
- lid



Table Charcoal Grill FZG 1102 G

- grill container size: ø 36.5 cm
- grilling surface: ø 34 cm
- grill height: 28 cm
- chrome grilling grid
- lid



Charcoal Grill FZG 1103B

- grill container size: 37 cm
- grilling surface: ø 35 cm
- grill height: 30 cm
- chrome grilling grid
- cover



Travel Charcoal Grill FZG 1003

- grill size: ø 26 cm, height: 12.5 cm
- fire place size: ø 25 cm
- thermo bag with dimensions: 29.5 x 18.5 cm for cooling drinks
- chrome grid
- portable



Garden Charcoal Grill FZG 1007

- grill size: 76 x 42 cm
- fire place size: 71 x 38 cm
- grilling surface height: 78 cm
- cooking grid size: 72 x 42 x 0.4 cm
- heating grid size: 68 x 20 x 0.4 cm
- chrome grid, lid
- thermometer



Garden Charcoal Grill FZG 1008

- grill container size: 61 x 45.5 cm
- grilling surface: 55.6 x 41.5 cm
- grill height: 78 cm
- 2 x grilling grid: 27.8 x 41.5 x 0.5 cm
- heating grid: 53.5 x 24 cm
- chrome grilling grids
- lid • thermometer



Garden Charcoal Grill FZG 1009

- grill container size: ø 41.5 cm
- grilling surface: ø 41 cm
- grill height: 58 cm
- grilling grid: 41 x 0.5 cm
- chrome grilling grids
- cover



Garden Charcoal Grill FZG 1004

- grill size: ø 57 x 20 cm
- grilling surface height: 68 cm
- grilling surface size: ø 54.5 cm
- chrome grid
- lid



Garden Charcoal Grill FZG 1014

- size: 126 x 62 x 90 cm
- grilling surface: ø 54 cm
- grill height: 77 cm
- grilling grid, heating grid
- chrome grilling grids
- side panels
- cover, thermometer



**Charcoal Firelighter
FZG 9000 U**

- dimensions: 19.5 × 30.5 cm
- heating grid
- safety side handle



**Grill Cleaning Brush
FZG 9003**

- length: 36 cm
- 3 in 1
- scraper/steel brush/abrasive sponge




**Grill Cleaning Brush
FZG 9012**

- length: 30 cm
- oval steel brush



**Grill Cleaning Brush
FZG 9013**

- length: 30 cm
- oval steel brush



**Set of Grilling Tools
FZG 9014**

- set of grilling tools 3 pcs
- grilling fork, trowel, tongs
- length: 35 cm
- aluminium kit
- kit dimensions: 37 × 10 × 8 cm



**Set of Grilling Tools
FZG 9015**

- 4 pcs of grilling tools
- trowel, fork, tongs, brush
- plastic handles, stainless steel
- length: 40–42 cm



**Set of Grilling Tools
FZG 9016**

- 5 pcs of grilling tools
- trowel, fork, knife, tongs, brush
- stainless steel



**Set of Grilling Tools
FZG 9017**

- 3 pcs of grilling tools
- trowel, fork, tongs
- rubber handles, stainless steel
- length: 43.5–46 cm



**Set of Grilling Tools
FZG 9018**

- 3 pcs of grilling tools
- fork, turner, pliers
- length: 38.5–39.5 cm
- bamboo handles
- stainless steel



**Grill Cover
FZG 9050/FZG 9051**

- waterproof material
- dimensions **FZG 9050**: 110 × 55 × 110 cm
- for models: FZG 1008, 3102, 3003, 3010
- dimensions **FZG 9051**: 130 × 62 × 115 cm
- for models: FZG 3005, 3013



**Grill Cover
FZG 9052**

- dimensions: ø 80 × 75 cm
- waterproof material
- for models: FZG 1004, 1013



Cordless Tools Electric Tools Workshop Equipment

Almost everyone has basic tools, such as a hammer, pliers and a screwdriver. But to be prepared for more demanding repairs and situations, you definitely need more tools. **FIELDMANN** offers hand tools made of high quality materials that ensure strength, durability and reliability, but also great functionality. With such equipment your DIY result will always be perfect.





We also offer
a cordless drill
FAST POWER 20V,
page 4-7




Cordless Tools

Using cordless tools, you no longer have to worry about whether an electrical outlet is within range, whether you can reach the power cord, or where to get an extension cord.

The convenience is offered by the battery assistants even during the use itself, which is not obstructed by any cables. There is no need to mention how much physical effort you will save. Cordless tools are always available and ready for action, all you have to do is monitor the condition of the battery. The advanced new **FDV 10252-A/10253-A** drills come straight with a spare battery, so you can charge the other while you're working. In addition, the battery weighing only 175g is built into the ergonomic handle, so you really even don't know about it. The novelty with extremely easy handling will provide user comfort, perhaps even for women, for whom the pink **FDV 10253-A** model is primarily intended. The **cordless** melt glue gun and the **cordless** model grinder are other novelties in the series.



the package contains a starter kit of melt glue sticks



Cordless Melt Glue Gun **FDTP 2204-A**

- Li-Ion 4 V / 1,500 mAh
- melt glue stick diameter: 7 mm
- preheating time: only 90 seconds
- gluing activity: 1.5 g/min
- gluing temperature: 170 °C
- charging time: 2-3 hours

Cordless Model Grinder **FDMB 200170-A**

- Li-Ion 7.2V / 1,300 mAh
- 5 speeds: 5,000-25,000 rpm
- charging time: 60 min.
- LED working light
- softened handle
- package includes: 70 pcs accessories



Under control

Thanks to the battery status LED lights, you will always know how long it will take to charge the battery.

Small, yet powerful

The **FDV 10252/10253** model line is supplied with an extremely small but powerful 12V battery, which is included in the package of right 2 pieces.

Integrated LED light

The **FIELDMANN** battery series is equipped with built-in LED lights for more comfortable work.

Even round the corner

The **FDS 10155-A** cordless screwdriver is supplied with a flexible tool bowden cable for work with insufficient space.



Cordless Drill FDV 10352-55AR



- Li-Ion 14,4 V 2,000 mAh
- 2 speeds: 0-400/0-1,400 rpm
- torque 35 Nm
- torque: 18 + 1 + 1
- **hammer drill**
- 13 mm keyless chuck with a brake
- LED light

• **recharging time 1-1.5 hours**

package includes:

- 9 pcs of masonry drills
- 30 pcs of 25 mm bits
- 3 pcs of 75 mm bits
- 1 bit attachment
- 1 screwdriver
- 4 pcs of socket heads



Cordless Drill FDV 10351-A

- 14,4 V Li-Ion battery 1,300 mAh
- 2 speeds: 0-400 / 0-1,500 rpm
- torque levels: 15 + 1
- keyless chuck 10 mm
- 3 level LED battery charge indicator
- LED light



Cordless Drill FDV 10301-A

- Li-Ion 14,4 V 1,500 mAh
- 2 speeds: 0-400/0-1,400 rpm
- torque 30 Nm
- torque: 18 + 1 + 1
- LED light
- maximum drilling diameter 10 mm
- weight: 1.2 kg



Cordless Drill FDV 10201-A

- Li-Ion 12 V 1,300 mAh
- 2 speeds: 0-400 / 0-1,350 rpm
- torque 25 Nm
- 17 torque levels + 1 drilling level
- 3-level LED indication battery charging
- LED light
- **recharging time 3-5 hours**
- keyless chuck
- max. drilling diameter 10 mm
- weight: 1.05 kg



Cordless Drill FDV 10252-A/53-A

- Li-Ion 12 V 1300 mAh
- 2 speeds: 0-350 / 0-1350 rpm
- torque: 22 + 1
- 10 mm keyless chuck
- LED light
- package includes:**
- 6 pcs of drills, 6 pcs of bits
- 1 bit attachment
- **spare battery FREE OF CHARGE**



90° swivel handle

USB charging



Cordless Screwdriver FDS 10155-A

- 3,6 V 1,300 mAh Li-ion battery
- idle speed: 230 rpm
- torque 3.5 Nm
- torque levels: 6 + 1
- LED light + flashlight
- 90° swivel handle

package includes:


- 8 pcs of 1/4" heads, 32 pcs of bits
- 2 pcs of drills
- 1 magnetic bit holder
- 1 connecting shaft
- 1 head adapter



USB charging

Cordless Screwdriver FDS 10103-A

- 3,6 V 800 mAh Li-ion battery
- idle speed: 280 rpm
- rotation direction switch
- **charging time 1 h with USB cable**
- LED light
- **low weight: 0.16 kg**



90° swivel handle

Cordless Screwdriver FDS 10101-A

- 3,6 V 1,300 mAh Li-ion battery
- idle speed: 180 rpm
- torque levels: 6 + 1
- LED light
- battery charge indicator
- 90° Swivel handle




Cordless Screwdriver FDS 10102-A

- 3,6 V 1,300 mAh Li-ion battery
- idle speed: 220 rpm
- 6-bit head, LED lighting
- battery charge indicator
- 90° swivel handle
- ergonomic handle

The best-selling cordless screwdriver on the market!

Electric Hand Tools

Electric hand tools have many advantages, for which they hold strong positions in the workshops of occasional do-it-yourself men and professional craftsmen. When an energy source is within reach, they offer high yet stable performance and unlimited endurance. This distinguishes them from cordless assistants.



Laser accuracy

The new range of cutting tools is equipped with a laser for more precise cutting. You will always find your line in the sea of dust.

It can withstand anything

Pull down the wall, hack off the tiles... Fieldmann rotary hammers have a durable construction.

Safety

Safety at work is very important for us. Hand tools are equipped with a number of safety features.

Attachments

Choose the right one. Not only heat guns have several types of attachments.



The **FIELDMANN** brand offer in the category of electric tools covers the needs of hobby users related to DIY work or repairs in the home, workshop or garage, reconstructions and construction. It includes practical assistants ranging from various types of drills, grinders or saws through invert welders or spray guns to smaller creative tools such as a model grinder or melt glue gun. The individual **FIELDMANN** products excel in quality, functionality and long service life, as well as ergonomic and safety features that make them easier to use.

Everything for your Home and Garden




Impact Drill FDV 200501-E

- voltage: 230 V / 50 Hz
- input power: 500 W
- keyless chuck up to 13 mm
- speed without load: 0–3,000 rpm
- drilling or hammer drilling
- speed control
- ergonomic side handle
- comfortable switch control



metal chuck



Impact Drill FDV 200711-E

- voltage: 230 V / 50 Hz
- power: 710 W
- speed without load: 0–2,800 rpm
- chuck size: 13 mm
- possibility of drilling and hammer drilling
- possibility to control speed
- side handle and depth stop



spirit level



Impact Drill FDV 200751-E


- voltage: 230 V / 50 Hz
- power: 750 W
- speed without load: 0–2,800 rpm
- chuck size: 13 mm
- keyless chuck
- possibility of drilling and impact drilling
- possibility to control speed
- side handle and depth stop


practical kit
is included


novelty

Impact Drill FDV 201205-E

- voltage: 230 V / 50 Hz
- input power: 1,200 W
- chuck size: 13 mm
- 2-speed clutch: 0–1,100, 0–3,000
- metal-mounted coupling (long service life)
- drilling or hammer drilling
- speed control
- ergonomic side handle
- comfortable switch control


practical kit
is included


The best-selling
from our range!



SDS impact Drill / Hammer FDV 211050-E

- voltage: 230 V / 50 Hz
- input power: 1,050 W
- speed without load: 0–1050 rpm
- blow force: 0–5200 blows/min., 2.8 J
- max. drilling: concrete 26 mm, metal 13 mm, wood 42 mm
- speed without load: 0–850 rpm
- 3 pcs of drills and 2 pcs of chisels,
- 1 chuck
- SDS-PLUS system


practical kit
is included

pneumatic
hammer drill

pneumatic
hammer drill


Rotary Hammer FDV 201502-E

- voltage: 220 V / 50 Hz
- input power: 1,500 W
- speed without load: 0–880 rpm
- blow force: 0–4,250 blows/min., 5.5 J
- max. drilling: concrete 32 mm, metal 13 mm, wood 40 mm
- speed without load: 0–850 rpm
- 3 pcs of drills and 2 chisels
- SDS-PLUS system
- weight: 4.9 kg


practical kit
is included

pneumatic
hammer drill


Demolition Hammer FDBK 201301-E

- voltage: 230 V / 50 Hz
- input power: 1300 W
- SDS-Max
- blow force: 0–3,600/min./15 J
- 1 piece single-point chisel 18 × 320 mm
- 1 flat chisel 18 × 320 mm


practical kit
is included



We also offer a cordless grinder within the program **FAST POWER 20 V**, pp. 4-7

Angle Grinder FDB 200901-E

- voltage: 230 V / 50 Hz
- input power: 900 W
- speed without load: 11,000 rpm
- **wheel diameter: 125 mm**
- side handle and wrench
- copper engine winding



Angle Grinder FDB 201201-E

- voltage: 230 V / 50 Hz
- input power: 1,200 W
- no-load engine speed: 12,000 rpm
- side ergonomic handle adjustable to 3 positions
- **wheel diameter: 125 mm**
- copper engine winding
- 1 piece of grinding wheel included in the package



Angle Grinder FDB 201401-E

- voltage: 230 V / 50 Hz
- input power: 1,400 W
- speed without load: 4,000-8,600 rpm
- **wheel diameter: 150 mm**
- side handle and wrench
- copper engine winding



Angle Grinder FDB 202201-E

- voltage: 230 V / 50 Hz
- input power: 2,200 W
- no-load engine speed: 6,000 rpm
- side handle adjustable to 3 positions
- **wheel diameter: 230 mm**
- copper engine winding



The offer also includes a cordless jigsaw within the program **FAST POWER 20V**, pp. 4-7

Jig Saw FDP 200541-E

- voltage: 230 V / 50 Hz
 - input power: 450 W
 - max. cutting depth: 55-60 mm
 - no-load engine speed: 0-3,000 rpm
 - ergonomic handle
 - copper engine
- package content:** 1 pcs of saw blade



Jig Saw FDP 200712-E

- voltage: 230 V / 50 Hz
 - input power: 710 W
 - max. cutting depth: 80 mm
 - no-load engine speed: 800-3,000 rpm
 - ergonomic handle, copper engine
- package content:** rectangular distance holdercut, 2 pcs of saw blades, kit



Jig Saw with AC Laser FDP 200805-E

- voltage: 230 V / 50 Hz
- input power: 800 W
- max. cutting depth: 80-100 mm
- no-load engine speed: 2,800 rpm
- ergonomic handle
- AC laser + LED light



package content: rectangular distance holdercut, 2 pcs of saw blades, kit



Multipurpose Plunge Saw FDPP 200705-E

- mains voltage: AC 230 V / 50 hz
- input power: 705 W
- speed without load: 4,500 rpm
- blade diameter: 89 mm
- max. cutting depth: 28.5 mm
- practical scale (0-28 mm)



package content: plate saw, 3 x saw blade + accessories (Allen key, dust tube + edge guide)



Circular Saw FDK 200802-E

- voltage: 230 V / 50 Hz
- input power: 800 W
- no-load engine speed: 4,500 rpm
- ergonomic side handle
- wheel diameter: 140 mm
- copper engine winding

package content:

rectangular cutting distance holder,
1 pc of cutting blade

We also offer
a cordless
circular saw
FAST POWER 20V,
page 4-7



Circular Saw FDK 201202-E

novelty

- voltage: 230 V / 50 Hz
- input power: 1,200 W
- no-load engine speed: 0-5,000 rpm
- ergonomic side handle
- wheel diameter: 185 mm
- with ergonomic soft handle

package content:

circular saw, rectangular cutting distance
holder + 1 circular blade (185 mm)



Circular Saw with AC Laser FDK 201302-E



- voltage: 230 V / 50 Hz
- input power: 1300 W
- no-load engine speed 4,500 rpm
- side ergonomic handle
- wheel diameter: 185 mm
- robust aluminium body
- AC laser for more precise cutting

package content:

rectangular cutting distance holder,
1 pc of cutting blade





practical kit
is included



Sheet Sander 3 in 1 FDB 200221-E

- voltage: 230 V / 50 Hz
- power: 200 W
- speed without load: 7,000–12,000 rpm
- power control (1–5)
- 3 exchangeable boards:
 - 122 mm
 - 150 × 150 × 100 mm
 - 184 × 92 mm



Sheet Sander FDB 2004-E

- voltage: 230 V / 50 Hz
- power: 150 W
- speed without load: 11,000 rpm
- sanding surface: 198 × 90 mm
- copper engine winding
- ergonomic handle



Sheet Sander FDB 200131-E

- voltage: 230 V / 50 Hz
- power: 130 W
- speed without load: 13,000 rpm
- sanding surface: 140 × 140 × 80 mm
- copper engine winding

Electric Planer FDH 200801-E

- voltage: 230 V / 50 Hz
- input power: 800 W
- no-load engine speed: 0–17,000 rpm
- coverage width: 82 mm
- chip depth: 0–2 mm
- folding depth: 0–6 mm
- solid aluminium base



Orbital Sander FDEB 200451-E

- voltage: 220 V / 50 Hz
- input power: 450 W
- speed without load: 6,000–13,000 rpm
- sanding surface size: 125 mm
- copper engine winding



Belt Sander FDBP 200901-E

- voltage: 230 V / 50 Hz
- input power: 900 W
- grinding speed: 200–380 m³/min.
- belt size: 76 × 533 mm
- copper engine winding



Mini Grinder Set FDMB 200172-E

- voltage: 230 V / 50 Hz input power: 170 W
- speed without load 10,000–35,000 / min
- chuck size: 1.6–3.2 mm
- **440 pcs accessories**
- plastic packaging for transport
- copper engine winding

We also offer a cordless model grinder page 62



Mini Grinder Set FDMB 200171-E

- voltage: 220 V / 50 Hz
- input power: 170 W
- speed without load 10,000–35,000 rpm
- chuck size 0.8–3.2 mm
- **210 pcs accessories**
- copper engine winding



Multifunction Tools FDB 200352-E

- voltage: 230 V / 50 Hz
- input power: 350 W
- idling speed 10,000–22,000 rpm
- variable speed
- cutting, grinding, scraping, etc.
- package content:**
- 15 pcs accessories, kit



practical kit is included

novelty



practical kit is included

Multifunction Tools FDB 200301-E

- voltage: 230 V / 50 Hz
- input power: 300 W
- idling speed 10,000–18,500 rpm
- variable speed
- cutting, grinding, scraping, etc.
- package content:**
- 11 pcs accessories, kit



40 pcs of accessories
FDB 9002RRP CZK xx



We also offer a cordless melt glue gun page 62



Melt Glue Gun FDTP 2102-E

- voltage/frequency: 230 V / 50 Hz
- input power: 100 W
- melt glue stick diameter: 11 mm
- melting ability: 9–16 g
- preheating time: 3–5 min

Melt Glue Gun FDTP 2100-E

- voltage/frequency: 230 V / 50 Hz
- input power: 100 W
- melt glue stick diameter 11 mm
- melting ability: 9–16 g
- preheating time: 3–5 min

Melt Glue Gun FDTP 2020-E

- voltage/frequency: 230 V / 50 Hz
- input power: 20 W
- melt glue stick diameter 7 mm
- melting ability: 3–6 g
- preheating time: 3–5 min



Melt Glue Sticks FDTP 9100

- melt glue sticks transparent
- diameter: 11 mm
- for FDTP 2100-E / 2102-E



Melt Glue Sticks FDTP 9101

- coloured melt glue sticks
- diameter: 11 mm
- for FDTP 2100-E / 2102-E



Melt Glue Sticks FDTP 9020

- melt glue sticks transparent
- diameter: 7 mm
- for FDTP 2020-E / 2204-A



Melt Glue Sticks FDTP 9021

- coloured melt glue sticks
- diameter: 7 mm
- for FDTP 2020-E / 2204-A



Heat Gun FDHP 202000-E

novelty

- voltage: 230 V / 50 Hz
 - input power: 2000 W
 - setting the temperature: I: 350 °C, II: 600 °C
 - air circulation: I 300 l/min, II 500 l/min
- package content:** 5 × attachment



Heat Gun FDHP 202001-E

- voltage: 230 V / 50 Hz, input power: 2000 W
 - temperature adjustment: I: 50–450 °C, II: 60–600 °C
 - air circulation: I 250 l/min, II 500 l/min
 - **possibility of gradual temperature control**
 - ergonomic softened handle
- package content:**
- plastic kit, 5 × attachment



Inverted Welder FDIS 20140-E

- voltage: 230 V / 50 Hz
- actual output current: 20–140 A
- electrode diameter: 1.6 – 3.2 mm
- state-of-the-art technologies: IGBT (smart protection), ARC FORCE, HOT START, Anti-Stick, input current: 28 A
- maximum output power: 6.1 kVA
- welding shield included



Inverted Welder FDIS 20160-E

- voltage: 230 V / 50 Hz
- actual output current: 20–160 A
- electrode diameter: 1.6–4.0 mm
- state-of-the-art technologies: IGBT (smart protection), ARC FORCE, HOT START, Anti-Stick, input current: 33 A
- maximum output power: 7.2 kVA
- welding shield included



Saber Saw FDPO 200711-E

- voltage: 230 V / 50 Hz, input power: 710 W
 - max. cutting depth: 115 mm
 - no-load engine speed 2,800 rpm
 - ergonomic handle
 - copper engine winding
- package content:**
- 2 pcs of saw blades (wood + metal)

Saber Saw FDPO 201050-E



novelty

- voltage: 230 V / 50 Hz, input power: 1050 W
 - max. cutting depth: 115 mm
 - no-load engine speed 1,000–3,000 rpm
 - cutting depth, wood 115 mm
 - cutting depth, iron 8 mm
 - cutting depth, metal tube 60 mm
 - swivel handle
- package content:**
- 2 pcs of saw blades (wood + metal)



Bench Sander FDSB 200251-E

- voltage: 230 V / 50 Hz
- input power: 250 W
- no-load engine speed: 2,960 rpm
- 2 grinding discs: 150/200 mm
- stable solid construction



Spray Gun FDSP 200651-E

- voltage: 230 V / 50 Hz
- input power: 650 W
- spray power: 105 W
- tank volume: 800 ml
- flexible hose length: 1.3 m



possibility to purchase a broom
FDRM 901601

Electric Mixer FDRM 201601-E

- voltage: 230 V / 50 Hz
- input power: 1,600 W
- no-load engine speed: 0–660 rpm II: 0–900 rpm
- connecting thread: M 14
- broom dimensions: 140 × 590 mm



Manual Tools Accessories Garage

If you do not want to buy individual types of tools separately, choose one of the **FIELDMANN** practical sets, which are carefully arranged so that nothing is really missing. In addition, the tools are stored in hard plastic cases or kits, which ensure their protection and easy transport, and the overview you have about the contents immediately after opening is also welcome. **FIELDMANN** universal tool sets consist of up to 130 components. With such extensive equipment, you can easily assemble any furniture or replace the plug in the lawn mower.



Manual Tools



Around the house and in the workshop, you will always need to screw, hammer, cut or tighten something.

Whether you are passionate DIY men or just want to be prepared for the necessary home repairs, you will appreciate that you have the necessary tools at hand. When purchasing new tools, it pays to choose one comprehensive universal set that will serve in a wide range of tasks. The CR-V quality design guarantees a very good service life of tools.



Gola Set with Tools FDG 5005-85R

CR-V
85 pcs

- 3 x pliers, 2 x screwdriver: (-) (+) 6 x 100 mm
- 1 x handle for socket wrenches
- 8 x open side key
- 3 x tools: knife 18 mm, hammer, meter 5 m
- 2 x ratchet handle with tilting head
- 3 x attachment for 1/2 - 1/4" socket wrench
- 1 x three-way attachment, 2 x - universal joint
- 2 x 1/2" spark plug socket wrench
- 12 x socket wrenches 1/4", 16 x - sizes 1/2"
- 1 x connecting member, 1 x - sliding rod 1/4"
- 6 x main socket 1/4", 20 x bit x 25 mm with holder, 2 x hole punch (pick and flat chisel)



Gola Set FDG 5001-108R

CR-V
108 pc

- 18 x - 1/4" socket head with bits
- 26 x 1/4" socket head / extended / E
- 2 x 1/2" extension: 50 mm and 75 mm
- 1 x 1/4" ratchet joint, 1 x 1/4" tap wrench
- 1 x 1/4" screw handle, 1 x 1/4" ratchet
- 30 x 1/4" socket head / extended / E
- 2 x 1/2" extension: 125 mm and 250 mm
- 1 x 1/2" ratchet joint, 1 x - 1/2" ratchet
- 2 x 1/2" spark plug head: 16 and 21 mm
- 3 x Allen key: 1.5, 2, 2.5 mm
- 1 x bit adapter
- 17 x bit
- 1 x kit



Gola Set FDG 5000-32R

CR-V
32 pcs

- 19 x 1/2" socket head: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm
- 2 x - 1/2" spark plug socket: 16, 21 mm
- 2 x 1/2" extension: 125, 250 mm
- 1 x 1/2" joint
- 1 x 1/2" ratchet
- 6 x 1/4" socket head (12 pt): 10, 12, 14, 15, 17, 19 mm
- 1 x kit



Gola Set with Tools **FDG 5003-65R**

- 23 × socket wrenches 1/4"-1/8"
- 2 × universal joint: 1/4" and 3/8"
- 2 × socket wrench for spark plugs 3/8"
- 3 × attachment for 1/4", 3/8" socket wrench
- 2 × ratchet handle with tilting head
- 2 × screwdriver (-)(+) 6 × 100 mm
- 20 × bit 25 mm + 1 × - connecting element
- 1 × pliers with long jaws: 6"
- 1 × pliers with sliding joint: 10"
- 1 × diagonal pliers: 6"
- 1 × cutting pliers: 7"
- 5 × open side key
- 1 × handle for socket wrenches

CR-V

65 pcs



Set with Tools **FDG 5014-66R**

- 1 × combination pliers 6"
- 1 × diagonal pliers 6"
- 1 × plumbing pliers 10"
- 3 × screwdriver: SL3/100, PH6/100, PH5/75mm
- 1 × handle for socket heads
- 1 × tape measure 3m
- 1 × 8" adjustable wrench
- 8 × Allen key
- 1 × spirit level 6"
- 2 × screwdriver with bits
- 4 × wrench 8, 10, 12, 13 mm
- 1 × hand saw
- 4 × saw blade
- 1 × hammer
- 2 × file
- 1 × magnetic attachment
- 32 pcs of bits with holder

CR-V

66 pcs



Gola Set with Tools **FDG 5002-54R**

- 14 × socket wrenches 3/8": 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 22, 24 mm
- 1 × 3/8" ratchet handle with a lock
- 2 × screwdriver SL 6×100 mm a PH 6 × 100 mm
- 22 × attachments/holder
- 1 × pliers with long jaws 6"
- 1 × pliers with sliding joint 10"
- 1 × diagonal pliers 6"
- 9 × wrench to internal hexagon: 1.5 - 10 mm / holder
- 1 × T-handle for 1/4" socket wrenches
- 1 × universal joint 3/8"
- 1 × connecting element 1/4"

CR-V

54 pcs



Set with Tools **FDG 5013-138R**

- 1 × combination pliers 6"
- 2 × screwdriver: SL6 / PH6 × 100 mm
- 1 × handle for socket heads
- 4 × tools: knife, hammer, spirit level, meter
- 8 × socket head: 5-13 mm
- 1 × 6" adjustable wrench + 8 × Allen key
- 1 × screwdriver with bits: PH00, 0, SL2, 2.4
- 24 × bit 6/25mm, 1 × ratchet 1/4"
- 1 × rubber adapter for hammer
- 80 × dowel
- 1 × screwdriver with tester
- 1 × magnetic bit holder

CR-V

138 pc



Gola Set with Tools FDG 5010-53R /FDG 5008-53R

- 1 × combination pliers 6"
- 1 × pliers with long jaws 6"
- 8 × 3/8" socket heads: 8-17 mm
- 1 × 3/8" ratchet
- 1 × 6" adjustable wrench
- 8 × Allen key 1.5-6 mm
- 2 × screwdriver: PH2/SL6 × 100 mm
- 1 × bit holder
- 20 × 25 mm bits
- 1 × hammer 200 g
- 1 × spirit level 6"
- 1 × tape measure 3 m
- 1 × blade

CR-V

53 pcs



novelty

Tool Set with 12V Drill FDV 10205-51AR

- drill 12V / 2 × 1,300 mAh
- wood drills 16-22 mm
- metal drills 2-3-4-5-6-7 mm
- wall drill 4-5-6-8 mm
- watchmaker screwdriver 50 mm - (-) 2.5 mm, PH00
- screwdriver (-) 5 × 100 mm
- tip screwdriver 1/4" × 100 mm
- tips 25 mm - (-) 4-6 mm, PH1-2-3, PZ1-2, HEX 4-5 mm, 1/4" adapter
- tip holder 60 mm
- head 5-6-7-8-9-10-11-12-13 mm
- cutter knife 18 mm
- tester 100-250 V
- pliers 125 mm - combination, cutting
- adjustable wrench 150 mm
- Allen key - HEX 1.5-2-2.5-3-4-5-6-8 mm
- tape 3 m × 16 mm

CR-V

51 pcs



Gola Tool Set FDG 5006-60R

- 1 × 8" adjustable wrench
- 1 × cutter knife
- 1 × 6" diagonal pliers
- 1 × 6" combination pliers
- 1 × 3 m tape measure
- 9 × Allen key 1.5-10 mm
- 9 × 1/4" head 5-13 mm
- 1 × 1/4" torque wrench
- 1 × carpenter's hammer 340 g
- 1 × bit holder
- 1 + spirit level 9"
- 32 × 1" bit
- 1 × magnetic bit holder

CR-V

60 pcs



Gola Tool Set FDG 5007-39R

- 1 × combination pliers
- 12 × bit 25 mm
- 8 × Allen key 1.5-6 mm
- 2 pcs of screwdrivers: PH2 × 100 mm, SL6 × 100 mm
- 1 × bit holder
- 1 × 3/8" ratchet
- 9 × 3/8" socket heads: 8, 10, 11, 12, 13, 14, 15, 17, 19
- 1 × hammer 200 g
- 1 × extension attachment 3/8" × 3"
- 1 × 3/8" universal joint
- 2 × 3/8" socket head for spark plugs 16, 21 mm

CR-V

39 pcs



novelty

Women's Tools Set FDG 5016-71R

- spirit level 9"
- hammer
- hammer cover
- cutter knife 18 mm
- 10 pcs of 18 mm spare knives
- scissors 8"
- tape measure 3 m
- 5 pcs of Allen keys 2–6 mm
- combination pliers 6"
- flat pliers 6"
- adjustable wrench 6"
- bit holder 6.35 mm
- 6 pcs of watchmaker's screwdrivers:
PH000,00,0, SL 2.0, 2, 4, 3, 0, 30 bits 25 mm
- 10 pcs of cable tie

CR-V

71 pcs



CR-V

51 pcs

Gola Set with Tools FDG 5015-51R

- 20 × bit 1x socket holder
- 1 × magnetic bit holder
- 2 × mini CRV screwdriver
- 1 × crv screwdriver: 5 × 100 mm (-, +)
- 1 × 1/4" X3" extension attachment
- 7 × CRV hexadecimal keys: 1, 5–6 mm
- 12 × socket heads 1/4": 4, 4, 5, 5, 5, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm
- 1 × 1/4" bit holder adapter
- 1 × 1/4" ratchet handle
- 1 × 6" long-nose pliers
- 1 × 6" combination pliers
- 1 × blade



CR-V

47 pcs

Bit Set with Screwdrivers FDG 6001-47R

Bits 4 mm:

- ⊖ SL 1.0, 1.5, 2.0
- ⊕ PH 1.0, 1.5, 2.5
- T2, T5
- TX T2, T5
- ⊙ Y 0.8
- ⊙ U 2.6

1/4" socket head:

- M 2.5, 3.0, 3.5, 4.0, 4.5, 5.0

Bits 6 mm:

- ⊖ SL 3.0, 4.0, 5.0
- ⊕ PH 4.0, 5.0, 6.0
- H 3.0, 4.0, 5.0
- TX T 6, T 7, T 8
- ⊙ Y 2, Y 3, PZ 2, PZ 3
- ⊙ U 6.0




novelty

CR-V

36 pcs

Set of Tools FDG 5017-36R

- 7 × 1/4" socket head
- 10 × flat/cross/Allen bit
- 1 × attachment with handle, screwdriver 1/4"
- 1 × bit holder
- 1 × bit adapter
- 1 × adjustable "monkey" key, so-called bobbejaan
- 1 × cutter knife
- 1 × tape measure – tape, length 2 m
- 1 × side cutting pliers, so-called wire cutters
- 1 × combined pliers, so-called Kleins
- 1 × pliers for fine mechanics, so-called telephone
- 2 × precision (watchmaker's) screwdriver
- 6 × Allen key (hex)



Bit Set with Screwdrivers FDG 5004-79R

Bits 6 mm:

- ⊖ SL 3, 4, 5, 6, 7
- ⊕ PH 0, 1, 2, 3
- ⊕ PZ 1, 2, 3
- ⊗ TX 4, 5, 6, 7
- ⊗ TH 8, 9, 10, 15, 20
- ⊗ H 2.5, 3.0, 4.0, 5.0, 6.0
- ⊙ Y 1, 2, 3
- ⊙ 2.3
- ⊙ U 6, 8

Bits 4 mm:

- ⊖ SL 1.5, 2.0, 2.5, 3.0, 3.5
- ⊕ PH 1.0, 1.5, 2.0, 2.5, 3.5
- ⊗ TX 3, 4, 5, 6, 7, 8, 9, 10, 15, 20
- ⊗ H 1.3, 1.5, 2.0, 2.5, 3.0, 4.0
- ⊙ Y 2.0
- ⊙ 2.0
- ⊙ 0.8
- ⊙ U 2.6

1/4" socket head:

- M 5.0, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0, 12.0, 13.0

Bit Set with Screwdrivers FDS 1005-65R

Bits 4 mm:

- ⊖ SL 1.0, 1.5, 2.5
- ⊕ PH 000, 00, 0, 1
- ⊕ PZ 0, 1
- ⊗ TX 5, 6, 7, 8, 9, 10
- ⊗ H 0.7, 0.9, 1.3, 1.5, 2.0

1/4" socket head:

- M 5.0, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0, 12.0, 13.0

Bits 6 mm:

- ⊖ SL 3, 4, 5, 6, 7
- ⊕ PH 0, 1, 2, 3
- ⊕ PZ 0, 1, 2, 3
- ⊗ TX 10, 15, 20, 25, 30, 40
- ⊗ H 3, 4, 5, 6
- ⊗ SQ 0, 1, 2, 3

Bit Set with Screwdriver FDS 1009-41R

Bits 6 mm:

- ⊖ SL 3, 4, 5, 6, 7
- ⊕ PH 1, 2, 3
- ⊕ PZ 1, 2, 3
- ⊗ TX 10, 15, 20, 25
- ⊗ H 2, 3, 4, 5, 6

1/4" socket head:

- M 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 13/32

Bit Set with Screwdriver FDS 1004-33R

Bits 4 mm:

- ⊖ SL 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0
- ⊕ PH 000, 00, 0, 1
- ⊕ PZ 0, 1
- ⊗ TX 4, 5, 6, 7, 8, 9, 10, 15, 20
- ⊗ H 0.7, 0.9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0

- screwdriver with an extension attachment
- flexible attachment
- magnifying glass

Bit Set with Screwdriver FDS 1011-22R

Bits 6 mm:

- ⊖ SL 3, 4, 5, 6
- ⊕ PH 0, 1, 2, 3
- ⊕ PZ 0, 1, 2, 3
- ⊗ TX 10, 15, 20, 25
- ⊗ H 3, 4, 5, 6

- screwdriver with ratchet
- extension attachment of 50 mm





CR-V

37 pcs

Bit Set with Screwdriver FDS 1017-37R

Bits 6 mm:

- H 3, 4, 5, 6
- T 10, 15, 20, 25
- SL 3, 4, 5, 6
- PH 0, 1, 2, 3
- PZ 1, 2, 3
- S 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14



CR-V

23 pcs

Mini Tool Set FDS 1018-23R

- 15 pcs of 25 mm bits
- 6 pcs: 1/4 attachment 5, 6, 7, 8, 9, 10 mm
- 1 ratchet
- 1 attachment



CR-V

14 pcs

Hobby Knives FDN 1003-14R

- Hobby knives 14 pcs
- 2 × knife handle
- pumpkin cookie cutters



CR-V

16 pcs

Set of Hobby Knives FDN 1002-16R

- 13 pcs of knives
- 2 pcs of scribes
- magnetic stripe
- handle



Nail Gun FDN 3001

- use for round/rectangular clips and nails
- meets TÜV/GS standards
- all-metal construction of a nail gun
- practical plastic kit with 1,500 clips included



FDN 9301 clips can also be purchased



CR-V

12 functions

Multitool FDM 5025

- narrow pliers • classic jaws
- cutting pliers • knife • awl
- can opener • bottle opener
- file • flat screwdriver large
- Phillips screwdriver
- flat screwdriver small
- toothed knife



CR-V

15 functions

Multitool FDM 6060

- narrow pliers • classic jaw
- cutting pliers
- scissors, knife, cardboard and ropes knife
- nail and clip puller, can opener, small saw, file, flat screwdriver
- corkscrew, bottle opener
- Phillips screwdriver, ruler

novelty





Set of Screws FDS 9102-500R

- 5*60 mm – 15 pcs, 5* 80 mm – 10 pcs
- 5* 50 mm – 20 pcs, 5* 40 mm – 22 pcs
- 3.5* 25 mm – 60 pcs, 3.5* 30 – 45 pcs
- 4* 30 mm – 40 pcs 4* 40 mm – 28 pcs
- 3* 20 mm – 100 pcs, 3* 16 mm – 130 pcs
- 4* 35 mm – 30 pcs



Set of Screws FDS 9101-206R

- 5* 60 mm – 15 pcs, 5* 80 mm – 10 pcs
- 5* 50 mm – 20 pcs, 5* 40 mm – 22 pcs
- 3.5* 25 mm – 60 pcs, 3.5* 30 – 45 pcs
- 4* 30 mm – 40 pcs, 4* 40 mm – 28 pcs
- 3* 20 mm – 100 pcs, 3* 16 mm – 130 pcs
- 4* 35 mm – 30 pcs



Tin Snips FDNP 3301

- 3 pcs of tin snips in a package
- possibility of cutting: left, right and straight
- ergonomically shaped handles



Set of Pliers FDN 1020

- combined pliers 150 mm
- diagonal pliers 150 mm
- cutting pliers 150 mm



Paint Roller FDMV 1501

- paint tank capacity: 0.54 l
- 3/8" dripless roller (perforated)
- 1 x protection shield



**Metal Tool Box
FDN 4150**

- three-part tool box with built-in wheels and telescopic handle
- dimension: 520 × 320 × 721 mm
- hardened plastic wheels
- weight: 15 kg



**Toolbox 16.5"
FDN 4116**

- material: quality plastic
- dimensions: 415 × 210 × 190 mm
- compartment for bits, dowels and screws
- reinforced handle



**Toolbox 18.5"
FDN 4118**

- material: quality plastic
- dimensions: 480 × 250 × 230 mm
- compartment for bits, dowels and screws
- reinforced handle




CR-V

67 pcs

Set of Bits FDS 9002-67R

Bity 6 mm:

- ⊖ SL 3,0, 4,0, 4,5, 5,0, 5,5, 6,0, 6,5, 7,0
- ⊕ PH 0, 1, 2, 3
- ⊕ PZ 0, 1, 2, 3
- ⊗ TX 8, 9, 10, 15, 20, 25, 27, 30, 35, 40
- H 1,5, 2,0, 2,5, 3,0, 4,0, 4,5, 5,0, 5,5, 6,0, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4
- SQ 0, 1, 2, 3




CR-V

6 pcs

Set of Screwdrivers FDS 1102-6R

- ploché šroubováky: 3,0 × 75 mm, 4,0 × 100 mm, 5,0 × 150 mm
- křížové šroubováky: 4,0 × 100 mm, 5,0 × 125 mm, 6,0 × 150 mm
- držák na stěnu či nástěnný panel




CR-V

18 pcs

Set of Screwdrivers FDS 5007-18R

- 4× šroubovák plochý
- 4× šroubovák křížový
- 10× malý šroubovák s točnou na ukazováček
- držák upevnitelný na stěnu




CR-V

18 pcs

Set of Screwdrivers FDS 5008-18R

- 4× šroubovák plochý
- 4× šroubovák křížový
- 10× malý šroubovák s točnou na ukazováček
- držák upevnitelný na stěnu



CR-V

37 pcs

Set of Screwdrivers FDS 5006-37R

- 4× křížový šroubovák
- 4× plochý šroubovák
- 8× malých šroubováků
- 1× šroubovák na bity + 20× bity




CR-V

58 pcs

Screwdriver+bits FDS 1010-58R

- CR-V steel
- flexible attachment
- 42 bits
- 14 bit sockets



CR-V

11 pcs

Screwdriver+bits FDS 1007-11R

- 5 × cross and 5 × flat bits
- possibility to use length bits
- 25 mm, 50 mm
- compatibility with FDS 9002-67R bit set




novelty

CR-V

7 pcs

Ratchet Wrench with Fixed Head FDN 1045

- 7 pcs
- size 8, 10, 11, 12, 13, 14, 17
- new modern packaging (occupies less space in the workshop)



CR-V

12 pcs

Set of Keys FDN 1010

- combination wrench with offset box-end
- sizes: 6, 8, 10, 11, 12, 13, 14, 15, 17, 19, 22, 24
- hanging tarpaulin with the possibility of rolling up



Laser Distance Meter 30 m FDLM 1030

- measuring range: 0.2–30 m
- measurement accuracy: +/- 0.2 mm
- class 2 laser type, 630–670 nm <1 mW
- units: m/ft
- battery type: alkaline aaa 2 pcs
- single measurement function
- multiple measurement function
- beep and backlight functions



USB charging

Laser Distance Meter 40 m FDLM 1040

- measuring range: 0.2 - 40 m
- measurement accuracy: +/- 0.2 mm
- class 2 laser type, 630–670 nm <1 mW
- units: m/ft
- battery type: Li-Ion
- multiple measurement function
- beep and backlight functions
- round surface measurement function



novelty

spirit level

Laser Distance Meter 50 m FDLM 1050

- laser range finder
- measuring range: 0.05 - 50 m
- measurement accuracy: +/- 1.5 mm
- more units: m / ft
- single measurement, continuous measurement
- beep / backlight / spirit level



12 pcs

Set of Iron Drills FDV 9004

- iron drills 6 pcs
- size: 3, 4, 5, 6, 8, 10
- 6 pcs of screw bits



COBALT

12 pcs

Set of Drills for Masonry FDV 9006

- set of Cobalt drills for masonry 6 pcs
- size 3, 4, 5, 6, 8, 10
- 6 pcs of screw bits



CR-V

12 pcs

novelty

Set of Wood Drills FDV 9012

- set of wood drills 6 pcs
- size 3, 4, 5, 6, 8, 10
- 6 screw bits



CR-V

18 pcs

Set of Drills FDV 9101

- set of drills for masonry 18 pcs
- sizes: 2× 3 mm, 2× 4 mm, 5× 5 mm, 5× 6 mm, 3× 8 mm, 1× 10 mm



CR-V

39 pcs

Set of Drills FDV 9201

- metal drills – 39 pcs, Premium Quality
- size: 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 8, 10 mm



CR-V

27 pcs

Set of Drills FDV 9202

- metal drills – 27 pcs, Premium Quality
- size: 2, 3, 4, 5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 12 mm



CR-V

56 pcs

Set of Bits FDS 9003-56R

- Bits 25 mm:
- ⊕ PH 1, 2, 3 – 3×
 - ⊕ PZ 1, 2, 3 – 3×
 - ⊖ SL 4.0, 5.0, 6.0
 - ⊗ T 10, 15, 20, 25, 27, 30, 40 – 2×
 - ⊗ TR 10, 15, 20, 25, 27, 30, 40
 - ⊗ H 3.0, 4.0, 5.0
- Bit 75 mm:
- ⊕ PH 2, 3
 - ⊕ PZ 1, 2
 - ⊖ SL 6.0 mm
 - ⊗ T 20, 25



CR-V

55 pcs

Set of Bits FDS 9005-55R

- Bits 75 mm:
- ⊕ PH 1, 2, 3 × 2
 - ⊕ PZ 0, 1, 2, 3
 - ⊖ SL 3, 4, 5, 6 × 2, 7
 - ⊗ H 4, 5, 6 × 2
 - ⊗ T 10, 15, 20, 25, 30, 40 – 2×
- wrench: 4, 6, 8, 10 × 2
- set for mounting in hard to reach places: 6, 5, 10 – 2×



CR-V

13 pcs

Set SDS plus 13 pcs FDV 9151

- set of 9 pcs of SDS drills and 4 chisels
- drills: 6, 8, 10, 12 (various lengths)
- point, flat and grooved chisel
- compatible with SDS drill on page 65



10 pcs

Saw Blades Wood FDP 9001

- 2 × T 118 A – wood 2–15 mm
- 2 × T 144 D – wood 3–30 mm
- 2 × T 101 B – wood 3–30 mm
- 2 × T 101 A0 – wood 5–50 mm
- 2 × T 101 BR – metal 1–3 mm
- compatible with saws on page 66



10 pcs

Saw Blades Mix FDP 9002

- 2 × T 118 A – metal 1–3 mm
- 2 × T 101 B – wood 3–30 mm
- 2 × T 111 C – wood 4–50 mm
- 2 × T 127 D – metal 3–15 mm
- 2 × T 119 B0 – wood 2–15 mm



9 pcs

Set of 9 Saw Blades FDPO 9001

- 2 pcs of universal saw blades for wood/metal
- 3 pcs of saw blades designed for wood
- 4 pcs of saw blades designed for metal
- universal handle (1/2")
- compatible with saws on page 71



Universal Vacuum Cleaners



Container

A container with a sufficient volume catches everything that passes through the suction hose directly into the container, without the need for bags, which is a major advantage, especially for wet vacuuming.

Hose

The hose with a length of up to 2.5 meters will be appreciated by the user especially when hoovering stairs, corners of yards, cobwebs from roof soffits and also when hoovering heavier materials.

Electric outlet

An electrical outlet is used to connect other devices more easily. Once connected, the vacuum cleaner automatically switches on.

Mobility

The base with wheels allows easy movement of the vacuum cleaner on the ground. When the wheels are not needed, for example when vacuuming stairs, the base can be easily removed from the container.



Around the house, in the garden, in the workshop or in the garage, there are common situations where a broom is not enough for cleaning. At that moment, **FIELDMANN** wet/dry vacuum cleaners come in. They can handle impurities of larger dimensions (debris, sawdust, little stones) as well as the finer ones and they even vacuum up ash with a temperature of up to 40 °C without any problems.

In addition to dry materials, universal vacuum cleaners are also able to absorb liquid. This is useful not only when you accidentally overturn the bucket of water, you can also vacuum fresh mud or spilled wine, including the remains of a broken glass, without having to worry about damaging the vacuum cleaner.

The cotton fibre filter can catch even the finest dust particles and is easy to maintain. All you have to do is knock it out, rinse it and dry it. Selected types of these vacuum cleaners also have a built-in socket for connecting other electrical equipment, such as grinders, saws.

Everything for your Home and Garden



Wet and Dry Vacuum Cleaner **FDU 2120-E**

- voltage/frequency: 220-240V / 50/60Hz
- input power: 1200 W
- solid cotton filter
- metal container: 20 l
- plastic hose: 1.5 m
- aluminium telescopic tube
- floor attachment
- tapered attachment



Wet and Dry Vacuum Cleaner **FDU 2003-E**

- voltage/frequency 230 V / 50 Hz
 - input power: 1,400 W
 - solid cotton filter
 - metal container 30 l
 - plastic hose 1.5 m
 - 2 x plastic extension tube 0.85 m
 - floor attachment
 - tapered attachment
 - round small brush
- optional accessory:**
- spare cotton filter: **FDU 9004**



Wet and Dry Vacuum Cleaner **FDU 2004-E**

- voltage/frequency 230 V / 50 Hz
 - input power: 1,400 W • outlet for add-on up to 2,000 W
 - solid cotton filter • metal container 30 l
 - plastic hose 2.5 m
 - aluminium extension tube 0.77 m
 - floor nozzle (smooth vacuuming or with small brushes)
 - floor nozzle (brush + squeegee)
 - upholstery nozzle • narrowed nozzle
 - round small brush
- optional accessory:**
- spare cotton filter: **FDU 9004**



Wet and Dry Vacuum Cleaner **FDU 201432-E**

- voltage/frequency 230 V / 50 Hz
 - input power: 1,400 W
 - outlet for add-on up to 2,000 W
 - solid cotton filter • metal container 30 l
 - adjustable reverberation intensity
 - dust knocking function
 - hose lock • drain • plastic hose 2.5 m
 - aluminium extension tube 0.77 m • floor nozzle (smooth vacuuming or with small brushes)
 - floor nozzle (brush + squeegee)
 - upholstery nozzle
 - narrowed nozzle • round small brush
- optional accessory:**
- spare cotton filter: **FDU 901432**
 - spare HEPA filter: **FDU 911432**

Vacuum Cleaners for Ash and Dry Vacuuming

Regular cleaning of the fireplace, stove or grill will be a piece of cake with **FIELDMANN** vacuum cleaners designed for ash. In addition, it will do without unnecessary swirling of soot and small impurities from the furnace, the result will always be perfect, and above all almost instantaneous.

The vacuum cleaners can handle ash with a temperature of up to 40 °C, so you don't have to wait, for example, before leaving the cottage for the remnants of the fire in the fireplace to cool down completely. However, you can also vacuum any other solid impurities with them. The high-quality HEPA filter, which these vacuum cleaners are also equipped with, captures even extremely fine dust particles, so the vacuumed dirt has no chance to return to the room. The function of the dust shaking function, which ensures the most easy maintenance of the filter, is a major innovation.



Ash and Dry Vacuum Cleaner FDU 2002-E

- voltage/frequency 230 V / 50 Hz
- input power: 1,200 W
- vacuums ash up to 40 °C
- HEPA filter
- metal container 20 l
- metal hose 1 m
- aluminium tube 0.15 cm
- wheels
- power cord 4.3 m
- declared noise level 80 dB (A)
- The package includes FDU 9002:
- plastic hose 1.5 m
- extension tube 0.85 cm
- floor nozzle
- tapered attachment
- rotating brush

optional accessory:

- spare HEPA filter: FDU 9003



Metal container

The capacity of the container is optimal for vacuuming ash from the fireplace or for cleaning the car or garage, at the same time it does not take up much space during storage.

HEPA filter

The design parameter of the HEPA filter material captures even the finest particles, such as ash or fine dust.

Accessories

The variability of the accessories makes it easier to reach when vacuuming and cleaning using various attachments, even in hard-to-reach places.

Wheels

The wheels guarantee easy handling during cleaning, especially in the garage, without the need to carry the vacuum cleaner. The user will appreciate the relatively easy disassembly of the wheels, especially when vacuuming cascading terrain, such as stairs.



Ash Vacuum Cleaner **FDU 200601-E**

- voltage/frequency 230 V / 50 Hz
- input power: 600 W
- vacuums ash up to 40 °C
- cotton filter
- metal container 11l
- metal hose 1m
- aluminium tube 0.15 m
- weight: 2.4 kg
- power cord 3 m
- declared noise level 80 dB (A)

optional accessory:

- spare HEPA filter: FDU 900601

Ash Vacuum Cleaner **FDU 201001-E**

- voltage/frequency 230 V / 50 Hz
- input power: 1,000 W
- vacuums ash up to 40 °C
- cotton filter
- metal container 20l
- metal hose 1m
- aluminium tube 0.15 m
- weight: 4 kg
- power cord 3 m
- declared noise level 80 dB (A)

optional accessory:

- spare cotton filter: FDU 201001



Telescopic Ladders and Stepladder

Ladders, stepladders, steps, platforms. They will make it easier to get to the tree crown, to the roof, to the chandelier or to the top shelf in the workshop. The advantage of telescopic assistants of this type is the fact that they always offer just the height you need.

You can use them both in their maximum length and only with one or two rungs extended. They are secured against unintentional folding. The advantage of telescopic ladders in general is the fact that they are not space-consuming during storage, while offering the opportunity to reach really high – for **FIELDMANN** products up to a height of 6.7m! Thanks to the materials used with sufficient thickness, however, they are also highly strong, and therefore do not bend even when the maximum length is adjusted. Nevertheless, they are light, which helps easy handling. The brand also offers a multifunctional ladder. At the right moment, it turns into a stepladder with the help of an articulated mechanism, with which you can stand comfortably even on a steep staircase. If you choose one of the platforms, then the ladder is suddenly a scaffolding.



Unique system

The unique telescopic system ensures maximum storage of telescopic ladders or stepladders when stored or transported in a car.

Sophisticated joints

A sophisticated joint allows you to turn the ladder into a stepladder or set them to another variable position.

Multifunctionality

The multifunctional ladder can be used as a scaffolding for easy operational access to a height of around 3m, not only indoors.

Accessories

Solid metal platforms guarantee sufficient comfort and safety when working on scaffolding from a multifunctional ladder.

Folding Ladder

FZZ 4008

- max. length when unfolded 6.7 m
- dimensions when folded up 284 × 46 × 16 cm
- distance between rungs 28 cm
- aluminium thickness 1.2 mm
- maximum load 150 kg
- number of rungs 10
- weight: only 13 kg





Telescopic Ladder FZZ 4002

- unique telescopic system
- dimensions when unfolded 320 × 48 × 8 cm
- dimensions when folded up 81 × 48 × 8 cm
- distance between rungs 29 cm
- aluminium thickness 1.3–1.5 mm
- maximum load 150 kg
- maximum length 3.2 m
- number of rungs 11
- weight: only 9.2 kg



Telescopic Ladder FZZ 4004

- unique telescopic system
- dimensions when unfolded 260 × 47 × 9 cm
- dimensions when folded up 75 × 47 × 9 cm
- distance between rungs 29 cm
- aluminium thickness 1.3–1.5 mm
- maximum load 150 kg
- maximum length 2.6 m
- number of rungs 9
- weight: 7 kg



Telescopic Ladder FZZ 4005

- unique telescopic system
- dimensions when folded up 87 × 48 × 9 cm
- dimensions when unfolded 380 × 48 × 9 cm
- distance between rungs 29 cm
- aluminium thickness 1.3–1.5 mm
- maximum load 150 kg
- maximum length 3.8 m
- number of rungs 13
- weight: 11 kg



Telescopic Ladder/Stepladder FZZ 4003

- unique telescopic system
- dimensions when folded up 87 × 67 × 15 cm
- distance between rungs 29 cm
- aluminium thickness 1.3–1.5 mm
- maximum load 150 kg
- maximum stepladder length 1.6 m
- maximum ladder length 3.2 m
- number of rungs 10
- weight: only 11.5 kg




Telescopic Ladder/Stepladder FZZ 4006

- unique telescopic system
- dimensions when folded up 90 × 49 × 18 cm
- distance between rungs 29 cm
- aluminium thickness 1.3–1.5 mm
- maximum load 150 kg
- maximum stepladder length 2.2 m
- maximum ladder length 4.4 m
- number of rungs 14
- weight: 15 kg



Multifunctional Ladder FZZ 4107

- maximum ladder length 360 cm
- maximum stepladder length 174 cm
- maximum scaffolding height 98 cm
- distance between rungs 28 cm
- stabiliser length 61.5 cm
- maximum load 150 kg
- weight: 11 kg



- Platform FZZ 9107 designed for multifunctional ladder FZZ 4107



Folding Platform FZZ 2001

- dimension when unfolded 103 × 41 × 49 cm
- platform dimension 76 × 30 cm
- length when folded up 78 cm
- aluminium thickness 1.0 mm
- weight: 3.6 kg



Car Accessories

For several years now, car accessories have also been an integral part of our range, and our range has been expanding every year. In addition to durable assistants for winter, such as scrapers, folding small shovels or brushes, car battery chargers, a tire pressure gauge, various organisers, as well as assistants for transporting children or pets were gradually added.

Last year, the offer of car accessories expanded to include versatile car wash kits designed for caring for car interior and exterior, which can also be used successfully in the home. Air compressors with a wide range of accessories is a this year's novelty. All **FIELDMANN** products are characterised by the use of quality materials that guarantee high durability and long service life as well as maximum functionality. Timeless design and elaborated details are constantly appreciated with **FIELDMANN** brand.



Storage spaces

Organise your car accessories on metal racks. Newly in a corner option.



Measure it yourself

Measurement of tire pattern, thread depth, drilled holes. You can manage it from now.



Reducer

Universal accessory for compressors for flexible inflation of various children's toys.



Order is essential

Modern organisers made of durable and washable materials will make long journeys more pleasant for your passengers.

Air Compressor FDAQ 201552-E

50 l

- voltage: 230 V / 50 Hz
- input power: 1,500 W
- rated power – 2,800 rpm.
- container volume 50 l
- max. pressure 8 bar
- approximate suction power 190 l/min.
- weight: 32 kg



novelty

Air Compressor FDAK 201522-E

- voltage: 230 V / 50 Hz • input power: 1,500 W
- rated power – 2,800 rpm.
- container volume 24 l • max. pressure 8 bar
- approximate suction power 190 l/min. • weight: 25 kg

24 l



Air Compressor FDAK 12011

- plug to 12 V cigarette lighter
- pressure gauge in bar with an accuracy of 0.1 bar
- cylinder diameter 30 mm
- power cord 3 m
- hose with screw connector 1 m
- continuous operation up to 15 min.
- regular tire inflation time up to 2.4 bars: 3 min.



Air Compressor FDAK 201101-E

- voltage: 230 V / 50 Hz
- input power: 1,100 W
- **air compressor without oil and tank**
- suction capacity: 180 l/min
- PVC tube length: 3 m
- 8 pcs accessories



novelty

Set of Accessories for Air Compressors FDAK 901503-E

- tire inflation gun with manometer
- adapter and needles for inflating toys
- spiral PU hose 5 m



Charger Car Battery 6 V / 12 V FDAN 12002

- voltage: 230 V / 50 Hz
- DC output, 6 V/12 V, 2 A/4 A
- display-charged, polarity reversal,
- excess current, protection against overheating
- usable for cars, motorcycles, electric cars, toy cars, sailors, etc. with 6V/12V
- (4-120 Ah) lead acid battery



novelty

Set of Accessories for Air Compressors FDAK 901504-E

- tire inflation gun with pressure gauge
- blow gun
- adapters and needles for inflating toys
- spiral PU hose 5 m

We also
offer a battery
compressor
FAST POWER 20V,
page 4-7





Metal Shelf Rack FDR 1800

- metal rack with 5 shelves
- dimensions: 90 × 40 × 180 cm
- frame: galvanised steel 0.7 mm thick
- shelf: MDF board with a thickness of 5 mm
- max. load of each shelf: 175 kg
- the height of the shelf can be adjusted according to your needs
- easy and fast assembly – without the use of screws
- versatile use: in the workshop, garage, warehouse and office
- plastic corner guards
- weight: 16 kg



Metal Shelf Rack FDR 1820

- metal rack with 5 shelves
- dimensions: 120 × 40 × 180 cm
- frame: galvanised steel 0.7 mm thick
- shelf: MDF board with a thickness of 5 mm
- max. load of each shelf: 175 kg
- the height of the shelf can be adjusted according to your needs
- helps maximise the use of your space
- easy and fast assembly – without the use of screws
- versatile use: in the workshop, garage, warehouse and office
- plastic corner guards
- weight: 17 kg



Metal Corner Shelf Rack FDR 1840R

- corner rack with 5 shelves
- dimensions: 90 × 40 × 180 cm
- frame: galvanised steel 0.7 mm thick
- shelf: MDF board with a thickness of 5 mm
- max. load of each shelf: 175 kg
- the height of the shelf can be adjusted according to your needs
- helps maximise the use of your space
- easy and fast assembly – without the use of screws
- versatile use: in the workshop, garage, warehouse and office
- plastic corner guards



Windshield Protection against Sun and Icing FDAZ 6001

- size 1,300 × 600 mm
- mainly for summer use
- blocks harmful UV rays
- decreases inside temperature

Windshield Protection against Sun and Icing FDAZ 6002

- size 1,300 × 600 mm
- mainly for winter use
- blocks harmful UV rays
- reduces icing on the glass



Car Brush/Scraper FZO 5014

- with a scraper
- 2 in 1 brush and scraper
- abs plastic
- the total length is 52 cm
- bristle length 5 cm



Car Brush/Scraper FZO 5015

- with a scraper
- 2 in 1 brush and scraper
- softened, aluminium handle
- ABS plastic
- the total length is 60 cm
- bristle length: 5 cm



Depth Gauge FDAM 0201

- measurement of tire pattern, thread depth, drilled holes
- automatic calibration
- range up to 25 mm



Rubber Clip 8 pcs FDAG 1001

- material: rubber fibres
- 8 pcs
- length: 20-120 cm
- thickness: 8 mm



Tyre Pressure Gauge FDAM 0101

- automatic calibration
- range up to 12 bar
- deviation 0.05 bar
- LCD display
- units: bar, kPa, psi, kg/cm²



Washing set 6 pcs FDAC 1001

- window squeegee 1 pc
- fan squeegee
- 2 in 1 (soft cotton / mesh structure)
- washing gloves 2 in 1 (microfibre / mesh structure)
- microfibre cloth



Car Organiser FDAP 60301

- folding car organiser
- number of storage compartments
- in the luggage compartment and for fastening on a free seat



Seat Organiser FDAP 60401

- universal
- easy installation
- point fixing
- improves the interior of the vehicle





CHAIN SAWS	FIELDMANN CHAIN	CODE	FIELDMANN GUIDE BAR	CODE	CHAIN OREGON	CODE	GUIDE BAR OREGON	CODE
Electric saw FZP 2000-E	FZP 9016	50001704	FZP 9014	50001702				
Electric saw FZP 2105-E	FZP 9016	50001704	FZP 9014	50001702				
Electric saw FZP 2005-E	FZP 9023	50002931	FZP 9002	50000307				
Electric saw FZP 2020-E	FZP 9001	50000306	FZP 9002	50000307	FZP 9003	50000862	FZP 9022-B	50002682
Electric saw FZP 2025-E					FZP 9032-E	50005312	FZP 9033-E	50005313
Petrol saw FZP 4216-B	FZP 9001	50000306	FZP 9005-B	50000307	FZP 9003	50000862	FZP 9022-B	50002682
Petrol saw FZP 5016-B	FZP 9001	50000306	FZP 9005-B	50001272	FZP 9003	50000862	FZP 9022-B	50002682
Petrol saw FZP 5216-B	FZP 9008-B	50001275	FZP 9020-B	50002591	FZP 9010-B	50001277		
Petrol saw FZP 5816-B	FZP 9027-B	50004745	FZP 9026-B	50004744				



PETROL LAWN MOWERS	MOWER BLADE	CODE
FZR 4003-79BH, FZR 4008-79B	FZR 9023-B	50003262
FZR 4005-127BH	FZR 9018-B	50001714
FZR 4210-B	FZR 9033-B	50004342
FZR 4608 B, FZR 4614-144B; BES	FZR 9025-B	50003264
FZR 4611-144B, FZR 4616-144B/BES, FZR 4618-144BV, FZR 4625BV	FZR 9019-B	50002079
FZR 4615 LIBES	FZR 9015-BES	50004422
FZR 5115-170B	FZR 9020-B	50002080
FZR 5114-170B/BV; FZR 5124BV	FZR 9029-B	50003596
FZR 5611-B	FZR 9032-B	50004343

BRUSH CUTTERS	NYLON STRING 60m	CODE	STRING TRIMMER HEAD BASIC	CODE	TWIST & GO STRING TRIMMER HEAD	CODE	MOWER BLADE	CODE	STRAP	CODE
FZS 3003-B	FZS 9021	50001690	FZS 9016	50001683	FZS 9023	50004708	FZS 9004	50000519	FZS 9052	50003133
FZS 3020-B	FZS 9021	50001690	FZS 9016	50001683	FZS 9023	50004708	FZS 9004	50000519	FZS 9052	50003133
FZS 4004-B	FZS 9021	50001690	FZS 9016	50001683	FZS 9023	50004708	FZS 9004	50000519	FZS 9052	50003133
FZS 5003-B	FZS 9021	50001690	FZS 9016	50001683	FZS 9023	50004708	FZS 9004	50000519	FZS 9052	50003133



CORDLESS LAWN MOWER	MOWER BLADE	CODE	BATTERY	CODE
FZR 2110 LI	FZR 9031-LI	50004053	FZR 9110	50004381
FZR 70375-0 2x20V	FZR 9034-A	50004705	tabulka 20V	
FZR 70335-A 2x20V	FZR 9035-A	50004706	tabulka 20V	
FZR 70435-A 2x20V	FZR 9037-A	50005270	tabulka 20V	



STRUNOVÉ SEKAČKY	STRUNA NYLON 60 m	KÓD	ČÍVKA	KÓD	KRYT ČÍVKY	KÓD
FZS 2105 E	FZS 9017-60	50004231	FZS 9030	50004074	FZS 9031	50004075
FZS 2306 E	FZS 9019	50001705	FZS 9032	50004076	FZS 9033	50004077
FZS 2505 E	FZS 9019	50001705	FZS 9025	50003392	FZS 9026	50003393
FZS 2002 E	FZS 9019	50001705	FZS 9012	50001323	FZS 9011	50001322
FZS 2050 E	FZS 9020	50001689	FZS 9015	50001691		



CORDLESS STRING TRIMMER	COIL + COVER	CODE
FZS 70105-0 20V	FZS 9105	50004707

CORDLESS STRING TRIMMER FZS 1025-A		
BATTERY	FZO 9006	50004821
NYLON STRING 60m	FZS 9019	50001705
COIL	FZS 9025	50003392
COVER	FZS 9026	50003393

CORDLESS STRING TRIMMER FZS 1005-A		
BATTERY	FZO 9004	50003982
NYLON STRING 60m	FZS 9019	50001705
COIL	FZS 9029	50003870
COVER	FZS 9028	50003981



CORDLESS TOOLS	CHARGER	CODE	BATTERY	CODE
FDV 10252-A			FDV 90252	50004687
FDV 10253-A			FDV 90252	50004687
FDV 10201-A	FDV 90201RN	50003044	FDV 90201	50003043
FDV 10251-A	FDV 90251RN	50003574	FDV 90251	50003573
FDV 10301-A	FDV 90301N	50003655	FDV 90301	50003654
FDV 10351-A			FDV 90351	50002153
FDV 10352-55AR	FDV 90352RN	50003704	FDV 90352	50003702
FDV 10401-A			FDV 90401	50004244



ELECTRIC LAWN MOWERS	MOWER BLADE	CODE
FZR 2015-E	FZR 9030-E	50003805
FZR 2021-E	FZR 9021-E	50002348
FZR 2025-E	FZR 9021-E	50002348
FZR 2028-E	FZR 9028-E	50003595
FZR 2035-E	FZR 9024-E	50003263
FZR 2046-E	FZR 9027-E	50003594

CORDLESS GARDEN SHEARS	BATTERY	CODE
FZN 4101-2 A/AT	FZO 9003	50001967
FZN 5101-A	FZO 9005	50003792

PETROL SCARIFIER	SPRING CYLINDER	CODE
FZV 6050-B	FZV 9050-B	50004371




18 V SERIES ONE BATTERY FOR ALL	2 Ah BATTERY	CODE	4 Ah BATTERY	CODE	QUICK CHARGER	CODE
	FDUZ 50020	50002986	FDUZ 50040	50002987	FDUZ 51000	50003960
	FDUZ 50003	50003293			FDUZ 50000	50002121
	FDUZ 50004	50003996				



20 V SERIES FAST POWER 20 V	2 Ah BATTERY	CODE	4 Ah BATTERY	CODE	QUICK CHARGER	CODE
	FDUZ 79020	50004543	FDUZ 79040	50004544	FDUZ 79100	50004602
					FDUZ 79110	50004603



CORDLESS PRUNER	GUIDE BAR OREGON 20cm	CODE	CHAIN OREGON	CODE
FZP 70505-0 20V	FZS 9030	50004981	FZP 9031	50004982
FZP 70805-0	FZP 9028-A	50004948	FZP 9029-A	50004949



WWW.FIELDMANN.EU/SERVIS

FAST ČR, a. s.
U Sanitasu 1621
251 01 Říčany u Prahy

The products in this catalogue may be subject to change without notice due to technical improvements, adjustments in colour specifications and stock availability in specific countries. The manufacturer takes no responsibility for printing errors.

We can also repair the machines we sell to you! In our network of 32 service centres, we provide warranty and post-warranty service, always using original spare parts. You can also take advantage of preventive inspections or post-season inspections.

More information about the nearest service centre can be found on the website

WWW.FIELDMANN.EU



Why FIELDMANN?

FIELDMANN represents a brand of garden equipment and tools for the flat, house and garden, which is the own brand of **FAST ČR**. **FIELDMANN** products are designed and constructed to meet the requirements of even demanding customers: they make work easier and save time, are ergonomically shaped, safe, easy-to-use, intuitive, bring the latest trends and provide maximum comfort for work in the garden, home or workshop.

www.fieldmann.eu

