



Quality, Design and Innovation, That Is **FIELDMANN**®

She was born twelve years ago and we literally watch her grow. She keeps up with the times, but does not lose her style. We are not talking about a strange girl, but about the Czech brand FIELDMANN, which is celebrating ten years on our market this year. The popularity of FIELDMANN products is growing year by year and the circle of loyal customers is expanding. Mainly thanks to them, we are able to continuously adjust the offer, supplement it with other items, and above all, improve the overall range.

After twelve years **FIELDMANN** is no longer just a brand of garden equipment for the maintenance of lawns, trees, shrubs and flower beds. It is also an assistant in cleaning the house and the garden, a partner in the maintenance and improvement of the house, but also a supplier of equipment for pumping water. For several years now, customers can choose from a wide range of garden furniture and the range of grills or car accessories is also expanding.

All these products are connected with a very good quality, reliability, safety and easy operation. **FIELDMANN** brings the latest trends, but maintains maximum comfort when working in the garden, in

the house and in the workshop. And as it is also betting on reliability, the machines of this brand are equipped with quality components and the tool excels in precise processing. Modern design, optimal parameters and good quality are available at the FIELDMANN brand at reasonable prices.

The catalogue that you are currently holding in your hands is significantly wider, for example in the category of car accessories. The FIELDMANN CORDLESS FAST POWER 20 V programme represents a comprehensive range of garden and workshop tools and implements. You don't have to worry about whether there is an electrical outlet available, whether the power cord reaches it, or where you can get an extension cord, you don't care about the amount of petrol in the tank or the oil. The convenience is offered by the battery assistants even during the use itself, which is not obstructed by any cables. Using the latest technology, the CORDLESS FAST POWER 20V range offers the performance and dynamics of petrol machines.

For new products as well as for the existing range, you can rely on the **FIELDMANN** brand. We believe that this year you will be pleasantly surprised by our novelties.

everything for your home and garden









GARDEN

CORDLESS programme FAST POWER 20 V	4
Lawn Care	
Cordless Rotary Lawn Mowers	8
Reel Mowers	13
Electric Rotary Lawn Mowers	14
Petrol Rotary Lawn Mowers	
Scarifiers	
String Trimmers, Trimmers and Brush Cutters	
Shrub and Tree Care	
Chain Saws	.38
Hedge Trimmers	.42
Lopping Shears, Garden Tools	
Grass Shears, Hedge and Tree Trimmers, Tree Pruners	
Garden Cleaning and Maintenance	
Shredders and Chippers	.48
Log Splitters	.49
Garden Vacuum Cleaners	.50

Water	
Submersible Pumps, Water Pumps	52
Garden Showers, Hose Reels	54
High Pressure Washers	56
Cultivators	
Power Generators	
Accessories	
	60
Oils, Gloves and Folding Shovels	bU
Garden Furniture	
Garden Sets	62
Wooden Furniture	64
Tables, Chairs, Benches, Deckchairs	
Metal Furniture, Rattan Sets	
Sunshades, Swings	72
Garden Grills	
Gas Grills	7/
Charcoal Grills	
	/4
Fireplaces	

SERVICE AND WORKSHOP

Manual Tools	
Cordless Tools	82
Electric Tools	84
Gola Tool Sets	94
Set of Bits with Screwdrivers	98
Pliers, Painting Supplies and Tool Boxes	99
Screwdriver Sets	
Drills, Bit Sets and Special Accessories	101
Vacuum Cleaners Universal Vacuum CleanersAsh Vacuum Cleaners	
Ladders Ladders and Steps	106
Car Accessories	
Compressors, Chargers	
Optional Accessories, Spare Parts	110







CORDLESS PROGRAMM



20V Li-Ion battery 2 Ah/4Ah FDUZ 79020/79040

- · patented battery cell technology for longer life
- · LED charge status indicator directly on the battery
- battery capacity: 2,000/4,000 mAh
- compatible with all items from the FAST POWER 20V series

CORDLESS PROGRAMME 20 V FAST POWER

It is quiet, ecological, economical. No petrol, no cable, no noise, no exhaust fumes. This is the new cordless series from FIELDMANN. Nothing will stop you with them.

You don't have to worry about whether there is an electrical outlet somewhere. whether the power cord reaches it, or where you can get an extension cord, you don't care about the amount of petrol in the tank or the oil. The convenience is

offered by the battery assistants even during the use itself, when no cables interfere. The programme is a comprehensive range of garden and workshop tools and equipment that work with a single type of battery. You need the other battery only in rotation during longer use, when the first one runs out of energy, or in pairs for larger machines, such as garden lawn mowers or brush cutters, where the full power of two batteries is used at the same time. It is definitely not a waste of investment.





Quick charger 20 V FDUZ 79100

- AC 230V/50Hz, DC 20 max 2.4 A
- LED indication / battery overheating
- charging time: 60 min (2 Ah), 120 min (4 Ah)
- · compatible with all items from the FAST POWER 20V series



Quick charger 2 × 20 V **FDUZ 79110**

- AC 230V/50Hz, DC 20 max 2.4 A
- · LED indication / battery overheating protection
- charging time: 60 min (2×2Ah), 120 min (2×4Ah)
- compatible with all items from the FAST POWER 20V series







20V Cordless drill FDUV 70105-0



- speed without load: 0-360 rpm, 0-1,300 rpm
- max. diameter: 10 mm
- max. torque: 35 Nm
- tap function
- without battery and charger

20V Cordless chain saw FDUK 70305-0




- speed without load: 0-3,700 rpm
- disc diameter: 165 mm
- ergonomic handle
- AC Laser
- · without battery and charger

20V Cordless drill FDUV 70215-0









- max. diameter: 13 mm
- max. torque: 60 Nm
- tap function
- without battery and charger

20V Cordless compressor FDAK 70205-0



- max. outlet pressure: 10.3 bar
- air flow rate: 235 l/min
- the package includes a valve adapter, ball inflation needle, universal adapter and high pressure hose
- weight 1.7 kg
- without battery and charger

20V Cordless high-pressure washer FDW 70905-0



- power: 20 V
- operating pressure: 20 bar
- water flow rate: 2.5 l/min (150 l/hour)
- pressure adjustment: yes (2 stages: low - high)
- the package includes a multi-function nozzle, self-priming hose and shampoo container
- without battery and charger

brushless engine

2 × 20 V Cordless chain saw

FZP 70805-0

- chain speed: 15 m/s
- guide bar length: 300 mm
- · guide bar and chain included
- oil tank capacity: 180 ml
- without battery and charger

20V Cordless angle grinder FDUB 70605-0







- speed without load: 0-7,500 rpm
- wheel diameter: 115 mm
- with a side handle and ergonomic handle
- without battery and charger
- grinding wheel included

- speed without load: 0-3,000 rpm
- cutting length: 26 mm
- max. cutting capacity: wood: 100 mm, soft metal: 20 mm, steel: 10 mm
- without battery and charger

20V Cordless jigsaw FDUP 70405-0



- speed without load: 0-2,800 rpm
- max. cutting capacity: wood: 80 mm, soft metal: 10 mm, steel: 5 mm
- without battery and charger

20V Cordless ash vacuum cleaner FDU 70705-0



- air flow rate: 10 l/s
- container volume: 18 l
- only for cold ash (max 40°C)
- without battery and charger





- guide bar length: 510 mm
- cutting diameter: 16 mm
- speed without load: 0–1300 rpm
- electronic brake
- · without battery and charger



- coverage width: 230 mm
- string diameter: 1.6 mm
- speed without load: 0–8000 rpm
- telescopic handle
- adjustable trimmer head angle
- without battery and charger

20V Cordless pole saw

telescopic handle: ± 70 cm

without battery and charger

20V Cordless grass trimmer FZS 70105-0





- coverage width: 300 mm
- string diameter: 1.6 mm
- speed without load: 0-7,500 rpm
- telescopic handle + guide wheel
- adjustable trimmer head angle
- without battery and charger



- max. width of cut 38 cm
- string trimmer head: 33 cm
- string diameter: 2.0 mm
- 3-pointed metal disc: 23 cm
- · handlebars with softened grip
- the package includes a string head, metal disc and strap
- without battery and charger





20V Cordless leaf blower FZF 70605-0



- speed without load: 0-17000 rpm
- maximum velocity of air: 38 m/s
- airflow: 350 CFM
- without battery and charger

20V Cordless telescopic hedge trimmer FZN 70405-0



2× 20 V Cordless scarifier FZV 70905-0



- aeration and scarification
- coverage: 380 mm, grass catcher volume: 50 l
- adjustable handle (3 positions)
- 5 working depth positions: (-12, -9, -6, -3, +6)
- · without battery and charger

2× 20 V Cordless cultivator FZK 70305-0




- speed without load: 0–180 rpm
- working width/depth: 36/22 cm
- number of blades: 4 pcs
- including castors
- without battery and charger









2 × 20V CORDLESS LAWN MOWERS

The great advantage of cordless lawn mowers is the absence of an electric cable and therefore significantly increased comfort when working. However, they are usually designed primarily for smaller areas. A major innovation is therefore the extension of the cordless mower range FIELDMANN CORDLESS FAST POWER to five models.

The highest models can also cope with more demanding conditions and larger lawns, up to 750 m². You can even venture into the far corners of a larger garden

with no power socket. The wider reach of the mowers ensures that the job is done right, and the bulky collection bins don't fill up right away. The five machines allow you to choose a model that is literally tailored to your lawn, its size and its texture. All CORDLESS FAST POWER mowers are equipped with a modern, long-life, zero-maintenance, brushless engine. The motor uses the power of 2x 20V batteries (from the CORDLESS FAST POWER series) with a capacity of 2 Ah or 4 Ah. Solid construction guarantees a long service life. For perfect handling, the mowers are equipped with solid wheels made of durable plastic.

















everything for your home and garden

weight: 12.5 kg









REEL LAWN MOWERS



150 m²

Reel lawn mower FZR 1010

 suitable for smaller lawns not within reach of electrical energy

- mowing coverage: 40 cm
- continuous mowing height adjustment 14-47 mm
- textile grass catcher of 23 l
- folding handle for easy storage

Reel lawn mower

FZR 1050

mowing coverage: 38 cm

- 5 knives
- mowing height: 13-38 mm
- 4 positions of mowing height adjustment
- textile grass catcher of 45 l
- folding handle
- possibility of use without power supply as a hand reel lawn mower

200 m²

These days, caring for a lawn without a lawn mower is unimaginable. This garden assistant not only saves time and effort, but also allows you to take care of the grass efficiently and regularly, thus maintaining both its appearance and quality. Rotary lawn mowers are the most commonly used type in private gardens.

They mow the grass with a horizontally mounted rotating blade, which ensures an even "cut" for the lawn. FIELDMANN offers both electric rotary lawn mowers and cordless lawn mowers that can withstand even the more demanding conditions, in addition to unnecessary noise and cable restrictions.

FIELDMANN rotary mowers, regardless of the type of drive or coverage, combine the quality of the materials used and their workmanship, modern design, but also the emphasis on safety, excellent, ergonomics, overall comfortable operation and easy maintenance. They have practical features that facilitate using. These include central adjustment of mowing height with a single movement of the lever and a height-adjustable handle, which can be easily folded down during storage by unlocking the quick-release screws. For selected models, the switch across the entire width of the handle is the advantage. This switch allows you to control the lawn mower with both hands. The grass collection will be taken care of by durable, large-volume grass catchers with full signalling. Thanks to the fact that the chassis of the machines exceeds the width of the wheels, you will always mow the grass to the edge without the need for additional adjustments with hand shears or a string trimmer.





- divided grass catcher (plastic/ textile) with a volume of 50 l
- mowing height: 20–70 mm
- 6 positions of mowing height
- height-adjustable handle with the possibility of complete folding
- central mowing height adjustment



A VISWA	Model	Engine input power	Coverage	Chassis material	Mowing height adjustment	Mowing height	Grass catcher capacity	Folding handle	Handle height adjustment	Weight	Recommended area
	FZR 2021-E	1,200 W	32 cm	plastic	3 positions	20-56 mm	30 l	YES	NO	7.5kg	450 m²
	FZR 2025-E	1,300 W	32 cm	plastic	3 positions	20-56 mm	30 l	YES	YES	7.5kg	600 m²
2	FZR 2031-E	1,300 W	33 cm	plastic	3 positions	20-60 mm	30 l	YES	YES	7.5kg	600 m²
	FZR 2035-E	1,600 W	38 cm	plastic	5 positions	20-70 mm	45 l	YES	NO	14.2kg	800 m²
Ž	FZR 2037-E	1,600 W	38 cm	plastic	5 positions	30-75 mm	42 l	YES	YES	11.5kg	800 m²
in the	FZR 2046-E	2,000 W	43 cm	plastic	6 positions	20-70 mm	50 L	YES	YES	15.4kg	1,000 m²

FIELDMANN®
Home & Garden Performance

Electric lawn mower

FZR 2021-E

Electric lawn mower

FZR 2025-E

Electric lawn mower

FZR 2031-E

Electric lawn mower FZR 2035-E

Electric lawn mower

FZR 2037-E









- engine input power: 1,200 W
- plastic grass catcher with a volume of 30 l with a fill indicator
- mowing height: 20–56 mm
- 3 positions of mowing height adjustment
- folding handle for easy storage
- transport handle in the lawn mower's centre of gravity





- engine input power: 1,300 W
- plastic grass catcher with a volume of 30 l with a fill indicator
- mowing height: 20–56 mm
- 3 positions of mowing height adjustment
- height-adjustable handle
- easy folding of the handle with quick-release screws





- engine input power: 1,300 W
- divided grass catcher (plastic/textile) with a volume of 30 l
- mowing height: 20-50 mm
- 3 positions of mowing height adjustment
- height-adjustable handle
- transport handle in the lawn mower's centre of gravity
- softened handle cover





- engine input power: 1,600 W
- divided grass catcher (plastic/textile) with a volume of 45 l
- mowing height: 20–70 mm
- 5 positions of mowing height adjustment
- · folding handle for easy storage
- central mowing height adjustment






- engine input power: 1,600 W
- divided grass catcher (plastic/textile) with a volume of 42 l
- mowing height: 30–75 mm
- 5 positions of mowing height adjustment
- · folding handle for easy storage
- central mowing height adjustment
- softened handle cover











FIELDMANN® Home & Garden Performance



Petrol lawn mower

FZR 4008-79B

- engine: OHV 79 cm³
- engine power: 1.3 kW
- lawn mower chassis: steel
- central mowing height adjustment 7 positions from 25 to 75 mm
- textile grass catcher of 45 l reducing dust permeability
- wheels mounted on ball bearings
- folding handle for easy storage
- weight: 20 kg







 $800 \, m^2$

















FZR 4608-B






1,000 m²

46 cm

self propelled







FZR 4614-144B





self propelled



- engine power: 2.5 kW
- lawn mower chassis: steel
- 4 in 1 mowing system collection, rear and side ejection, mulching
- central mowing heigh adjustment 8 positions
- mowing height: 30-80 mm
- grass catcher: 60 l
- adjustable handle
- wheels mounted on ball bearings
- weight: 33 kg














FZR 4616-144B









central mowing heigh adjustment – 8 positions
 height-adjustable handle with softened grip, panel for drinks and tools

■ 4 in 1 system – collection in the grass catcher, mulching, rear and side ejection

wheels mounted on ball bearings

weight: 26 kg











FZR 4618-144BV





with variable

speed



- engine power: 2.5 kW
- lawn mower chassis: steel
- 4-speed travel
- grass catcher with a volume of 65 l with a fill indicator
- mowing height: 25-70 mm
- central mowing heigh adjustment 8 positions
- height-adjustable handle with softened grip, panel for drinks and tools
- 4 in 1 system collection in the grass catcher, mulching, rear and side ejection



weight: 28 kg

















FZR 5114-170B

■ engine: RATO OHV 170 cm³

engine power: 2.8 kW lawn mower chassis: steel

grass catcher with a volume of 62 l with a fill indicator

mowing height: 25-70 mm

■ central mowing heigh adjustment – 8 positions

■ height-adjustable handle with softened grip, panel for drinks and tools

■ 4 in 1 system – collection in the grass catcher, mulching, rear and side ejection

■ wheels mounted on ball bearings

weight: 30 kg





1,800 m²

51 cm







self propelled

everything for your home and garden

with variable

speed

51 cm

Petrol lawn mower

FZR 5114-170BV

engine: RATO OHV 170 cm³ engine power: 2.8 kW

lawn mower chassis: steel

4-speed travel

grass catcher with a volume of 62 l with a fill indicator

mowing height: 25-70 mm

central mowing heigh adjustment - 8 positions

■ height-adjustable handle with softened grip, panel for drinks and tools

■ 4 in 1 system – collection in the grass catcher, mulching, rear and side ejection

■ wheels mounted on ball bearings

weight: 30 kg





1,800 m²







FZR 5115-170B



- engine power: 2.8 kW
- lawn mower chassis: steel
- grass catcher with a capacity of 65 l
- mowing height: 25-70 mm
- central mowing heigh adjustment 8 positions
- height-adjustable handle with softened grip, panel for drinks and tools
- 4 in 1 system collection in the grass catcher, mulching, rear and side ejection
- wheels mounted on ball bearings
- weight: 28 kg





1,800 m²

51 cm







FZR 5167-B





BRIGGS&STRATTON





- engine power: 2.8 kW
- lawn mower chassis: steel
- 4 in 1 mowing system collection, rear and side ejection, mulching
- central mowing heigh adjustment 6 positions
- mowing height 30-70 mm
- divided basket with filling indicator 65 l
- adjustable handle with soft cover
- handle adjustable in 3 positions
- wheels mounted on ball bearings
- weight: 33 kg









FIELDMANN® Home & Garden Performance



Petrol lawn mower

FZR 5611-B



- engine power: 3.5 kW
- lawn mower chassis: steel
- 4in1 mowing system collection, side and rear ejection, mulching
 central mowing heigh adjustment 6 positions
- mowing height: 25–75 mm
- divided grass catcher of 75 l
- softened vibration-damping handle cover
- panel with compartment for small items
- front handle for easier handling when cleaning
- wheels mounted on ball bearings
- weight: 34 kg





2,000 m²









- swivel cap and special pouring tube
- resistant to UV radiation, weathering or mechanical damage
- approved for transport and storage of fuel



ä	FZR 4003-79BH	OHV 79 cm ³	1.3 kW	NO	40 cm	PLASTIC	YES	3 positions	40 l	YES	NO	14 kg	650 m²
	FZR 4008-79B	OHV 79 cm'	1.3 KW	NO	40 cm	STEEL	YES	7 positions	45 l	YES	NO	20 kg	800 m²
ı	FZR 4210-B	OHV 127 cm ³	1.9 kW	NO	42 cm	STEEL	YES	6 positions	45 l	YES	NO	23 kg	900 m²
	FZR 4608-B	OHV 139 cm ³	2.2 KW	NO	46 cm	STEEL	YES	8 positions	55 l	YES	NO	28 kg	1,000 m²
	FZR 4611-144B	OHV 144 cm ³	2.5 kW	NO	46 cm	STEEL	YES	8 positions	65 l	YES	NO	26 kg	1,000 m²
	FZR 4614-144B	OHV 144 cm ³	2.5 kW	YES	46 cm	STEEL	YES	5 positions	60 l	YES	YES	33 kg	1,000 m²
	FZR 4616-144B	OHV 144 cm ³	2.5 kW	YES	46 cm	STEEL	YES	8 positions	65 l	YES	YES	26 kg	1,000 m²
	FZR 4618-144BV	OHV 144 cm ³	2.5 KW	YES	46 cm	STEEL	YES	8 positions	65 l	YES	YES	28 kg	1,200 m²
	FZR 4615-20LIBES	OHV 150 cm ³	2.6 kW	YES	46 cm	STEEL	YES	7 positions	50 l	YES	YES	35 kg	1,200 m²
	FZR 5114-170B	OHV 170 cm ³	2.8 KW	YES	51 cm	STEEL	YES	8 positions	62 l	YES	YES	30 kg	1,800 m²
	FZR 5114-170BV	OHV 170 cm ³	2.8 KW	YES	51 cm	STEEL	YES	8 positions	62 l	YES	YES	30 kg	1,800 m²
	FZR 5115-170B	OHV 170 cm ³	2.8 KW	YES	51 cm	STEEL	YES	8 positions	65 l	YES	YES	28 kg	1,800 m²
	FZR 5167-B	B&S 163 cm ³	2.8 KW	YES	51 cm	STEEL	YES	6 positions	65 l	YES	YES	33 kg	1,800 m²
	FZR 5611-B	OHV 196 cm ³	3.5 KW	YES	56 cm	STEEL	YES	6 positions	75 l	YES	YES	34 kg	2,000 m²





The scarifier or aerator is an important assistant in the care of lawn health. With the help of vertically placed knives, it will cut the lawn easily and gently and with the help of springs, it then removes the airtight layer, which prevents the supply of nutrients and moisture. You can use hand tools in the mini-garden, but for

Petrol scarifier

FZV 6050-B

- OHV 212 cm³/4.3 kW engine
- working width: 40 cm, steel chassis
- equipped with a cylinder with 36 knives as standard
- central working depth adjustment
- adjustment range -15 to +5 mm, 8 positions
- textile grass catcher of 35 l reducing dust permeability
- wheels mounted on ball bearings
- folding handle for easy storage
- optional accessory: cylinder with springs

a normal garden, choose one of the electric or petrol machines, which are fast, take up more width and work at a precisely set depth.

Like the lawn mower, the scarifier should match the size and nature of the plot. The electric assistant is more compact and runs quieter without emissions. Powerful machines can handle grassy space with an area of up to 1,000 m², the only condition is the reach of the electricity source. Although the petrol scarifier is noisier and less environmentally friendly, it offers greater coverage and faster work with unlimited possibilities of movement in the field, even if it is hilly or sloping.

FIELDMANN scarifiers have height-adjustable folding handle and simultaneously, the possibility of continuous regulation of the working depth, and the electrical machines have just two interchangeable cylinders – one for scarifying and the other for aeration.

everything for your home and garden

2,000 m²

FIELDMANN Home & Garden Performance

Electric scarifier

FZV 2102-E

600 m²



- electric engine input power: 1,300 W
- coverage width of scarifying: 32 cm
- · two interchangeable cylinders are included
- adjustment of the working depth according to the wear of the knives or springs
- scarifying roller with 18 knives
- aeration cylinder with 40 springs
- height-adjustable handle
- grass catcher with a capacity of 40 l

Electric scarifier

FZV 2004-E

800 m²



- electric engine input power: 1,500 W
- coverage width of scarifying: 32 cm
- two interchangeable cylinders are included
- adjustment of the working depth to 4 positions according to the wear of the knives or springs
- scarifying roller with 16 knives
- aeration cylinder with 20 springs
- grass catcher with a capacity of 40 l

Electric scarifier

FZV 4003-18E

1,000 m²



Electric scarifier FZV 4010-20E



1,200 m²



- electric engine input power: 1,800 W
- coverage width of scarifying: 38 cm
- · two interchangeable cylinders are included
- adjustment of the working depth according to the wear of the knives or springs
- scarifying roller with 16 knives
- · aeration cylinder with 24 springs
- grass catcher with a capacity of 48 l

- electric engine input power: 2,000 W
- coverage width of scarifying: 40 cm
- two interchangeable cylinders are included
- adjustment of the working depth according to the wear of the knives or springs
- scarifying roller with 20 knives
- aeration cylinder with 24 springs
- height-adjustable handle
- grass catcher with a capacity of 55 l







Cordless string trimmer FZS 1005-A



Electric string trimmer FZS 2105-E



Electric string trimmer FZS 2306-E



Electric string trimmer FZS 2505-E



Electric string trimmer FZS 2002-E



Electric string trimmer FZS 2050-E





- Li-lon battery 18 V/1,500 mAh
- operating time of approx. 35 min.
- string 1.4 mm
- · semi-automatic string trimmer head
- telescopic handle 85–110 cm
- adjustable cutting head angle and spacer strip
- weight: only 2 kg

- electric engine input power: 250 W
- · semi-automatic string trimmer head
- weight: 1.3 kg

optional accessory:

spare string 60 m / 1.0 mm

- electric engine input power: 350 W
- adjustable handle
- telescopic handle 95-105 cm
- weight: 1.7 kg

optional accessory:

spare string 60 m / 1.4 mm

- electric engine input power: 550 W
- · semi-automatic string trimmer head
- telescopic handle 105-125 cm
- weight: 2.3 kg

optional accessory:

spare string 60 m / 1.4 mm

- electric engine input power: 500 W
- possibility of adjusting the angle of the string trimmer head
- telescopic handle 92-114 cm
- support wheels
- protective guide against mowing ornamental plants
- weight: 2.4 kg

optional accessory:

- spare string 15 m / 1.4 mm
- spare string 60 m / 1.4 mm

- powerful electric motor: 1,400 W
- semi-automatic string trimmer head
- steel three tooth blade
- split shaft for better storage and transport
- height-adjustable handle
- shoulder strap in the package
- weight: 6 kg

optional accessory:

- spare string 60 m / 1.6 mm
- steel three tooth blade





Petrol brush cutter FZS 3003-B

Petrol brush cutter FZS 3020-B

Petrol brush cutter FZS 4004-B

Petrol brush cutter FZS 5003-B







- two-stroke engine with a capacity of 25.4 cm³ with an output of 0.7 kW
- steel three tooth blade for mowing more resistant plants – part of the package
- · double handle with ergonomic grips
- weight: 6.6 kg

optional accessory:

- spare string 2.4 mm / 15 m
- spare string 2.4 mm / 60 m
- spare string 2.4 min / 00 m
- · spare steel three tooth blade
- · semi-automatic string trimmer head
- work gloves

- two-stroke engine with a capacity of 32.5 cm³ with an output of 1.15 kW
- steel three tooth blade for mowing more resistant plants – part of the package
- · double adjustable handle and strap
- weight: 6.6 kg

optional accessory:

- spare string 2.4 mm / 15 m
- spare string 2.4 mm / 60 m
- spare steel three tooth blade
- · semi-automatic string trimmer head
- work gloves

- two-stroke engine with a capacity of 43 cm³ with an output of 1.4 kW
- · double handle with ergonomic grips
- steel three tooth blade for mowing more resistant plants – part of the package
- large fuel tank for uninterrupted operation
- weight: 7.2 kg

optional accessory:

- spare string 2.4 mm / 15 m
- spare string 2.4 mm / 60 m
- · spare steel three tooth blade
- semi-automatic string trimmer head
- work gloves

- powerful two-stroke engine with a capacity of 52 cm³ with an output of 1.6 kW
- double handle with ergonomic grips
- steel three tooth blade for mowing more resistant plants – part of the package
- large fuel tank for uninterrupted operation
- weight: 7.0 kg

optional accessory:

- spare string 2.4 mm / 15 m
- spare string 2.4 mm / 60 m
- · spare steel three tooth blade
- · semi-automatic string trimmer head
- work gloves

everything for your home and garden

Garden / String Trimmers,


Frimmers





Petrol brush cutter

FZS 5025-B



■ powerful two-stroke engine with a capacity of 51.7 cm³ with an output of 1.45 kW

double handle with ergonomic grips

steel three tooth blade for mowing more resistant plantspart of the package

■ large fuel tank for uninterrupted operation

weight: 8.5 kg

optional accessory:

- spare string 2.4 mm / 15 m
- spare string 2.4 mm / 60 m
- spare steel three tooth blade
- semi-automatic string trimmer head

work gloves





Model	Engine type	Input power	Mowing coverage	String diameter	Head angle adjustment	Telescopic handle	Support wheels	Protective guide	Weight
FZS 1005-A	Cordless electric engine	18 V / 1,500 mAh	26 cm	1.4 mm	YES	YES	NO	YES	1.9 kg
FZS 2105-E	electric engine	250 W	22 cm	1.0 mm	NO	NO	NO	NO	1.3 kg
FZS 2306-E	electric engine	350 W	25 cm	1.4 mm	NO	YES	NO	NO	1.7 kg
FZS 2002-E	electric engine	500 W	30 cm	1.4 mm	YES	YES	YES	YES	2.4 kg
FZS 2505-E	electric engine	550 W	30 cm	1.4 mm	YES	YES	NO	YES	2.3 kg
FZS 2050-E	electric engine	1,400 W	42 cm	1.6 mm	NO	NO	NO	NO	6.0 kg

Model	Engine type	Engine capacity	Engine power	Mowing coverage	String trimmer head	String diameter	Steel three tooth blade	Double handle	Weight
FZS 3003-B	two-stroke	25.4 cm ³	0.70 kW	44 cm	TWIST & GO	2.4 mm	YES	YES	6.6 kg
FZS 3020-B	two-stroke	32.5 cm ³	1.15 KW	42 cm	TWIST & GO	2.4 mm	YES	YES	6.6 kg
FZS 4004-B	two-stroke	43cm³	1.40 kW	43 cm	TWIST & GO	2.4 mm	YES	YES	7.2 kg
FZS 5003-B	two-stroke	52 cm ³	1.60 kW	44 cm	TWIST & GO	2.4 mm	YES	YES	7.0 kg
FZS 5025-B	two-stroke	51.7cm³	1.45 kW	44 cm	TWIST & GO	2.4 mm	YES	YES	8.5 kg





The chain saw is a necessary assistant when processing wood for the winter, but also for a more thorough pruning of woody plants. Choose its drive, power and length of the guide bar according to the nature of the activity, the amount of work you have to do with it, and also which user and how often he/she will work with the saw. FIELDMANN chain saws have a bar length of 35 or 40 cm, which are ideal for occasional cutting of small quantities of firewood or tree pruning.

Electric chain saws are easy to maintain, environmentally friendly and suitable even where exhaust fumes may be otherwise a problem – for example in a closed workshop. The quieter operation welcome in the gardens in dense areas or in recreational areas is also an advantage. Use is limited by the range of electricity. The category of petrol devices is intended for those who use the saw more often, thus requiring higher power, or even the possibility of working without restricting the electricity supply. Petrol saws can also handle larger amounts of wood and thicker branches

or tree trunks. Safety comes first when working with a chain saw. FIELDMANN chain saws manufactured using high-quality materials and components have a safety brake as standard for immediate chain stopping, selected models also have a safety clutch or a fixed tooth support that prevents kickback.







PETROL SAWS

Petrol chain saw **FZP 5816-B**

We recommend



Petrol chain saw **FZP 56516-B**



- two-stroke engine with a capacity of 45 cm³
- FIELDMANN guide bar 40.5 cm long
- safety chain brake
- C.D.I. starting system
- weight: 5.0 kg

- guide bar 40.5 cm long
- FIELDMANN chain

•	safety chain brake
•	C.D.I. starting system
•	weight: 5.6 kg

two-stroke engine with a capacity of 56.5 cm³
auido bas 40 E em long

Model	Engine capacity/power	Guide bar length	Safety brake	Safety clutch	Automatic chain lubrication	Chain lubrication regulation	Weight
FZP 45016-B	45 cm ³ /1.7 kW	40.5 cm	YES	NO	YES	YES	5.0 kg
FZP 56516-B	56.5 cm ³ /2.5 kW	40.5 cm	YES	NO NO	YES	YES	5.6 kg
FZP 5816-B	58 cm³ / 2.4 kW	40 cm	YES	NO	YES	YES	6.0 kg

two-stroke engine with a capacity of 58 cm³

- guide bar 40 cm long
- FIELDMANN chain
- safety chain brake
- C.D.I. starting system
- weight: 6.0 kg

C.D.I. ignition system

This system makes it much easier to start an unheated saw. You will appreciate its advantages especially in winter.



FIELDMANN'
Home & Garden Parlamance





ELECTRIC SAWS

Electric chain saw FZP 2025-E

Electric chain saw **FZP 2030-E**



- electric engine input power: 1,800 W
- FIELDMANN guide bar 35 cm long
- safety chain brake
- automatic oil pump
- weight: 5.0 kg with a guide bar and chain



- quide bar 40 cm long
- safety chain brake
- automatic oil pump
- weight: 5.5 kg with a guide bar and chain
- · quick chain tensioning system



- electric engine input power: 2,400 W
- guide bar and chain Oregon with a length of 40 cm
- excellent balance thanks to unique design
- safety chain brake
- automatic oil pump
- weight: 5.4 kg with a guide bar and chain



- electric engine input power: 2,400 W
- guide bar and chain Oregon with a length of 40.5 cm
- excellent balance thanks to unique design
- safety chain brake
- automatic oil pump
- weight: 5.5 kg with a guide bar and chain



Model	Input power	Guide bar length	Safety brake	Safety clutch	Automatic chain lubrication	Chain lubrication regulation	Weight
FZP 2105-E	1,800 W	35 cm	YES	NO	YES	NO	5.0 kg
FZP 2005-E	2,000 W	40 cm	YES	NO	YES	NO	5.5 kg
FZP 2025-E	2,400 W	40 cm	YES	YES	YES	NO	5.5 kg
FZP 2030-E	2,400 W	40 cm	YES	YES	YES	NO	5.5 kg





everything for your home and garden

ELECTRIC AND PETROL HEDGE TRIMMERS

If you want to have a well-tended hedge, you can't do without its maintenance aids. But with mechanical clippers, you will only manage really small areas. For hedges, which are usually several tens of meters long, hedge trimmers or powered hedge cutters – electric or petrol are needed. Working with electric or petrol hedge trimmers is easier, faster, more comfortable, but also more accurate than with manual hedge clippers.

With an electric hedge cutter, you get the advantage of a lighter device, zero emissions and basically zero maintenance, with petrol machines the limit of the availability of electricity and the supply cable is eliminated. Petrol machines offer more power and higher speed.

Choose the right assistant according to the power – the longer, more high-grown, denser and thicker the branches of the plant, the greater the power you need. Focus also on the length of the guide bar – a longer one (40 cm and more) is suitable for wide hedges, large areas or shaping larger bushes, a shorter guide bar will

suffice for a solitary thuja. It is worth buying telescopic hedge trimmers for a high or difficult-to-access hedge (these can be found among tree pruners). It is practical to be able to adjust the cutting head or handle to different angles, with which you can easily manage even vertical surfaces, places low to the ground, etc.

All FIELDMANN hedge cutters are equipped with a safety switch system that prevents unintentional lowering, a guide bar cover for safe storage or a protective shield against flying branches.





Electric hedge trimmers FZN 2000-E

Electric hedge trimmers FZN 2305-E

Electric hedge trimmers FZN 2505-E

Petrol hedge trimmers



- input power: 520 W
- guide bar length: 400 mm
- safety two-hand engine switch
- safety brake
- adjustment of branches up to a diameter of 16 mm
- guide bar protective cover
- weight: 2.25 kg

- input power: 550 W
- guide bar length: 500 mm
- cutting diameter 16 mm
- safety switch system
- weight: 2.5 kg

- input power: 600 W
- guide bar length: 550 mm
- adjustable shear angle
- 4 horizontal handle positions
- cutting diameter 20 mm
- safety switch system
- weight: 2.6 kg

- two-stroke engine with a capacity of 26 cm³
- guide bar length: 510 mm
- maximum cutting diameter 24 mm
- adjustable handle for vertical cutting
- safety switch system, protective front shield
- weight: 5.4 kg



Model	Engine type	Input power/ power	Guide bar length	Maximum cutting diameter	Sensor security system	Weight
FZN 2000-E	electric engine	520 W	40 cm	16 mm	YES	2.25 kg
FZN 2305-E	electric engine	550 W	50 cm	16 mm	YES	2.5 kg
FZN 2505-E	electric engine	600 W	55 cm	20 mm	YES	2.6 kg
FZN 4006-B	petrol	26 cm³ / 0.75 kW	51 cm	24 mm	YES	5.4 kg







You can't do without hedge clippers. in the garden. They are needed for cutting an ornamental shrub, for liquidating overly rank offsets of woodbine or for a quick pruning of a fruit tree, for cutting off a bouquet of roses... The brand **FIELDMANN** offers several types of these assistants tailored to specific activities straight away.

One-handed double-shear (double-edge) clippers are designed especially for detailed shaping of shrubs, pruning, rejuvenation or grafting of trees or cutting of thicker flower stems. Thanks to the shears made of high-quality metal, they can also handle young tree branches up to thickness of 15 or even 20 mm. Ergonomically designed handles ensure that they are comfortable and easy to work with.

Lever shears for branches are designed for thicker branches – up to a thickness of 50 mm, which they can manage thanks to longer handles and a leverage. In telescopic lever shears from FIELDMANN, handles can be even extended, from the standard 68 up to 92 cm. This will allow adjustment to several different lengths, and therefore different range. The low weight of these tools due to the use of high-quality aluminium alloy also increases the cutting comfort. All FIELDMANN lopping shears are equipped with ergonomic handles with a rubberised surface.

Do you need to conquer even stronger branches? Then a hand saw will be suitable or a telescopic pruning saw for work in higher positions, with a range of up to 5 meters.

Lopping shears

FZNR 1006



- lopping shears
- double-bladed
- max. thickness of wet branch: 20 mm
- SK5 stainless steel blade

Lever shears for branches

FZNR 1013







- telescopic shears
- single-bladed
- shears length 680–920 mm
- shears weight: only 1920 g
- cut of branches up to 50 mm
- steel handles
- rubberised handles

Lopping shears

FZNR 1007



- lopping shears
- double-bladed
- max. thickness of wet branch: 20 mm
- · 2 cutting pitch positions

Lever shears for branches

FZNR 1022



- telescopic shears
- shears length 680-920 mm
- shears weight: only 1,980 g
- · cut of branches up to 50 mm
- steel handles
- rubberised handles

Hand saw

FZNR 1310



- blade length: 240 mm
- total length: 410 mm
- blade treated against corrosion
- weight: 380g
- protective case
- possibility of attachment to the belt

Garden tools set

FZNR 1101



- set of 5 hand tools
- · hoe, fork, garden claw, root puller and transplanting trowel
- plastic with strong polyamide fibres
- high heat resistance
- high strength



Telescopic pruning saw **FZNR 1350**



- suitable for pruning branches in tree crowns
- · high sharpness, hardened teeth
- telescopic pole with adjustable range,
- plastic blade cover also included

Garden tools set

FZNR 1104



- set of 4 hand tools
- trowel, small rake, cultivator, weed puller
- high durability
- material: aluminium
- softened handle



GRASSSHEARS, TREE PRUNERS

Detailed shaping of decorative hedges or ornamental shrubs as well as final treatment after work with a classic lawn mower can be facilitated by grass shears and hedge trimmers. They use two-edged blades to cut the edge of the lawn precisely. All you have to do to shape highergrown shrubs or just a short hedge of low-hardy plants is to replace the knives with a guide bar for dressing ornamental trees, with which you can cut branches up to a thickness of 1 cm.

The swivel handle allows you to choose one of four working positions for comfortable work even in less accessible places. Among the optional accessories, you will find a telescopic pole with a length of up to 130 cm, additionally equipped with wheels for easier work standing up, which is useful, for example, when trimming grass along the pavement. Of course, there is a safety lock to prevent accidental starting and a protective cover of the guide bar. The high-quality Li-Ion battery of the cordless shears and trimmers has no memory effect and does not suffer from self-discharge.

To prune the branches in the tree crown, you need a ladder or stepladder – working with cutting tools at height is, however, associated with many risks. These are eliminated when using an electric telescopic pruner. Thanks to the handle, which can be adjusted to a length of up to 290 cm, you can easily reach it from the ground to the crowns of, for example, fruit trees. The FIELDMANN telescopic cutter has the option of adjusting the angle of the cutting head, the comfort of use is increased by the softened handle cover or shoulder strap.

everything for your home and garden







Telescopic hedge trimmers

FZN 6005-E

- electric engine input power: 450 W
- length of the shear guide bar 46 cm
- maximum cutting diameter 16 mm
- Illaxiilloill colling diameter 16 illill
- cutting head angle adjustment 8 positions
- telescopic handle adjustment in the range of 1.9-2.5 m
- weight: 3.70 kg

Pole saw

FZP 6005-E

- electric engine input power: 600 W
- FIELDMANN guide bar and chain
- guide bar length 25 cm
- possibility to adjust the cutting head angle 3 positions
- telescopic handle adjustment in the range of 2.3-2.9 m
- weight: 3.50 kg

Cordless grass shears and hedge trimmers

FZN 4000-A

- Li-lon battery 3.6 V / 1,500 mAh
- operating time of approx. 30 min
- recharging time of approx. 4 hours
- 2 cutting blades easy exchange
- shrub trimmer blade 100 mm
- grass shear blade 70 mm
- safety switch
- · battery charge status indicator
- weight: 0.60 kg

Cordless grass shears and hedge trimmers

FZN 4101-A/4102-AT

- replaceable Li-Ion battery 3.6 V / 1,300 mAh
- swivel head with 4 positions
- grass shear blade 80 mm
- shrub trimmer blade 110 mm
- battery power indicator
- weight: 0.60 kg
- the FZN 4102-AT option also includes a telescopic handle (130 cm)
- weight 1.00 kg



Where to place waste after pruning trees or preparing firewood? Fresh branches are difficult to burn, in some areas such disposal is not even allowed by a local decree. Drying them in the corner of the garden is also not ideal, and if you do not own a car with a trailer, transport to waste recycling centres can be technically demanding. Garden shredders and chippers will easily help with disposal, which will also allow the waste to be further effectively used.

FIELDMANN electric shredders process the branches of shrubs and trees, which they crush into small pieces using rotary blades. The resulting pulp, which is collected in a plastic box or textile bag, can be composted or used as mulch in flower beds where you want to prevent weed growth.

The pieces that form a wood chipper from the branches can also be used as mulch, but they are also suitable for kindling of fire in stoves or boilers. The wood chipper does not crush the branches, but with the help of a slowly rotating teeth roller it breaks them into larger chips, which are caught in a plastic box. The FIELDMANN wood chipper can handle branches up to a diameter of 44 mm, has a self-feeding function, reverse run and overload protection.

everything for your home and garden

Electric shredder FZD 4010-E

Electric shredder FZD 4020-E

Electric wood chipper FZD 5015-E







- shredding system: 2 blades
- input power: 2,400 W
- overload protection
- maximum diameter of crushing: 4 cm
 included bag for shredded waste
- large catcher opening
- overload protection
- weight: 14 kg

- electric engine input power: 2,500 W
- blade crushing system 2 blades
- waste crushing up to a diameter of 4 cm
- overload protection
- solid steel construction with wheels for easy relocation
- box with a capacity of 50 l with safety lock for easy handling of crashed material
- weight: 14.1 kg

- electric engine input power: 2,800 W
- crushing with a teeth roller
- box for crushing material with a volume of 60 l
- crushing of garden waste up to a diameter of 4.4 cm
- overload protection and reverse run
- robust steel construction with wheels for easy handling
- weight: 19.4 kg





A garden blower or a vacuum cleaner is primarily used while cleaning autumn leaves. With the help of a strong wind current, it blows the fallen leaves into one place, removes them even from hard-to-reach corners and thus saves hours of strenuous work with rakes.

When reverse run is engaged, for which a single lever movement is sufficient, it works as a vacuum cleaner. It sucks the leaves from a blown pile into the attached bag, crushes them on the way, thus preparing the ideal material for compost. However, the garden blower can also be used elsewhere around the house – you can easily remove powder snow with it or blow out sawdust out of the backyard after cutting wood.

FIELDMANN blowers and vacuum cleaners reach air velocity 250 km/h, higher category models of 270–300 km/h! They also have practical bulky collection bags that are attached to the body of the device with a simple movement. Continuous power control is useful, for example, in a situation where you need to suck leaves from the flower bed, but no longer carefully spread mulch. FIELDMANN blowers are equipped with a guide wheel and a shoulder strap for easier handling.



FIELDMANN® Home & Garden Performance

Electric garden vacuum cleaner FZF 4008-E

Electric garden vacuum cleaner

FZF 4030-E








- electric engine input power: 3,000 W
- 3 functions blowing, sucking, crushing
- air velocity 240 km/h
- suction power up to 9 m³/min.
- mulching ratio 10:1
- collection bag volume 45 l
- shoulder strap included
- weight: 2.8 kg

- garden vacuum cleaner with the possibility of continuous power control
- electric engine input power: 3,000 W
- · soft start smooth engine start
- 3 functions blowing, sucking, crushing
- air velocity 100 to 270 km/h
- suction power up to 13 m³/min.
- mulching ratio 10:1
- collection bag volume 45 l
- shoulder strap included
- steel shredder
- weight: 3.5 kg



- garden vacuum cleaner with the possibility of continuous power control
- electric engine input power: 3,000 W
- soft start smooth engine start
- 3 functions blowing, sucking, crushing
- air velocity 100 to 300 km/h
- suction power up to 16 m³/min.
- mulching ratio 15:1
- collection bag volume 45 l
- shoulder strap included
- retractable small rake and telescopic nozzle
- steel shredder
- easy access to the workspace
- weight: 3.7 kg







everything for your home and garden

Clean water pump FVC 2001- EC

Sludge water pump **FVC 2003- EK**

Sludge water pump **FVC 4001-EK**

Sludge water pump FVC 4002- EK

Pump with integrated float FVC 5015-EK



Drum pump **FVC 3002- ED**



- · float pump with an input power of 250 W
- maximum delivery 6 m maximum suction depth 5 m
- maximum transferred water
- amount 5,000 l/h
- maximum size of solid impurities 5 mm
- possibility to connect 1"or 2" hose



- universal pump with an input power of 400 W
- maximum delivery 5 m
- maximum suction depth 5 m
- maximum transferred water amount 7,500 Vh
- · maximum size of solid impurities 35 mm
- possibility to connect 1"or 2" hose



- · powerful sludge pump with an input power of 750 W
- maximum delivery 8 m
- maximum immersion depth 8 m
- maximum transferred water amount 12,000 l/h
- maximum size of solid impurities 35 mm
- possibility to connect 1"or 2" hose



- submersible sludge pump with a durable stainless steel body
- electric input power: 900 W
- maximum delivery 10 m
- maximum immersion 10 m
- maximum transferred water amount 14,500 l/h
- maximum size of solid impurities 25 mm
- possibility to connect 1"or 2" hose
- internal diameter 12.5 mm
- external diameter 18 mm



- electric input power: 750 W
- max. flow rate: 14,000 l/h
- max. immersion depth: 7 m
- max. delivery: 8 m
- max. pressure: 0.8 bar
- residual level in automatic operation 6 cm
- residual level in manual operation 2 cm
- maximum size of solid impurities 16 mm
- possibility to connect 1"or 2" hose



- input power: 250 W
- maximum flow rate 2,000 l/h
- maximum immersion depth 7 m
- maximum delivery 9 m
- maximum size of solid impurities
- power cord length 10 m
- float switch









- · engine type: 2-stroke single cylinder 52 cm3
- engine power: 1.45 kW
- fuel mixture ratio (oil/fuel) 1:25
- max. delivery 30 m
- max. suction depth 7 m
- max. flow rate 20,000 Vh

Garden pump FVC 8010/8020-EC



- input power: 600/800 W
- maximum deliveru 35/40 m
- maximum pumping depth 7/8 m
- maximum transferred water amount 2,800/3,200 Vh
- power cord length 1.2 m



SOLAR SHOWERS

Solar showers are an ideal source of hot water without the use of electricity. The water in the tank is simply and ecologically heated by the sun. The solar shower provides a refreshing light shower in the heat, but is also suitable for the pool. Rinsing before swimming reduces the maintenance of the pool.





Solar shower **FZH 5020**

- dimensions of the shower: $11 \times 218 \text{ cm}$
- volume of the container: 20 l
- max.water temperature: 60°C



Solar shower **FZH 5025**

- dimensions of the shower: 11 × 218 cm
- volume of the container: 20 l
- max.water temperature: 60°C
- tap: yes





Solar shower **FZH 5035**

- dimensions of the shower: $16 \times 218 \text{ cm}$
- volume of the container: 35 l
- max. water temperature: 60°C
- tap: yes











Irrigation hose **FZH 9115**

- 1"
- length 15 m
- 3 layers
- operating temperature: from -5°C to + 65°C
- · operating pressure max. 6 bar
- suitable for FVC 2001, FVC 2003, FVC 4001, FVC 4002, FVC 5010

Irrigation hose **FZH 9120**

- 3/4"
- length 20 m
- 3 layers
- operating temperature: from -5°C to + 65°C
- operating pressure max. 8 bar

Irrigation hose **FZH 9130**

- 1/2"
- length 30 m
- 5 layers
- operating temperature: from -5°C to + 65°C
- operating pressure max. 10 bar

Irrigation hose **FZH 9150**

- 1/2"
- length 50 m
- operating temperature: from -5°C to + 65°C
- operating pressure max. 10 bar

everything for your home and garden

HOSE REELS, IRRIGATION GUNS **AND GARDEN HOSES**



So that you don't have to untangle the garden hose before each watering, it is worth buying a winch. Thanks to it, you can easily and quickly unroll and roll up the hose. In addition, using a winch will extend the service life of the hose.

Whether you are choosing a wall winch or a free-standing model, the universal novelty FIELDMANN FZH 1021 is the ideal choice. It is suitable for both applications. FIELDMANN also offers high-quality garden hoses that ensure good service with a long service life. They are resistant to UV radiation and have high temperature stability. At the same time, they are flexible, resistant to mechanical pressure, twisting or breaking. Both three-layer and five-layer hoses do not let the light through, which stimulates the formation of algae in the hose. The range also includes accessories, especially various irrigation guns and end pieces.

Garden winch Garden winch **FZH 1160 FZH 1146**



- a hose (1/2") in the length of 60 m can be used
- resistance to corrosion
- easy installation
- light construction
- convenient carruing
- economical storage



- a hose (1/2") in the length of 45 m compatible with end piece 1/2", 13 mm
- resistance to corrosion
- easy installation

can be used

- light construction
- convenient carruing
- economical storage

Irrigation guns **FZH 9007**



- length 450 mm
- 8 positions
- easy flow rate control

Set of end pieces 1/2" **FZH 9006**

Set of end pieces 3/4" **FZH 9008**

Irrigation set 1/2" ZH 9005

Irrigation guns **FZH 9004**



Garden winch





FZH 1220



- hose diameter: 1/2"
- adapter: 1/2"/3/4" BSP
- operating temperature: from -5 to + 45°C
- operating pressure max. 8 bar
- burst pressure: 24 bar

- hose length: 20 m (outlet) + 2 m (inlet)
- hose diameter: 1/2"
- adapter: 1/2" and 3/4"
- working pressure 8 bar
- burst pressure: 24 bar
- operating temperature: -5 to + 45°C

Irrigation timer **FZH 2020**





- irrigation time: 1 min 4 h
- operating pressure: 0.5–8 bar
- max. flow rate: 35 l/min
- watering: up to 3x a day
- up to 3 individual plans for each day
- frequency of irrigation for each plan: Mon to Sun or every 2/3/4/5/6 days





· compatible with a hose

3 x end piece – female

adapter 1/2" and 3/4"

· variable irrigation gun

• 1× stop end piece - female

1/2"



- · compatible with a hose 3/4"
- 3 x end piece female
- 1× stop end piece female
- adapter 1/2" and 3/4"
- variable irrigation gun
- compatible with a hose 1/2"
- 3 x end piece female
- 1× stop end piece female
- adapter 1/2" and 3/4"
- · irrigation gun 8 positions
- compatible with end piece 1/2"
- 13 mm
- 10 positions
- · easy flow rate control







High pressure washer FDW 201602-E

High pressure washer FDW 201650-E



High pressure washer FDW 202205-E





- voltage/frequency: 230 V / 50 Hz
- input power: 1,600 W
- maximum pressure: 130 bar
- maximum flow rate: 420 l/hour
- power cord: 5 m
- high-pressure hose length: 5 m
- spray gun with variable nozzle
- integrated shampoo container

- voltage/frequency: 230 V / 50 Hz
- input power: 1,650 W
- max. pressure: 135 bar
- max, flow rate: 420 l/hour
- power cord: 5 m
- high-pressure hose length: 5 m
- spray gun with variable nozzle
- turbo nozzle
- car brush
- surface cleaner
- · integrated shampoo container

- voltage/frequency: 230 V / 50 Hz
- input power: 2,200 W
- max. pressure: 165 bar
- max. flow rate: 450 Vhour
- power cord: 5 m
- high-pressure hose length: 5 m
- spray gun with variable nozzle
- turbo nozzle
- car brush
- surface cleaner
- integrated shampoo container



With a hoe, you will manage a small flower bed at most. If you are going to loosen larger areas, use a cultivator with a drive. FIELDMANN offers electric and petrol cultivators, which use rotating blades to loosen and aerate the soil, disintegrate hardened lumps and pieces of turf, bring stones and weeds to the surface and at the same time plough in compost, fertiliser or seedlings into the soil.

Electric cultivators are ideal for medium-sized flower beds within reach of an electrical outlet, they are light and easy to handle. Low noise and zero emissions make them great assistants in soil preparation in enclosed greenhouses. The petrol machine offers other advantages, especially the ability to work on large areas without limiting the availability of electricity.

Electric cultivator FZK 2002-E

Electric cultivator FZK 2004-E

Electric cultivator FZK 2115-E

Petrol cultivator FZK 6015-B

Petrol cultivator FZK 6115-B

The offer also includes a cordless cultivator within



- electric engine input power: 750 W
- working width 32 cm
- steel gears
- 4 steel blades
- blade diameter 20 cm
- folding handle
- weight: 8 kg

- electric engine input power: 1,200 W
- working width 40 cm
- steel gears
- 6 steel blades
- blade diameter 20 cm
- folding handle
- weight: 11 kg

- electric engine input power: 1,500 W
- working width 35/45 cm
- steel gears
- 6 steel blades
- blade diameter 21 cm
- folding handle
- weight: 12 kg
- possibility to add two more blades

- engine: OHV, 139 cm³, 2.2 kW
- working width: 36 cm
- blade diameter: 26 cm
- weight: 31 kg
- engine: OHV, 139 cm³, 2.2 kW
- working width: 36/59 cm
- blade diameter: 26 cm
- weight: 34 kg
- possibility to add two more blades

Model	Input power / power	Working width	Number of blades	Blade diameter	Folding handle	Support wheels	Weight
FZK 2002-E	750 W	32 cm	4	20 cm	YES	NO	8 kg
FZK 2004-E	1,200 W	40 cm	6	20 cm	YES	YES	9.45 kg
FZK 2115-E	1,500 W	35/45 cm	6	21 cm	YES	YES	12 kg
FZK 6015-B	2.2 kW	36 cm	4	26 cm	NO	YES	31 kg
FZK 6115-B	2.2 kW	36/59 cm	4/6"	26 cm	NO	YES	34 kg



POWER GENERATORS

Watching your favourite TV show, blow-drying your hair or using an electric drill, even on a boat or in a cottage where there are no electric wires? Or they are available, but the power is out after the storm? In short, there are situations when an electric power generator comes in handy.

For caravan and boat owners, campers, but also for gardeners, cottagers and builders, there are power generators from FIELDMANN. Inverter models with the look of a suitcase are compact and easy to move, so they are useful when travelling by caravan, camping, on a boat. Thanks to inverter technology, these models provide a very high quality and stable voltage, so it is possible to connect sensitive electronics such as a PC or TV. The frame model is the optimal solution for outdoor operation of garden equipment and tools. It is also suitable for smaller construction sites and house renovation.





quarant, performance: 2,100 W

connections: 2×230 V

operating time: 12.5 h



Petrol generator

FZI 4010-Bi

- OHV engine 54 cm³
- maximum power 1,000 W
- permanent power 900 W
- inverter technology el. output control
 outputs: 1x ~230 V/50 Hz,
- 1× = 12 V, 1× USB
- tank volume 3 l
- operating time per tank up to 8.5 h
- weight: 15 kg



Petrol generator

FZI 4020-Bi/4018-Bi

- OHV engine 80 cm³
- maximum power 1,800 W
- permanent power 1,600 W
- inverter technology el. output control
- outputs: 1× ~230 V/50 Hz, 1× = 12 V, 1× USB
- tank volume 4.5 l
- operating time per tank up to 6 h
- weight: 21 kg
- FZI 4018-Bi variant with smaller 4.1 l tank available





Engine oil MOL Dynamic Garden 2T

Engine oil MOL Dynamic Garden 4T

Oil for lossy lubrication MOL Dynamic Forest

Engine oil MOL Essence



- oil designed to mix the fuel mixture for two-stroke engines
- keeps the engine clean and reduces engine wear
- prevents plug damage
- suitable for garden machinery
- package volume 0.6 l



- designed for lubrication of fourstroke petrol engines
- retains its excellent properties even at low temperatures
- suitable for year-round use
- viscosity class SAE 10W-30
- suitable for garden machinery
- package volume 0.6 l



- oil designed for lubrication of chain saw chains
- suitable for year-round use in petrol and electric saws
- reduces the friction temperature and reduces wear on the chain and guide bar
- integrated funnel for convenient pouring
- package volume 0.6 l



- oil for lubrication of four-stroke petrol engines
- high thermo-oxidative stability
- viscosity class SAE 15W-40
- suitable for garden machinery
- package volume 1.0 l



Hand sprayer FZO 8050



- container capacity 2 litres
- metal nozzle with spray control
- overpressure valve
- switch with the possibility of locking after start-up

Garden cart FZO 4001



- practical cart for use in every garden or around the house
- stable construction and easy handling
- replaceable plastic bag with a volume of 80 l
- cart load capacity 25 kg





- container capacity 1.6 litres
- 2× PVC hose: diameter 8 mm and length 1 m
- diameter 10 mm and length 1.3 m
- funnel
- also applicable for all types of fuels



- container capacity 5 litres
- metal nozzle with spray control + position adjustment
- overpressure valve
- shoulder strap
- max. pressure 2.5 bar



everything for your home and garden

Work gloves FZO 5010

Work gloves FZO 6010/6011

Work gloves FZO 7010

Work gloves FZO 7011

Work female gloves FZO 2111

Work female gloves FZO 2110



- palm part of fine goatskin
- · finger part of fine goatskin
- upper part elastic synthetic fabric
- · velcro strap to attach to the wrist
- size 10"(XL)




- reinforced palm lining to dampen vibrations
- lower palm part made of synthetic leather
- upper part made of flexible and breathable synthetic fabric
- the securing strap on the wrist prevents slipping
- size 10" (XL) / 11" (XXL)



- lower part made of synthetic leather
- upper part made of elastic neoprene
- loop for easy donning
- anti-slip protection with Velcro tape size 10"/XL





- upper part made of premium neoprene
- loop for easy donning
- size 10"(XL)



- lower part made of synthetic leather
- upper part made of flexible SPANDEX material
- elastic material on the wrist against slipping
- size 8"(S)



- lower part made of synthetic leather
- upper part made of flexible SPANDEX material
- elastic material on the wrist against slipping
- size 8"(S)

Aluminium folding shovel FPL 4002





- unfolded length 82 cm
- folded length 66 cm
- aluminium shovel with anodised surface with a size: 22 × 28 cm
- ergonomic handle for easier handling
- max. recommended weight 15 kg
- security locks against spontaneous folding up
- weight: 0.6 kg







- steel thickness 1.5 mm
- steel handle
- unfolded length 57 cm
- folded length 23.5 cm
- max. recommended weight 23 kg
- weight: 0.99 kg
- shovel width 15 cm
- package includes: portable bag





Today, it is no longer just a seasonal affair, quality garden furniture is used all year round in indoor gardens, covered pergolas or on glazed balconies. Maybe that's why the assortment in this area is increasingly similar to the offer of interior furniture. Even in the garden (or pergola), comfort comes first, it is no longer enough just to have a dining table and chairs, or a sunshade, although they are available in a wide range of shapes and sizes.

There are also sofas and entire sofa systems, swings, serving tables and other pieces of furniture, which used to be exclusively a matter of interior spaces. FIELDMANN offers quality garden furniture made of tropical wood, metal and artificial rattan.

Furniture Made of Tropical Acacia Wood

Wooden garden furniture is very popular due to its originality and naturalness of the natural material, which easily fits into traditional as well as purely modern gardens. FIELDMANN wooden garden furniture is made of exotic acacia wood, which is characterised by an olive brown to grey-brown shade with a fine texture. It is hard wood, highly resistant to moisture and other weather conditions, so you don't have to be afraid to leave the furniture outside all season, regardless of the weather.

Care for Wooden Furniture

Despite its resistance to climatic influences, it is ideal to store furniture made of exotic wood in a dry environment for the winter or to cover it with a cover or tarpaulin. It should be impregnated with oil at least once a season, which will support its durability, service life and strengthen protection against UV radiation and pests, while maintaining the beautiful appearance of the wood. This is not a difficult task. Before impregnating, you only need to

clean the furniture well, you can remove any algae, mould or fungi with fine sandpaper. Impregnate the wood with the specified products when it is dry, free of dust and dirt.

Metal Furniture

Strength, stability, dimensional stability, weather resistance and a long service life supported by advanced finishes, as well as modern design, elegance and minimal maintenance, these are the features for which many people choose metal furniture for their gardens. The offer of FIELDMANN metal furniture includes various sets of tables and chairs, which you can freely combine into an ideal set, as well as comfortable deckchairs or swings. The weaves of armchairs and chairs are made of durable, flexible and maintenance-free fabric, which does not get hot even in direct sunlight. Thanks to the continuing popularity of metal furniture, FIELDMANN has added new models to its offer this year as well.

Rattan Furniture

Soapy water to remove any dirt or dust and clean rinsing water. That is all you need to maintain artificial rattan furniture. For this reason, it has more and more fans who also appreciate the durability as well as the comfort and variability that this material offers. The FIELDMANN range includes both sets of tables and chairs made of artificial rattan, as well as a deckchair or luxury sofa set, with which you can create the perfect lounge zone in the open air.

Textile Accessories

Textile seat cushions and upholstery are an opportunity to further increase the comfort of garden sitting. In the **FIELDMANN** offer, these accessories are available in several colours, including the popular cream and bottle green. They are made of high-strength, water-resistant polyester. The height of the seat cushions of 5 cm ensures really comfortable sitting. They are available for most types of chairs, armchairs, deckchairs and benches.





- · practical set of furniture usable not only on balconies
- the chair and table can be easily folded and stored comfortably
- table dimensions \emptyset 60 × 72 cm, chair dimensions 52 × 38 × 80 cm
- made of tropical acacia hard wood
- resistant against weather influences
- set also includes cushions and armrests



- larger and more comfortable balcony furniture set
- easily foldable square table 60 × 60 cm
- 2 chairs 55 × 40 × 81 cm
- designed for outdoor use
- made of tropical acacia hard wood

optional accessories: seat cushions in green and cream









COLOUR OF SEAT CUSHIONS

Garden furniture set

EMILY-T

- set consists of 4 chairs and a folding table
- table $120 \times 70 \times 74$ cm with the possibility of folding
- possibility of placing a sunshade in the prepared hole
- folding, ergonomically shaped chair $49 \times 57 \times 94$ cm
- load capacity of the chair 110 kg
- possibility to buy additional seat cushions
- designed for outdoor and indoor use, treated with oil paint
- made of tropical acacia hard wood

optional accessory:

chair seat cushions in green and cream



Serving table

FDZN 4050-T

- luxury acacia serving table
- dimensions: 80 × 50 × 86 cm
- two removable levels

separate trays

- levels can also be used as
- wheels for easy handling
- table is treated with oil paint
- suitable also for outdoor use







Garden furniture set

CALYPSO-T

- the set consists of 4 armchairs and a rectangular table
 90 × 150 cm
- the backrest of the ergonomically shaped chair can be adjusted to 5 positions
- armchair armrests increase seating comfort
- armchairs can be fully folded up to minimise storage requirements
- the table has an opening for placing a sunshade
- · made of tropical acacia wood
- suitable for outdoor use

optional accessory:

 armchair covers of different colours and patterns

Garden / Garden Furniture

COLOR OF COVER



Garden furniture set

CARMEN I-T/CARMEN II-T

- Carmen IT / II.-T set for 6/7 people
- CARMEN II.-T set consists of 4 armchairs, a threeseater bench and a folding table
- CARMEN I.-T set consists of 6 armchairs and a folding table
- table 150/200 × 90 cm with a hole for a sunshade
- folding armchairs with adjustable backrest and armrests
- comfortable three-seat bench with backrest
- made of tropical acacia wood

optional accessory:

 armchair covers of different colours and patterns



Garden furniture set MOLLY II.

- the set consists of 4 chairs and a table
- table 120 × 70 × 74 cm
- possibility of placing a sunshade in the prepared hole
- folding, ergonomically shaped armchairs with armrests
 54 × 65 × 94 cm
- · chair load capacity 110 kg
- made of tropical acacia hard wood
- chair filling made of durable synthetic fabric
- possibility to buy a seat cushion
- · designed for outdoor and indoor use
- treated with oil paint



Garden furniture set

ARIA-T

- luxury set consisting of 6 armchairs and a rectangular folding table
- robust, reinforced armchairs are ergonomically shaped
- possibility to adjust the backrest of the armchair
- basic table length of 150 cm can be extended to 200 cm
- sunshade placement option
- · designed for outdoor and indoor use
- made of tropical acacia wood

optional accessory: armchair covers of different colours and patterns

FIELDMANN Home & Garden Performance

Garden table FDZN 4011-T


Garden table FDZN 4002-T



Garden table FDZN 4104-T Garden bench FDZN 4013-T







- table top with a hole for a sunshade
- possibility of folding the table
- designed for outdoor and indoor use, treated with oil paint
- made of tropical acacia wood



- rectangular table 150 × 90 cm
- ideal in combination with 4 armchairs or 2 armchairs with a bench
- sunshade placement option
- made of tropical acacia wood
- designed for exteriors and interiors



- folding garden table
- basic size 150 × 90 cm, after unfolding 200 × 90 cm
- the table can be well combined with 6 armchairs or 4 armchairs and a bench
- when unfolded, a sunshade can be placed in the centre of the table
- acacia design
- · designed for exteriors and interiors



- rectangular shape
- dimensions: 150/200 × 90 × 75 cm
- easy unfolding and folding, stable construction
- sunshade placement option
- suitable for outdoor and indoor use
- made of tropical acacia wood



- two-seat garden bench
- dimensions: 122 × 57 × 85 cm
- comfortable seating, possibility of buying covers
- easy installation
- · designed for exteriors and interiors
- made of tropical acacia wood

optional accessory:

 covers of different colours and patterns



three-seat garden bench

- dimensions: /150 × 61 × 90 cm
- comfortable seating, possibility of buying covers
- easy installation
- designed for exteriors and interiors
- made of tropical acacia wood

. . .

optional accessory:covers of different colours and

 covers of different colours an patterns

Garden armchair FDZN 4012-T

Garden armchair FDZN 4201-T





Adria garden deckchair FDZN 4009-T

Classic garden deckchair FDZN 4007-T



- dimensions: 49 × 59 × 94 cm
- load capacity 110 kg
- in the folded state, minimum storage requirements
- possibility to buy a seat cushion
- · designed for outdoor and indoor use
- treated with oil paint
- · made of tropical acacia wood



- dimensions: 54 × 65 × 94 cm
- load capacity 110 kg
- in the folded state, minimum storage requirements
- · possibility to buy a seat cushion
- designed for outdoor and indoor use
- treated with oil paint
- made of tropical acacia wood



- reclining armchair with armrests
- 5 positions of backrest inclination adjustment
- dimensions: 71 × 56 × 108 cm
- made of acacia wood
- designed for exteriors and interiors
- package contains 2 pcs (the price is per package)

optional accessory:

 armchair covers of different colours and patterns



- well-crafted garden
- with dimensions: 74 × 58 × 105 cm
- option to adjust the backrest to 5 positions
- ergonomically shaped seat and armrest, in the folded state minimal storage requirements, the possibility of purchasing additional covers, suitable for outdoor and indoor use, made of tropical acacla wood
- load capacity 140 kg

optional accessory:

 armchair covers of different colours and patterns



- modern design, ergonomic shaping
- dimensions: 182 × 54 × 63 cm
- after folding, only minimal requirements for storage space
- suitable for outdoor and indoor use
- made of tropical acacia wood optional accessory:
- green and cream cover



- reclining deckchair measuring 190 x 70 cm
- option to set the angle of the backrest and the leg support
- made of tropical acacia wood
- designed for exteriors and interiors

optional accessory:

green and cream cover

Garden furniture set

ELLA

- furniture set consisting of 4 armchairs and a table
- table size: 150 × 90 × 71 cm with clear hardened glass table top
- armchair size: 55 × 77 × 92 cm
- armchair filling made of durable synthetic fabric
- · possibility of placing a sunshade in a prepared hole in the table top
- · completely maintenance-free
- suitable for outdoor and indoor use





Garden furniture set

MELISA DARK/LIGHT

- luxury set consisting of 6 reclining armchairs, table with a glass top and a sunshade
- table size: 150 × 90 × 71 cm, black hardened glass filling
- the backrest of the chair can be adjusted to 5 positions
- double filling made of synthetic fabric allows comfortable sitting even without cushions
- sunshade of ø 3 m controlled by a handle, an option to adjust the angle of inclination
- sunshade cover made of 100% polyester 160 g/m²
- · does not require any special maintenance
- for outdoor and indoor use







Garden furniture set **RUBY DARK/LIGHT**

- a set consisting of 6 armchairs, a table and a sunshade
- table size: 150 × 90 × 71 cm with black hardened glass table top
- armchair size: 55 × 77 × 92 cm
- armchair filling made of durable synthetic fabric
- sunshade ø 3 m, polyester cover 160 g/m²
- operation of the sunshade with a handle, an option to adjust the angle of inclination
- this furniture does not require any special maintenance
- · suitable for outdoor and indoor use



RUBY LIGHT SET ALSO ON SALE







FIELDMANN Home & Garden Performance

Garden furniture set - expanded metal

FDZN 5320 + FDZN 5305

- set of metal furniture consisting of 4 armchairs and a table
- table size: 150 × 90 × 73 cm with wire top made of high-quality metal
- armchair size: 56 × 69 × 93 cm
- · wire filler made of high quality metal
- sunshade placement option
- · completely maintenance-free
- · suitable for outdoor and indoor use









Garden furniture set

ELLA LIGHT (FDZN 5020 + FDZN 5112)

- set of metal furniture consisting of 4 armchairs and a table
- table size: 150 × 90 × 71 cm with clear hardened glass table top
- armchair size: 55 × 73 × 94 cm, artificial textile filling
- sunshade placement option
- completely maintenance-free
- suitable for outdoor and indoor use



6 + 1 SET AND A DARK ARMCHAIR OPTION ALSO ON SALE

Garden furniture set

FDZN 5055 + FDZN 5018

- luxury set consisting of 4 reclining armchairs and a table with a black hardened glass top
- armchairs and table made of aluminium
- table size: 150 × 90 × 72.5 cm
- armchair size: 62 × 112 × 68 cm
- the backrest of the armchair can be adjusted in 7 positions
- the filling made of durable synthetic fabric allows for comfortable sitting even without seat cushions
- does not require any special maintenance
- designed for outdoor and indoor use
- possibility to buy extra covers



6+1SETALSO ON SALE



Garden furniture set

CHARLOTTE (FDZN 5050 + FDZN 5016)

- luxury set consisting of 4 reclining armchairs, table with wood-plastic top and aluminium construction
- table size: 150 × 90 × 74 cm
- the backrest of the armchair can be adjusted in 5 positions
- double filling made of synthetic fabric allows comfortable sitting even without seat cushions
- does not require any special maintenance
- designed for outdoor and indoor use
- possibility to buy extra covers



6+1 SET ALSO ON SALE







Metal table with a glass top **FDZN 4011-T**

Metal table with a glass top **FDZN 5030**

Metal Table with a Wire Top **FDZN 5320**

Metal table **FDZN 5050**

Garden table **FDZN 5055**



- dimensions: 150 × 96 × 71 cm
- table top from clear hardened glass
- can be combined with up to 6 chairs FDZN 5010 and sunshade FDZN 5006/5007
- designed for outdoor and indoor use, the materials used do not require any maintenance



- dimensions: $150 \times 96 \times 71 \text{ cm}$
- table top from black hardened glass
- can be combined with up to 6 chairs FDZN 5010 and sunshade FDZN 5006/5007
- designed for outdoor and indoor use, the materials used do not require any maintenance
- dimensions: $150 \times 90 \times 73 \text{ cm}$ construction made of high-quality metal
- sunshade placement option
- · designed for outdoor and indoor use
- materials used do not require any maintenance

- design garden table
- dimensions: $150 \times 90 \times 74 \text{ cm}$
- construction: aluminium
- top: wood-plastic
- designed for outdoor and indoor use; maintenance-free, black
- design garden table
- dimension: 150 × 90 × 72.5 cm
- construction: aluminium frame with powder coating
- . the table top is made of black hardened glass
- · for outdoor and indoor use
- maintenance-free

Garden deckchair **FDZN 8012**

Garden deckchair made of artificial rattan

FDZN 6007-PR











Reclining armchair **FDZN 5016**

Garden armchair **FDZN 5018**





- quality steel construction weaved with synthetic
- option to adjust the inclination of the backrest
- strength of load-bearing profiles: 42 × 14 mm
- · designed for outdoor and indoor use, the materials used do not require any maintenance



- luxuru deckchair is made of artificial rattan
- metal structure
- dimensions: 190 × 65 × 35 cm
- possibility of back positioning
- the deckchair is suitable for indoor and outdoor areas, gardens, terraces, indoor gardens, balco-



- dimensions: 55 × 77 × 92 cm
- filling made of durable synthetic fabric
- suitable for outdoor and indoor use
- maintenance-free
- load capacity 120 kg



- dimensions: 55 × 73 × 94 cm
- filling made of durable synthetic fabric
- suitable for outdoor and indoor use
- maintenance-free
- load capacity 120 kg



- dimensions: 55 × 73 × 94 cm
- filling made of durable synthetic fabric
- suitable for outdoor and indoor use
- maintenance-free
- load capacitu 120 kg



- dimensions: 56 × 69 × 93 cm
- · wire filler made of high quality metal
- suitable for outdoor and indoor use
- maintenance-free
- load capacitu 120 kg



- reclining armchair with armrests
- 5 positions of backrest inclination adjustment
- dimensions: $55 \times 105 \times 47$ cm
- filling made of durable synthetic fabric
- suitable for outdoor and indoor use
- materials used do not require any maintenance



- reclining armchair with armrests
- 7 positions of backrest inclination adjustment
- dimensions: 62 × 112 × 68 cm
- construction: aluminium
- filling made of durable synthetic fabric suitable for outdoor and indoor use
- materials used do not require any maintenance

everything for your home and garden





Garden furniture set

EVA

- garden furniture made of artificial rattan
- the set consists of two armchairs, a sofa and a table with a hardened glass top
- armchair size: 82 × 57 × 59 cm
- sofa size: 127 × 73 × 78 cm
- table size: 48 × 76 × 44 cm
- the set includes white, waterproof covers
- cover thickness 5 cm, solid polyester 180 g/m²



Garden furniture set FDZN 3050



- plastic garden set in artificial rattan design
- the set consists of 2 armchairs, a 2-seater sofa and a coffee table
- armchair size: 69 × 62.5 × 75 cm
- seat dimensions: 121 × 62.5 × 75 cm
- table size: 70 × 50.5 × 38 cm
- the set includes water-resistant covers 160 g polyester, thickness 4 cm
- the set is suitable for indoor and outdoor spaces, gardens, terraces, indoor gardens

Garden set made of artificial rattan

luxury set made of artificial rattan

SOPHIE

- water resistant covers included in cream colour
- 4 × seat cushion + 3 × back cushion + 2 × decorative cushion
- rear sofa set size: 128 × 74 × 69 cm
- deckchair size: 128 × 71 × 69 cm
- table with hardened glass
- table size: 62 × 62 × 35 cm
- the set is suitable for indoor and outdoor spaces, gardens, terraces, indoor gardens...



Garden furniture set FDFZN 6065-PR



- luxury set made of artificial rattan
- the set consists of 2 armchairs, a 2-seater sofa and a coffee table
- armchair size: 64 × 73 × 82 cm
- seat dimensions: 116 × 73 × 82 cm
- table size: 73 × 45 × 36 cm, black glass table top (5 mm)
- the set includes water-resistant covers 180 g polyester, thickness 8 cm
- the set is suitable for indoor and outdoor spaces, gardens, terraces, indoor gardens





everything for your home and garden









Swing

FDZN 5202

- stylish and comfortable garden swing
- construction: metal with powder coating
- dimensions: 170 × 115 × 153 cm
- · comfortable upholstered seat
- the seat and covers are made of polyester 140 g/m²
- load capacity: 240 kg



Swing

FDZN 5204

- stylish and comfortable garden swing
- construction: metal with powder coating
- dimensions: 170 × 110 × 153 cm
- the bench is covered with a fabric that is comfortable and easy to clean
- load capacity: 260 kg





Swing

FDZN 5207

- stylish and comfortable garden swing for 3 persons
- · construction: metal with powder coating
- dimensions: 200 × 120 × 164 cm
- the swing can be unfolded to the lying position
- · comfortable upholstered seat
- the seat and covers are made of polyester 180 g/m²





Gas grill

FZG 3013

- grill size: 122 × 57 × 112 cm
- 3 × main burner and 1 × side burner (11.5 kW)
- ignition: integrated system
- grilling surface: 60 × 42 cm
- grill height: 86 cm
- stainless steel control panel and handle
- grid and plate: cast iron
- thermometer

















- grill size: 122 × 57 × 112 cm
- 3 × main burner and 1 × side burner
- ignition: central piezo
- grilling surface: 60 × 42 cm
- grill height: 86 cm
- stainless steel parts: lid, handle, door, control panel
- grid and plate: cast iron
- thermometer





recommended accessories:















- grill size: 122 × 57 × 112 cm
- 4 × main burner and 1 × side burner
- ignition: integrated system
- grilling surface: 60 × 42 cm
- grill height: 86 cm
- stainless steel parts: lid, handle, door, control panel
- grid and plate: cast iron
- thermometer









Gas grill **FZG 3003**



hose and regulator included



We recommend the grill cover FZG 9050

grill size: 107 × 53 × 110 cm 3 × main burner

- ignition: integrated system
- grilling surface: 49.5 × 36 cm

(8.1 kW)

- grill height: 86 cm
- cast iron grid
- folding side tables
- thermometer

Gas grill **FZG 3005**



hose and regulator included



- grill size: 122 × 57 × 112 cm
- 3 × main burner (9 kW)
- ignition: integrated system
- grilling surface: $60 \times 42 \text{ cm}$
- grill height: 86 cm
- stainless steel parts: lid, handle, door
- grid and plate: cast iron
- thermometer





hose and regulator included

thermometer

- system
- grilling surface: $50.5 \times 39 \text{ cm}$
- grill height: 86 cm
- cast iron grid
- thermometer



- input power: 1.600 W
- grill dimensions: 98 × 64.5 × 62 cm
- non-stick surface healthy barbecue
- easy cleaning
- continuous temperature control
- draining container
- grill on a stand (stable, easilu removable stand)
- can also be used separately as a table grill
- weight: 7 kg

Grill cover FZG 9050/FZG 9051



- waterproof material
- dimensions FZG 9050: 110 × 55 × 110 cm
- for models: FZG 1008, 3102, 3003, 3010
- dimensions FZG 9051: 130 × 62 × 115 cm
- for models: FZG 3005, 3013

Grill cover FZG 9052



- dimensions: ø 80 × 75 cm
- waterproof material
- for models: FZG 1004, 1013

We recommend the grill cover FZG 9050

Garden charcoal grill FZG 1009



- grill container size: ø 41.5 cm
- grilling surface: ø 41 cm
- grill height: 58 cm
- grilling grid: 41 × 0.5 cm
- chrome grids

FZG 1007



- grill size: 76 × 42 cm
- fireplace size: 71 × 38 cm
- grilling surface height: 78 cm
- cooking grid size: 72 × 42 × 0.4 cm
- chrome grid
- thermometer

Table charcoal grill FZG 1000/FZG 1000G



- grill size: ø 35.5 cm
- fireplace size: ø 34 cm
- grilling surface height: 22 cm
- chrome grid

Table charcoal grill FZG 1102 G



- grill container size: 36.5 cm
- grilling surface: ø 34 cm
- grill height: 28 cm
- chrome grilling grid

Charcoal grill **FZG 1103B**



- grill container size: 37 cm
- grilling surface: ø 35 cm
- grill height: 30 cm
- chrome grilling grid



- grill size: ø 26 cm, height: 12.5 cm
- fireplace size: ø 25 cm
- thermo bag with dimensions: 29.5 × 18.5 cm for cooling drinks
- chrome grid

Grill drive - needle





- motor: voltage 230 V, 50/60hz
- needle length: 80 cm
- material: stainless steel
- 2 × four-arm fork, 3 × chrome brackets
- cable length: 125 cm
- package includes a balance weight

Garden charcoal grill



- heating grid size: 68 × 20 × 0.4 cm

Garden charcoal grill **FZG 1008**



- grill container size: 61 × 45.5 cm
- grilling surface: 55.6 × 41.5 cm
- grill height: 78 cm
- 2 x grilling grid: 27.8 × 41.5 × 0.5 cm
- heating grid: 53.5 × 24 cm
- chrome grilling grids
- thermometer

Charcoal grill **FZG 1016**



- grill container size: 57 cm
- grill height: 77 cm
- grilling surface: diameter 53 cm
- chrome grilling grid

Garden charcoal grill **FZG 1004**



- grill size: ø 57 x 20 cm
- grilling surface height: 68 cm
- grilling surface size: ø 54.5 cm
- chrome grid

Garden charcoal grill **FZG 1014**



- grilling surface: ø 54 cm
- grill height: 77 cm
- grilling grid, heating grid
- chrome grilling grids
- side panels
- thermometer









- fireplace size: 60 cm
- grid height from the ground: 25 cm
- chrome grid: ø 43 cm
- fireplace body made of MGO burnt stone
- net cover against flying off embers
- charcoal/briquette fireplace





FZG 1025



- fireplace size: 74 cm
- grid height from the ground: 40 cm
- chrome cooking grid
- heat resistant coating
- stable stand
- net cover against flying off embers
- charcoal/briquette fireplace



everything for your home and garden

heat resistant coating

net cover against flying off embers

cover for handling and storage

■ foldable legs for economical storage

CORDLESS TOOLS ELECTRIC TOOLS WORKSHOP EQUIPMENT

Almost everyone has basic tools, such as a hammer, pliers and a screwdriver. But to be prepared for more demanding repairs and situations, you definitely need more tools.

FIELDMANN offers hand tools made of high quality materials that ensure strength, durability and reliability, but also great functionality. With such equipment your DIY result will always be perfect.







The convenience is offered by the battery assistants even during the use itself, which is not obstructed by any cables. There is no need to mention how much physical effort you will save. Cordless tools are always available and ready for action, all you have to do is monitor the condition of the battery. The advanced new **FDV 10252-A/10253-A** drills come straight with a spare battery, so you can charge the other while you're working. In addition, the battery weighing only 175 g is built into the ergonomic handle, so you really even don't know about it. The novelty with extremely easy handling will provide user comfort, perhaps even for women, for whom the pink **FDV 10253-A** model is primarily intended. The **cordless** melt glue gun and the **cordless** model grinder are other novelties in the series.



Cordless model grinder FDMB 200170-A

- Li-lon 7.2 V / 1.300 mAh
- 5 speeds: 5,000-25,000 rpm
- charging time: 60 min
- LED working light
- softened handle
- package includes: 70 pcs accessories



- Li-lon 4 V / 1.500 mAh
- melt glue stick diameter: 7 mm
- preheating time: only 90 seconds
- gluing activity: 1.5 g/min
- gluing temperature: 170°C
- charging time: 2-3 hours

USB adapter charging

everything for your home and garden

Cordless Impact drill FDV 10352-55AR practical kit is included

- Li-lon 14,4 V / 2,000 mAh
- 2 speeds: 0-400/0-1,400 rpm
- torque 35 Nm
- torque: 18 + 1 + 1
- hammer drill
- 13 mm keuless chuck with a brake
- LED light
- recharging time 1–1.5 hours package includes:
- 9 pcs of masonry drills 30 pcs of 25 mm bits
- 3 pcs of 75 mm bits
- 1 bit attachment
- 1 screwdriver
- 4 pcs of socket heads

Cordless drill FDV 10345-A





- Li-lon 14,4 V / 1,300 mAh
- idle speed: 0-400 / 0-1,500 rpm
- torque levels: 15 +1 drilling position
- torque 30 Nm
- max. drilling diameter: 10 mm
- keyless chuck
- LED light
- USB port power bank function
- 3 level LED battery charge indicator
- weight: 1.3 kg

Cordless drill FDV 10301-A



- 2 speeds: 0-400/0-1,400 rpm
- torque: 18 + 1 + 1
- LED light
- maximum drilling diameter 10 mm
- weight: 1.2 kg

FDS 10103-A

Li-lon 14,4 V / 1,500 mAh

Cordless Screwdriver

- torque 30 Nm

- · keyless chuck max. drilling diameter 10 mm

Cordless drill FDV 10201-A



- Li-Ion 12 V / 1.300 mAh
- 2 speeds: 0-400 / 0-1,350 rpm
- torque 25 Nm
- 17 torque levels + 1 drilling level
- 3 level LED battery charge indicator
- LED light
- recharging time 3–5 hours
- weight: 1.05 kg

Cordless drill FDV 10252-A/53-A



is included



- Li-lon 12 V / 1,300 mAh
- 2 speeds: 0-350 / 0-1350 rpm
- torque: 22 + 1
- 10 mm keyless chuck
- LED light

package includes:

- 6 pcs of drills, 6 pcs of bits
- 1 bit attachment
- spare battery FREE OF CHARGE







USB charging

90° swivel handle







90° swivel handle

- idle speed: 230 rpm
- torque 3.5 Nm
- torque levels: 6 + 1
- LED light + flashlight
- 90° swivel handle


package includes:

- 8 pcs of 1/4 "heads, 32 pcs of bits
- 2 pcs of drills
- 1 magnetic bit holder
- 1 connecting shaft
- 1 head adapter



THE BEST-SELLING **CORDLESS SCREWDRIVER** ON THE MARKET!

- 3.6 V / 1,300 mAh Li-ion battery
- idle speed: 220 rpm
- 6-bit head, LED lighting
- battery charge indicator
- 90° swivel handle
- ergonomic handle



- idle speed: 280 rpm
- charging time 1h with USB cable
- LED light
- low weight: 0.16 kg



- rotation direction switch
- 3,6 V / 1,300 mAh Li-ion battery

USB

charging

- idle speed: 180 rpm
- torque levels: 6 + 1
- LED light
- battery charge indicator
- handle rotatable by 90°





The FIELDMANN brand offers a wide selection of power tools. It covers the needs of hobby users, whether for DIY or repairs in the home, workshop or garage, renovation or construction. The tools offer a very good price/performance ratio and are easy to use, whether they are drills, grinders, saws, welders, spray guns or mixers. Model grinders are versatile tools for precision drilling, grinding, sanding, engraving, carving, milling, polishing, sharpening, cleaning and the list goes on. As with the melt guns, it is a helper for the workshop, but also for creative activities.











SDS drill / rotary hammer

FDV 211050-E

- voltage: 230 V / 50 Hz
- input power: 1,050 W
- speed without load: 0-1,050 rpm
- blow force: 0-5,200 blows/min., 2.8 J
- max. drilling: concrete 26 mm, metal 13 mm, wood 42 mm
- speed without load: 0-850 rpm
- 3 pcs of drills and 2 chisels
- 1 chuck
- SDS-PLUS system



everything for your home and garden

Impact drill FDV 200501-E



- voltage: 230 V / 50 Hz
- input power: 500 W
- · keyless chuck up to 13 mm
- speed without load: 0-3,000 rpm
- · drilling or hammer drilling
- speed control
- · ergonomic side handle
- · comfortable switch control





- voltage: 230 V / 50 Hz
- power: 710 W

Impact drill

FDV 201205-E

- speed without load: 0-2,800 rpm
- chuck size: 13 mm
- · possibility of drilling and hammer drilling
- possibility to control speed
- side handle and depth stop

Impact drill FDV 200751-E





- voltage: 230 V / 50 Hz
- power: 750 W
- speed without load: 0-2,800 rpm
- chuck size: 13 mm
- keyless chuck
- · possibility of drilling and impact drilling
- · possibility to control speed
- · side handle and depth stop










SDS drill /rotary hammer FDV 210850-E







- input power: 1,200 W
- chuck size: 13 mm
- 2-speed clutch: 0-1,100, 0-3,000 rpm
- metal-mounted coupling (long service life)

practical kit is included

- drilling or hammer drilling
- speed control
- ergonomic side handle
- comfortable switch control



- voltage: 220 V / 50 Hz
- input power: 1,500 W
- speed without load: 0-880 rpm
- blow force: 0-4250 blows/min., 5.5 J
- max. drilling: concrete 32 mm, metal 13 mm, wood 40 mm
- speed without load: 0–850 rpm
- 3 pcs of drills and 2 chisels
- SDS-PLUS system
- weight: 4.9 kg





- voltage: 230 V / 50 Hz
- input power: 1,300 W
- SDS-Max
- blow force: 0-3,600/min./15 J
- 1 piece single-point chisel 18 × 320 mm
- 1 flat chisel 18 × 320 mm





- voltage: 230 V / 50 Hz
- input power: 850 W
- idling speed: 0–1,300 rpm
- SDS-PLUS
- blow force: 0-5,300 bpm / 2.9 J
- weight: 2.8 kg





is included



Angle grinder FDB 200901-E





speed without load: 11,000 rpm

wheel diameter: 125 mm

side handle and wrench

· copper engine winding

Jigsaw

FDP 200451-E



Angle grinder

FDB 201201-E

voltage: 230 V / 50 Hz

input power: 1,200 W

wheel diameter: 125 mm

FDP 200712-E

copper engine winding

Jigsaw

no-load engine speed: 12,000 rpm

• side ergonomic handle adjustable to 3 positions

• 1 piece of grinding wheel included in the package



practical kit

is included

Angle grinder FDB 201401-E



Angle grinder FDB 202201-E





- voltage: 230 V / 50 Hz
- input power: 1,400 W
- speed without load: 4,000-8,600 rpm
- wheel diameter: 150 mm
- side handle and wrench
- copper engine winding

- voltage: 230 V / 50 Hz ■ input power: 2,200 W
- no-load engine speed: 6,000 rpm
- side handle adjustable to 3 positions
- wheel diameter: 230 mm
- copper engine winding

Jigsaw

FDP 200805-E



Mini plunge saw FDPP 200705-E



- voltage: 230 V / 50 Hz
- input power: 800 W
- max. cutting depth: 80-100 mm
- no-load engine speed: 2,800 rpm
- ergonomic handle
- AC laser + LED light
- package includes: rectangular cutting distance holder, 2 saw blades, kit



practical kit

is included



- input power: 705 W
- speed without load: 4,500 rpm
- blade diameter: 89 mm
- max. cutting depth: 28.5 mm
- practical scale (0–28 mm)
- package includes: 3 × saw blade + accessories (Allen key, dust tube + edge guide)



- voltage: 230 V / 50 Hz
- input power: 450 W
- max. cutting depth: 55–60 mm
- no-load engine speed: 0-3,000 rpm
- ergonomic handle
- copper engine winding

package includes: 1 pcs of saw blade



 voltage: 230 V / 50 Hz input power: 710 W

- max. cutting depth: 80 mm
- no-load engine speed: 800-3,000 rpm
- ergonomic handle, copper engine winding

package includes:

· rectangular cutting distance holder, 2 saw blades, kit



no-load engine speed: 4,500 rpm

ergonomic side handle

• wheel diameter: 140 mm



 voltage: 230 V / 50 Hz input power: 1,200 W

• no-load engine speed: 0-5,000 rpm

• ergonomic side handle • wheel diameter: 185 mm • with ergonomic soft handle





• no-load engine speed 4,500 rpm


• side ergonomic handle wheel diameter: 185 mm

robust aluminium body

AC laser for more precise cutting

package includes:

· rectangular cutting distance holder, 1 pc of cutting blade



Reciprocating saw FDP0 200711-E





- voltage: 230 V / 50 Hz, input power: 710 W
- max. cutting depth: 115 mm
- no-load engine speed 2,800 rpm
- ergonomic handle
- · copper engine winding package content:
- 2 pcs of saw blades (wood + metal)

Reciprocating saw

FDP0 201050-E

- no-load engine speed 1,000-3,000 rpm
- cutting depth, wood 115 mm
- cutting depth, iron 8 mm
- cutting depth, metal tube 60 mm
- swivel handle

package content:

2 pcs of saw blades (wood + metal)





Sheet sander FDB 2004-E



- voltage: 230 V / 50 Hz
- power: 150 W
- speed without load: 11,000 rpm
- sanding surface: 198 × 90 mm
- copper engine winding
- ergonomic handle

Electric planer FDH 200801-E



- voltage: 230 V / 50 Hz
- input power: 800 W
- no-load engine speed: 0-17,000 rpm
- coverage width: 82 mm
- chip depth: 0–2 mm
- folding depth: 0-6 mm
- solid aluminium base

Sheet sander

FDB 200131-E



- voltage: 230 V / 50 Hz
- power: 130 W
- speed without load: 13,000 rpm
- sanding surface: 140 × 140 × 80mm
- copper engine winding

Sheet sander

FDB 200221-E



- voltage: 230 V / 50 Hz
- power: 200 W
- speed without load: 7,000-12,000 rpm
- power control (1-5)
- 3 exchangeable boards:
- 122 mm
- 150 × 150 × 100mm
- 184 × 92 mm

is included

Orbital sander

FDEB 200451-E



- speed without load 6,000–13,000 rpm
- sanding surface size 125 mm

Belt sander



- voltage: 230 V / 50 Hz
- input power: 900 W
- grinding speed: 200-380 m³/min.
- belt size: 76 × 533 mm
- · copper engine winding

voltage: 220 V / 50 Hz

input power: 450 W

copper engine winding



FDB 200352-E



- input power: 350 W
- idling speed 10,000-22,000 rpm
- variable speed
- · cutting, grinding, scraping, etc.

package content:

15 pcs accessories, kit

Multifunction tools

FDB 200301-E



can be expanded by 40 accessories FDB 9002

Model grinder FDMB 200160-E





- voltage 230 v/50 Hz
- power: 170 W
- idling speed: 10,000–36,000 rpm
- chuck size: 1.6-3.2 mm
- 40 pcs accessories included

Model grinder

FDMB 200171-E



- input power: 170 W
- speed without load 10,000-35,000 rpm
- chuck size 0.8-3.2 mm
- 210 pcs accessories
- copper engine winding

Model grinder

input power: 300 W

variable speed

package content:

11 pcs accessories, kit

FDMB 200172-E

idling speed 10,000–18,500 rpm

• cutting, grinding, scraping, etc.





- voltage: 230 V / 50 Hz input power: 170 W
- speed without load 10,000-35,000/min
- chuck size: 1.6–3.2 mm
- 440 pcs accessories
- plastic kit for transport
- copper engine winding



Melt glue gun

Melt glue gun FDTP 2100-E Melt glue gun **FDTP 2020-E**



- voltage/frequency: 230 V / 50 Hz
- input power: 100 W
- melt glue stick diameter: 11 mm
- melting ability: 9–16 g
- preheating time: 3–5 min

- voltage/frequency: 230 V / 50 Hz
- input power: 100 W
- melt glue stick diameter: 11 mm
- melting ability: 9–16 g
- preheating time: 3-5 min

- voltage/frequency: 230 V / 50 Hz
- input power: 20 W
- melt glue stick diameter: 7 mm
- melting ability: 3–6 g
- preheating time: 3–5 min





- melt glue sticks transparent
- diameter: 11 mm

Melt glue sticks

FDTP 9020

for FDTP 2100-E / 2102-E

• melt glue sticks transparent

for FDTP 2020-E / 2204-A

diameter: 7 mm

Melt glue sticks **FDTP 9101**



- coloured melt glue sticks
- diameter: 11 mm
- for FDTP 2100-E / 2102-E

Melt glue sticks **FDTP 9021**



- coloured melt glue sticks
- diameter: 7 mm
- for FDTP 2020-E / 2204-A











INVERTED





Welder FDIS 20140-E



- voltage: 230 V / 50 Hz
- actual output current: 20–140 A
- electrode diameter: 1.6–3.2 mm
- state-of-the-art technologies: IGBT (smart protection), ARC FORCE, HOT START, Anti-Stick, Input current: 28A
- maximum output power: 6.1 kVA
- including earthing and welding cable

Welder FDIS 20160-E



- voltage: 230 V / 50 Hz
- actual output current: 20–160 A
- electrode diameter: 1.6–4.0 mm
- state-of-the-art technologies: IGBT (smart protection), ARC FORCE, HOT START, Anti-Stick, input current: 33A
- maximum output power: 7.2 kVA
- including earthing and welding cable



FIELDMANN







Heat gun FDHP 202000-E



- voltage: 230 V / 50 Hz
- input power: 2,000 W
- temperature adjustment: I.: 350°C, II.: 600°C
- $\,\bullet\,$ air circulation: I. 300 V min, II. 500 V min

package content:

5 × attachment

Bench sander FDSB 200251-E

■ 5 × attachment





- voltage: 230 V / 50 Hz
- input power: 250 W
- no-load engine speed:2,960 rpm
- 2 grinding discs: 150/200 mm
- stable solid construction





- voltage: 230 V / 50 Hz
- input power: 650 W
- spray power: 105 W
- tank volume: 800 ml
- flexible hose length: 1.3 m

Electric mixer FDRM 201601-E



- voltage: 230 V / 50 Hz
- input power: 1,600 W
- no-load engine speed

l: 0-660 rpm II: 0-900 rpm

- connecting thread: M 14
- broom dimensions: 140 × 590 mm

everything for your home and garden





HAND TOOLS

Around the house and in the workshop, you will always need to screw, hammer, cut or tighten something.

In a home where everything works, life is easier. With comprehensive sets of hand tools, you can handle any situation and not be caught off guard. In addition, CR-V quality tools have a long service life.

Protestatestatestates



Gola set with tools FDG 5005-85R

CR-V (85 pcs)

- 3 × pliers, 2 × screwdriver: (-) (+) 6 × 100 mm
- 1 × handle for socket wrenches
- 8 × open side key
- 3 × tools: knife 18 mm, hammer, meter 5 m
- 2 × ratchet handle with tilting head
- 3 × attachment for 1/2 -1/4" socket wrench
- 1× three-way attachment, 2× universal joint
- 2 × 1/2" spark plug socket wrench
- 12 × socket wrenches 1/4", 16 × sizes 1/2"
- 1 × connecting member, 1 × sliding rod 1/4"
- 6 × main socket 1/4", 20 × bit × 25 mm with holder, 2 × hole punch (pick and flat chisel)

Gola set

FDG 5001-108R



- 18 × 1/4" socket head with bits
- 26 × 1/4" socket head /extended / E
- 2 × ½" extension: 50 mm and 75 mm
- 1 × ¼" ratchet joint, 1 × ¼" tap wrench
- 1 × ¼" screw handle, 1 × ¼" ratchet
- 30 × ½" socket head / extended / E
- 2 × ½" extension: 125 mm and 250 mm
- 1 × ½" ratchet joint, 1 × − ½" ratchet
- 2 × ½" spark plug head: 16 and 21 mm
- 3 × Allen key: 1.5, 2, 2.5 mm 1 × bit adapter
- 17 × bit
- 1 × kit

Gola set

FDG 5020-53R



CR-V

Gola set with tools

FDG 5003-65R



- 13 × 1/4 sockets": 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
- 21 × 1/4" Bit sockets: SL 4, 5.5, 7, PH 1, 2, 3, PZ 1, 2, 3
- HW 3, 4, 5, 6, 7, 8, T 10, 15, 20, 25, 30, 40
- 7 × 1/4" deep drawers: 6, 7, 8, 10, 12, 13, 14 mm
- 3 × Allen keys: 1.5, 2, 2.5 mm
- 1×1/4" universal joint
- 2 × 1/4" extension rod: 2", 4"
- 1×1/4" flexible extension: 6"
- 1 × 1/4" sliding T Bar
- 1×1/4" quick ratchet handle
- 1 × 1/4" swivel handle: 6"
- 1 × 1/4" bit adapter
- 1 × BMC

- 23 × socket wrenches 1/4"-3/8"
- 2 × universal joint: 1/4" and 3/8"
- 2 × socket wrench for spark plugs 3/8"
- 3 × attachment for 1/4", 3/8" socket wrench
- 2 × ratchet handle with tilting head
- 2 × screwdriver (-) (+) 6 × 100 mm
- 20 × bit 25 mm + 1 × connecting element
- 1 × pliers with long jaws: 6"
- 1× pliers with sliding joint: 10"
- 1× diagonal pliers: 6"
- 1× cutting pliers: 7"
- 5 × open side key
- 1 × handle for socket wrenches





Set with tools

FDG 5014-66R



- 1× diagonal pliers 6"
- 1 × plumbing pliers 10"
- 3 × screwdriver: SL3/100, PH6/100, PH5/75mm
- 1 × handle for socket heads
- 1 × tape measure 3 m
- 1×8" adjustable wrench
- 8 × Allen key
- 1 + spirit level 6"
- 2 × screwdriver with bits
- 4 × wrench 8, 10, 12, 13 mm
- 1 × hand saw
- 4 × saw blade
- 1 × hammer
- 2×file
- 1 × magnetic attachment
- 32 pcs of bits with holder

Set with tools

FDG 5013-138R



- 1 × combination pliers 6"
- 2 × screwdriver: SL6 / PH6× 100 mm
- 1 × handle for socket heads
- 4 × tools: knife, hammer, spirit level, meter
- 8 × socket head: 5-13 mm
- 1 × 6" adjustable wrench + 8 × Allen key
- 1 × screwdriver with bits: PH00, 0, SL2, 2.4
- 24 × bit 6/25mm, 1 × ratchet 1/4"
- 1 × rubber adapter for hammer
- 80 × dowel
- 1 × screwdriver with tester
- 1 × magnetic bit holder

Gola set with tools

FDG 5002-54R



- 14 × socket wrenches 3/8": 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 22, 24 mm
- 1 × 3/8" ratchet handle with a lock
- 2 × screwdriver SL 6×100 mm a PH 6 × 100 mm
- 22 × attachments/holder
- 1 × pliers with long jaws 6"
- 1 × pliers with sliding joint 10"
- 1 × diagonal pliers 6"
- 9 × wrench to internal hexagon: 1.5 10 mm / holder
- 1 × T-handle for 1/4" socket wrenches
- 1 × universal joint 3/8"
- 1 × connecting element 1/4"



Tool set with cordless screwdriver FDG 5018-108AR





- 1 pc cordless screwdriver FDS 10102-A
- (3.6 V / 1,300 mAh Li-lon battery)
- 1 pc of trimmer
- 1 pc of measure tape 3M
- 1 pc of adjustable wrench 6"
- 1 pc of spirit level 9"
- 1 pc of scissors 8.5"
- 4 pcs of precision screwdrivers SL2.4,3.0, PH00,0
- 1 pc of screwdriver handle
- 20 pcs of bits 25L
- 8 pcs of adjustable wrenches
- 1 pc of carpenter's hammer 8 oz
- 66 pcs of connecting shafts
- 1 pc of combination pliers 6"
- 1 pc of practical plastic kit



Gola tool set

FDG 5007-39R



- 1 × combination pliers
- 12 × bit 25 mm
- 8 × Allen key 1.5–6 mm
- 2 pcs of screwdrivers:PH2 × 100 mm, SL6 × 100 mm
- 1 × bit holder
- 1× 3/8" ratchet
- 9 × 3/8" socket heads: 8, 10, 11, 12, 13, 14, 15, 17, 19
- 1× hammer 200 g
- 1× extension attachment 3/8" × 3"
- 1 × 3/8" universal joint
- 2 × 3/8" socket head for spark plugs 16, 21 mm

Gola tool set

FDG 5006-60R



- 1 × 8" adjustable wrench
- 1 × cutter knife
- 1 × 6" diagonal pliers
- 1 × 6" combination pliers
- 1 × 3 m tape measure
- 9 × Allen key 1.5–10 mm
- 9 × 1/4" head 5–13 mm
- 1× 1/4" torque wrench
- 1 × carpenter's hammer 340 g
- 1 × bit holder
- 1 + spirit level 9"
- 32 × 1" bit
- 1 × magnetic bit holder

Tool set with 12V drill





- wood drills 16-22 mm
- metal drills 2-3-4-5-6-7 mm
- wall drill 4-5-6-8 mm
- watchmaker screwdriver 50 mm (-) 2.5mm, PH00
- screwdriver (-) 5 × 100 mm
- tip screwdriver 1/4" × 100 mm
- tips 25 mm (-) 4-6mm, PH1-2-3, PZ1-2, HEX 4-5 mm, 1/4" adapter
- tip holder 60 mm
- head 5-6-7-8-9-10-11-12-13 mm
- cutter knife 18 mm
- tester 100-250 V
- pliers 125 mm combination, cutting
- adjustable wrench 150 mm
- Allen key HEX 1.5-2-2.5-3-4-5-6-8 mm
- tape 3 m × 16 mm

Gola set with tools / Women's tools set FDG 5010-53R/FDG 5008-53R



- 1× combination pliers 6"
- 1× pliers with long jaws 6"
- 8 × 3/8" socket heads: 8–17 mm
- 1× 3/8" ratchet
- 1 × 6" adjustable wrench
- 8 × Allen key 1,5–6 mm
- 2 × PH2/SL6 screwdriver × 100 m
- 1 × bit holder
- 20 × of 25 mm bits
- 1× hammer 200 g
- 1 × spirit level 6"
- 1 × tape measure 3 m
- 1 × blade



Women's tools set

FDG 5016-71R



- spirit level 9" + hammer
- hammer cover
- cutter knife 18 mm
- 10 pcs of 18 mm spare knives
- scissors 8"
- tape measure 3 m
- 5 pcs of Allen keys 2-6 mm
- combination pliers 6"
- flat pliers 6"
- adjustable wrench 6"
- bit holder 6.35 mm
- 6 pcs of watchmaker's screwdrivers: PH000, 00, 0, SL 2.0, 2, 4, 3, 0,
- 30 pcs of 25 mm bits
- 10 pcs of cable tie

Women's tools set

FDG 5019-51R



- premium quality
- 2 × screwdriver PH 2 × 100, 6 × 100 mm
- 1× screwdriver handle
- 20 × 25 mm bits, Cr-V
- hexagonal: 1.5, 2, 2.5, 3.4, 5, 6 mm
- torx: t8, 10, 15, 20, 25, 27, 30
- phillips: #0, #1, #2, #3
- groove: 4 mm
- 1/4" adapter
- 9 × 1/4" socket wrenches: 5-6-7-8-9-10-11-12-13 mm
- 4 × precision screwdrivers, Cr-V PH00×50, PH000×50 mm 1,5 × 50 mm, 2,5 × 50 mm
- 1 × 18 mm blade
- 1× adjustable wrench 6"
- 8 × set of hexagon wrenches: 1.5-2-2.5-3-4-5-5.5-6 mm
- 1 × combination pliers 150 mm (6")
- 1× carpenter's hammer 8 oz
- 1× multifunctional scissors 200 mm
- 1 × magnetic spirit level 228 mm
- 1× tape measure 3 m



Gola set with tools

FDG 5015-51R







- 20 × bits, 1x socket holder
- 1× magnetic bit holder
- 2 × mini CRV screwdriver
- 1 × crv screwdriver: 5 × 100 mm (-, +)
- 1×1/4" X3" extension attachment
- 7 × CRV hexadecimal keys: 1, 5-6 mm
- 12 × socket heads 1/4": 4, 4, 5, 5, 5, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm
- 1 × 1/4" bit holder adapter
- 1 × 1/4" ratchet handle
- 1×6" long-nose pliers
- 1×6" combination pliers
- 1× blade

Set of tools

FDG 5017-36R







- 7 × 1/4" socket head
- 10 × flat/cross/Allen bit
- 1 × attachment with handle, screwdriver 1/4"
- 1 × bit holder
- 1 × bit adapter
- 1 × adjustable "monkey" key, so-called bobbejaan
- 1 × cutter knife
- 1 × tape measure tape, length 2 m
- 1 × side cutting pliers, so-called wire cutters
- 1 × combined pliers, so-called Kleins
- 1 × pliers for fine mechanics, so-called telephone
- 2 × precision screwdriver
- 6 × Allen key (hex)



Bit set with screwdrivers FDG 5004-79R



Bits 6 mm:

- SL 3, 4, 5, 6, 7 ⊕ PH 0, 1, 2, 3
- ₱ PZ 1, 2, 3
- TX 4, 5, 6, 7
- TH 8, 9, 10, 15, 20
- H 2.5, 3.0, 4.0, 5.0, 6.0
- ⊕ Y1, 2, 3 **2.3**
- ∪ 6,8

Bits 4 mm:

- → SL 1.5, 2.0, 2.5, 3.0, 3.5
- ⊕ PH 1.0, 1.5, 2.0, 2.5, 3.5
- TX 3, 4, 5, 6, 7, 8, 9, 10, 15, 20
- H 1.3, 1.5, 2.0, 2.5, 3.0, 4.0 Y 2.0
- 2.0
- **★** 0.8, ⊕U 2.6

1/4" socket head:

M 5.0, 6.0, 7.0, 8.0, 9.0, 10.0,

O 11.0, 12.0, 13.0

Bit set with screwdrivers

FDS 1005-65R







Bits 4 mm:

- SL 1.0, 1.5, 2.5
- → PH 000, 00, 0, 1
- ₽ PZ 0, 1
- TX 5, 6, 7, 8, 9, 10
- H 0.7, 0.9, 1.3 1.5, 2.0

1/4" socket head:

O M 5.0, 6.0, 7.0, 8.0, 9.0,10.0, 11.0, 12.0, 13.0

Bits 6 mm:

- SL 3, 4, 5, 6, 7
- ⊕ PH 0, 1, 2, 3
- ₱ PZ 0, 1, 2, 3
- TX 10, 15, 20, 25, 30, 40
- H 3, 4, 5, 6
- SQ 0, 1, 2, 3

Set of hobby knives FDN 1002-16R



- 13 pcs of knives
- 2 pcs of scribers
- magnetic stripe
- handle



Bit set with screwdriver FDS 1009-41R



(41 pcs



Bits 6 mm:

- → SL 3, 4, 5, 6, 7
- ⊕ PH 1, 2, 3
- ₱ PZ 1, 2, 3
- (a) TX 10, 15, 20, 25
- H 2, 3, 4, 5, 6

1/4" socket head:

O M 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 13/32

FDS 1004-33R







Bits 4 mm:

- → SL 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0
- ⊕ PH 000, 00, 0, 1
- ₽ PZ 0.1
- TX 4, 5, 6, 7, 8, 9, 10, 15, 20
- H 0.7, 0.9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0
- screwdriver with an extension attachment
- flexi attachment
- magnifying glass

Staple gun FDN 3001



FDN 9301 clips can also be purchased



- use for round/rectangular clips and nails
- meets TÜV/GS standards
- all-metal construction of a nail gun
- practical plastic kit with 1,500 clips included

Bit set with screwdriver





CR-V

(22 pcs)

Bits 6 mm:

- → SL 3, 4, 5, 6
- ⊕ PH 0, 1, 2, 3
- **₽** PZ 0.1.2.3
- TX 10, 15, 20, 25
- H 3, 4, 5, 6
- screwdriver with ratchet
- extension attachment of 50 mm

Bit set with screwdriver

FDS 1011-22R

Hobby knives FDN 1003-14R



- Hobby knives 14 pcs
- 2 × knife handle
- pumpkin cookie cutters

Bit set with screwdriver

FDS 1017-37R







Bits 6 mm:

- H 3, 4, 5, 6
- T 10, 15, 20, 25
- → SL 3, 4, 5, 6
- ⊕ PH 0, 1, 2, 3
- ₱ PZ 1, 2, 3
- S 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14

Mini tool set

FDS 1018-23R



- 15 pcs of 25 mm bits
- 6 pcs: 1/4 attachment 5, 6, 7, 8, 9, 10 mm
- 1 ratchet
- 1 attachment





- 3 pcs of tin snips in the package
- possibility of cutting: left, right and
- ergonomically shaped handles

Toolbox 16.5"

FDN 4116



- material: quality plastic
- dimensions: 415 × 210 × 190 mm
- · compartment for bits, dowels and screws
- reinforced handle

Set of pliers

FDN 1020



- combined pliers 150 mm
- diagonal pliers 150 mm
- cutting pliers 150 mm

Toolbox 18.5"

FDN 4118



- material: quality plastic
- dimensions: 480 × 250 × 230 mm
- · compartment for bits, dowels and screws
- reinforced handle

Paint roller

FDMV 1501

- paint tank capacity: 0.54 l
- 3/8" dripless roller (perforated)
- 1 × protection shield





Metal tool box

FDN 4150

- · three-part tool box with built-in wheels and telescopic handle
- dimension: 520 × 320 × 721 mm
- hardened plastic wheels
- weight: 15 kg



fieldmann.eu

Hand tools /



Screwdriver + bits FDS 1007-11R







- 5 pcs of cross bits and 5 pcs of flat bits
- possibility of using bits with lengths of 25 mm, 50 mm
- compatibility with the bit set FDS 9002-67R

Set of screwdrivers FDS 1102-6R



- flat screwdrivers: 3.0 × 75 mm, 4.0 × 100 mm, 5.0 × 150 mm
- Philips screwdrivers: 4.0 × 100 mm, 5.0 × 125 mm, 6.0 × 150 mm
- wall holder or wall-mounted panel

Set of screwdrivers

FDS 5007-18R



- 4× flat-head screwdriver
- 4× Philips screwdriver
- 10× small screwdriver with swivel-head handles
- wall mountable bracket

Set of screwdrivers

FDS 5008-18R



- 4× flat-head screwdriver
- 4× Philips screwdriver
- 10× small screwdriver with swivel-head handles
- wall mountable bracket

Set of screwdrivers FDS 5006-37R



- 4× Philips screwdriver
- 4× flat-head screwdriver
- 8× small screwdriver
- 1× screwdriver for bits + 20 × bits






(116 pcs)

Set of screwdrivers FDS 5009-116R

- 24 pcs of screwdrivers
- 8 pcs of precision screwdrivers
- 60 bits
- 16 pcs of Allen keys
- 6 pcs of socket heads
- 2 pcs of attachments



Set of iron drills FDV 9004





- iron drills 6 pcs
- size: 3, 4, 5, 6, 8, 10
- 6 pcs of screw bits

FDLM 1030



- measuring range: 0.2–30 m
- measurement accuracy: +/- 0.2 mm
- units: m/ft
- multiple measurement function
- · beep and backlight functions

Set of drills for masonry FDV 9006







- set of Cobalt drills for masonry 6 pcs
- size 3, 4, 5, 6, 8, 10
- 6 pcs of screw bits

Set of wood drills FDV 9012







- set of wood drills 6 pcs
- size 3, 4, 5, 6, 8, 10
- 6 screw bits

Set of drills **FDV 9101**







- set of drills for masonry 18 pcs
- sizes: 2 × 3 mm, 2 × 4 mm, 5 × 5 mm. 5 × 6 mm, 3 × 8 mm, 1 × 10 mm

Set of drills **FDV 9201**







- metal drills 39 pcs. Premium Quality
- size: 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 8, 10 mm

Set of drills FDV 9202





- metal drills 27 pcs. Premium Quality
- size: 2, 3, 4, 5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 12 mm

Laser distance meter 30 m



- class 2 laser type, 630–670 nm <1 mW
- batteru type: alkaline aaa 2 pcs
- single measurement function

Laser distance meter 40 m **FDLM 1040**



- measuring range: 0.2-40 m
- measurement accuracy: +/- 0.2 mm
- class 2 laser type, 630-670 nm <1 mW
- units: m/ft
- battery type: Li-lon
- multiple measurement function
- · beep and backlight functions
- round surface measurement function

Laser distance meter 50 m **FDLM 1050**



- laser range finder
- measuring range: 0.05–50 m
- measurement accuracy: +/- 1.5 mm
- more units: m / ft
- single measurement, continuous measurement
- beep / backlight / spirit level

Set of 10 saw blades wood **FDP 9001**







- 2 × T 118 A wood 2–15 mm
- 2 × T 144 D wood 3–30 mm
- 2 × T 101 B wood 3-30 mm
- 2 × T 101 AO wood 5-50 mm
- 2 × T 101 BR metal 1-3 mm
- compatible with saws see p. 86

Set of 10 saw blades mix

FDP 9002







- 2 × T 118 A metal 1-3 mm
- 2 × T 101 B wood 3–30 mm
- 2 × T 111 C wood 4-50 mm
- 2 × T 127 D metal 3-15 mm
- 2 × T 119 BO wood 2–15 mm
- compatible with saws see p. 86

Set of 9 saw blades **FDPO 9001**







- 2 pcs of universal saw blades for wood/metal
- 3 pcs of saw blades designed for wood 4 pcs of saw blades designed
- for metal universal handle (1/2")
- compatible with saws see p. 87





Universal wet and dry vacuum cleaners are your partner for cleaning the house, basement, garage and terrace. They are designed for vacuuming coarse and finer dirt, including spilled liquid. It can also easily handle dirt such as dust, pebbles, leaves, wet mud or even spilled wine, including the remains of a broken glass.

Perfect suction of larger and smaller pieces ensures high performance, which is common to all universal FIELDMANN vacuum cleaners. The vacuum cleaners are equipped with a bulky chrome container for solid dirt and water and a solid fibre filter that captures even fine particles. The 30-litre metal collection container can hold a lot of dirt. The cotton filter can be knocked out, rinsed and used again after drying. The plastic hoses up to two-anda-half metre long ensure comfortable reach when cleaning up the yard, garage, workshop or car.



Wet and dry vacuum cleaner FDU 2120-E

- voltage/frequency: 220-240 V / 50/60 Hz
- input power: 1,200 W
- solid cotton filter
- metal container: 20 l
- plastic hose: 1.5 m
- aluminium telescopic tube
- floor attachment
- tapered attachment





Wet and dry vacuum cleaner

FDU 2003-E

- voltage/frequency 230 V / 50 Hz
- input power: 1,400 W
- solid cotton filter
- metal container 30 l
- plastic hose 1.5 m
- 2 × plastic extension tube 0.85 m
- floor attachment
- tapered attachment
- round small brush

optional accessory:

spare cotton filter: FDU 9004

Wet and dry vacuum cleaner

FDU 2004-E

- voltage/frequency 230 V / 50 Hz
- input power: 1,400 W outlet for add-on up to 2,000 W
- solid cotton filter
- metal container 30 l
- plastic hose 2.5 m
- aluminium extension tube 0.77 m
- floor nozzle (smooth vacuuming or with small brushes)
- floor nozzle (brush + squeegee)
- upholstery nozzle
- tapered nozzle
- round small brush

optional accessory:

spare cotton filter: FDU 9004

Wet and dry vacuum cleaner

FDU 201432-E

- voltage/frequency 230 V / 50 Hz
- input power: 1,400 W
- outlet for add-on up to 2,000 W
- solid cotton filter metal container 30 l
- adjustable reverberation intensity
- dust knock-off function
- hose lock drain plastic hose 2.5 m
- aluminium extension tube 0.77 m
- floor nozzle (smooth vacuuming or with small brushes)
- floor nozzle (brush + squeegee)
- upholstery nozzle
- narrowed nozzle round small brush

optional accessory:

spare cotton filter: FDU 901432
 spare HEPA filter: FDU 911432





Regular cleaning of the fireplace, stove or grill will be a piece of cake with FIELDMANN vacuum cleaners designed for ash. In addition, it will do without unnecessary swirling of soot and small impurities from the furnace, the result will always be perfect, and above all almost instantaneous.

The vacuum cleaners can handle ash with a temperature of up to 40°C, so you don't have to wait, for example, before leaving the cottage for the remnants of the fire in the fireplace to cool down completely. However, you can also vacuum any other solid impurities with them. The high-quality HEPA filter, which these vacuum cleaners are also equipped with, captures even extremely fine dust particles, so the vacuumed dirt has no chance to return to the room. The function of the dust shaking function, which ensures the most easy maintenance of the filter, is a major innovation.

everything for your home and garden



- voltage/frequency 230 V / 50 Hz
- input power: 1,200 W
- vacuums ash up to 40°C
- HEPA filter
- metal container 20 l
- metal hose 1 m
- aluminium tube 0.15 cm
- wheels
- power cord 4.3 m

- declared noise level 80 dB (A)
- the package includes HEPA filter FDU 9002
- plastic hose 1.5 m
- extension tube 0.85 cm
- floor nozzle
- tapered attachment
- rotating brush

optional accessory:

spare HEPA filter FDU 9003





Vacuum cleaner for ash and dry vacuuming

FDU 200601-E

- voltage/frequency 230 V / 50 Hz
- input power: 600 W
- vacuums ash up to 40°C
- cotton filter
- metal container 11 l
- metal hose 1 m
- aluminium tube 0.15 m
- weight: 2.4 kg
- power cord 3 m
- declared noise level 80 dB (A)

optional accessory:

spare HEPA filter FDU 900601



Vacuum cleaner for ash and dry vacuuming

FDU 200801-E

voltage/frequency 230 V / 50 Hz

input power: 800 W

- vacuums ash up to 40°C
- cotton filter
- metal container 15 l
- metal hose 1 m
- aluminium tube 0.15 m
- weight: 3.2 kg
- power cord 3 m
- declared noise level 80 dB (a)


optional accessory:

spare cotton filter FDU 901001









FDU 201001-E

- voltage/frequency 230 V / 50 Hz
- input power: 1,000 W
- vacuums ash up to 40°C
- cotton filter
- metal container 20 l
- metal hose 1 m
- aluminium tube 0.15 m
- weight: 4 kg
- power cord 3 m
- declared noise level 80 dB (A)

optional accessory:

• spare cotton filter FDU 201001



fieldmann.eu



Marine Company of the Company of the



Ladders, stepladders, steps, platforms. They will make it easier to get to the tree crown, to the roof, to the chandelier or to the top shelf in the workshop. The advantage of telescopic assistants of this type is the fact that they always offer just the height you need.

You can use them both in their maximum length and only with one or two rungs extended. They are secured against unintentional folding. The advantage of telescopic ladders in general is the fact that they are not space-consuming during storage, while offering the opportunity to reach really high - for FIELD-MANN products up to a height of 6.7 m! Thanks to the materials used with sufficient thickness, however, they are also highly strong, and therefore do not bend even when the maximum length is adjusted. Nevertheless, they are light, which helps easy handling. The brand also offers a multifunctional ladder. At the right moment, it turns into a stepladder with the help of an articulated mechanism, with which you can stand comfortably even on a steep staircase. If you choose one of the platforms, then the ladder is suddenly a scaffolding.

Multifunctional ladder

FZZ 4107

- maximum ladder length 360 cm
- maximum stepladder length 174 cm
- maximum scaffolding height 98 cm
- distance between rungs 28 cm
- stabiliser length 61.5 cm
- maximum load 150 kg
- weight: 11 kg
- platform FZZ 9107 designed for multifunctional ladder FZZ 4107



everything for your home and garden



Telescopic ladder **FZZ 4004**

- unique telescopic system
- · dimensions when unfolded 260 × 47 × 9 cm
- · dimensions when folded up 75 × 47 × 9 cm
- distance between rungs 29 cm
- aluminium thickness 1.3–1.5 mm
- maximum load 150 kg
- maximum length 2.6 m
- number of rungs 9
- weight: 7 kg



Telescopic ladder **FZZ 4002**

- unique telescopic system
- · dimensions when unfolded 320 × 48 × 8 cm
- dimensions when folded up 81 × 48 × 8 cm
- distance between rungs 29 cm
- aluminium thickness 1.3–1.5 mm
- maximum load 150 kg
- maximum length 3.2 m
- number of rungs 11
- weight: only 9.2 kg



Telescopic ladder **FZZ 4005**

- unique telescopic system
- · dimensions when folded up 87 x 48 x 9 cm
- dimensions when unfolded $380 \times 48 \times 9 \text{ cm}$
- distance between rungs 29 cm
- aluminium thickness 1.3–1.5 mm
- maximum load 150 kg
- maximum length 3.8 m
- number of rungs 13
- weight: 11 kg



Telescopic ladder/stepladder **FZZ 4003**

- unique telescopic system
- · dimensions when folded up 87 x 67 x 15 cm
- distance between rungs 29 cm
- aluminium thickness 1.3–1.5 mm
- maximum load 150 kg
- maximum stepladder length 1.6 m
- maximum ladder length 3.2 m
- number of rungs 10
- weight: only 11.5 kg



Telescopic ladder/stepladder **FZZ 4006**

- unique telescopic system
- dimensions when folded up 90 x 49 x 18 cm
- distance between rungs 29 cm
- aluminium thickness 1.3–1.5 mm
- maximum load 150 kg
- maximum stepladder length 2.2 m
- maximum ladder length 4.4 m
- number of rungs 14
- weight: 15 kg





Folding platform

FZZ 2001

- dimension when unfolded 103 x 41 x 49 cm
- platform dimension 76 × 30 cm
- length when folded up 78 cm
- aluminium thickness 1.0 mm
- weight: 3.6 kg









CARACCESSORIES



Car accessories have also been a fixed part of the FIELDMANN range for several years. We offer a wide range of accessories for air compressors, including a car battery charger, a set of keys, or even a tire pressure gauge. The use of quality materials guarantees high durability and a long service life, as well as the maximum functionality of FIELDMANN car accessories.

A compressor is a necessary helper that should not be missing in any home workshop or garage. In addition to driving pneumatic tools or inflating tires, compressed air is also used when applying paint or cleaning with air. In our catalog you will find two compressors with an input of 1500 W and a maximum pressure of 8 bar. The value of the required output pressure can be easily set on the clear manometer. The pump of these compressors is lubricated with oil, which extends their life even with frequent use.

Air compressor

FDAK 201522-E

- voltage: 230 V / 50 Hz
- input power: 1,500 Wrated power 2,800 rpm
- container volume 24 l
- max. pressure 8 bar
- approximate suction power 190 l/min.
- weight: 26 kg

Air compressor

FDAK 201552-E

50 L

- voltage: 230 V / 50 Hz
- input power: 1,500 W
- rated power 2,800 rpm
- container volume 50 l
- max. pressure 8 bar
- approximate suction power 190 Vmin.
- weight: 32 kg









everything for your home and garden

Compressor accessories set FDAK 901503-E



- · tire inflation gun with manometer
- · adapter and needles for inflating toys
- spiral PU hose 5 m

Air compressor

FDAK 201101-E



- voltage: 230 V / 50 Hz
- input power: 1,100 W
- · air compressor without oil and tank
- suction capacity: 180 l/min
- PVC tube length: 3 m
- 8 pcs accessories

Ratchet wrench with fixed head

FDN 1045



- 7 pcs
- size 8, 10, 11, 12, 13, 14, 17
- new modern packaging (occupies less space in the workshop)

Combination spanner set

FDN 1010

(CR-V) (7 pcs)





- combination wrench with offset box-end
- sizes: 6, 8, 10, 11, 12, 13, 14, 15, 17, 19, 22, 24
- · hanging tarpaulin with the possibility of rolling up

Compressor accessories set FDAK 901504-E



- tire inflation gun with pressure gauge
- blow gun
- adapters and needles for inflating toys
- spiral PU hose 5 m

Air compressor

FDAK 12011



- plug to 12 V cigarette lighter
- pressure gauge in bar with an accuracy of 0.1 bar
- cylinder diameter 30 mm
- power cord 3 m
- hose with screw connector 1 m
- continuous operation up to 15 min.
- inflation time of a normal tyre up to 2.4 bar: 3 min.

Car battery charger 6 V / 12 V FDAN 12002



- voltage: 230 V / 50 Hz
- DC output, 6 V/12 V, 2 A/4 A
- display-charged, polarity reversal,
- excess current, protection against overheating
- suitable for cars, motorcycles, electric cars, toy cars, boats, etc. with 6V/12V (4–120 Ah) lead acid battery

Tyre gauge FDAM 0101



- automatic calibration
- range up to 12 bar
- deviation 0.05 bar
- LCD display
- units: bar, kPa, psi, kg/cm²

The offer also includes a cordless compressor within the programme FAST POWER 20V, pp. 4–7







CHAIN SAWS	FIELDMANN CHAIN	CODE	FIELDMANN GUIDE BAR	CODE	CHAIN OREGON	CODE	GUIDE BAR OREGON	CODE
Electric saw FZP 2105-E	FZP 9016	50001704	FZP 9014	50001702				
Electric saw FZP 2005-E	FZP 9023	50002931	FZP 9002	50000307				
Electric saw FZP 2025-E	FZP 9001	50000306	FZP 9002	50000307	FZP 9032-E	50005312	FZP 9033-E	50005313
Electric saw FZP 2030-E	FZP 9001	50000306	FZP 9002	50000307	FZP 9032-E	50005312	FZP 9033-E	50005313
Petrol saw FZP 5816-B	FZP 9027-B	50004745	FZP 9026-B	50004744				
Petrol saw FZP 45016-B	FZP 9008-B	50001275	FZP 9020-B	50002591				
Petrol saw FZP 56515-B	FZP 9008-B	50001275	FZP 9020-B	50002591				

BRUSH CUTTERS	NYLON STRING 60 m	CODE	STRING TRIMMER HEAD BASIC	CODE	TWIST&GO STRING TRIMMER HEAD	CODE	MOWER BLADE	CODE	STRAP	CODE
FZS 3003-B	FZS 9021	50001690	FZS 9016	50001683	FZS 9023	50004708	FZS 9004	50000519	FZS 9052	50003133
FZS 3020-B	FZS 9021	50001690	FZS 9016	50001683	FZS 9023	50004708	FZS 9004	50000519	FZS 9052	50003133
FZS 4004-B	FZS 9021	50001690	FZS 9016	50001683	FZS 9023	50004708	FZS 9004	50000519	FZS 9052	50003133
FZS 5003-B	FZS 9021	50001690	FZS 9016	50001683	FZS 9023	50004708	FZS 9004	50000519	FZS 9052	50003133
FZS 5025-B	FZS 9021	50001690	FZS 9016	50001683	FZS 9023	50004708	FZS 9004	50000519	FZS 9052	50003133





PETROL LAWN MOWERS	MOWER BLADE	CODE
FZR 4003-79BH, FZR 4008-79B	FZR 9023-B	50003262
FZR 4005-127BH	FZR 9018-B	50001714
FZR 4210-B	FZR 9033-B	50004342
FZR 4608 B, FZR 4614-144B; BES	FZR 9025-B	50003264
FZR 4615-20LiBES	FZR 9039-B	50005722
FZR 4611-144B, FZR 4616-144B/ BES, FZR 4618-144BV, FZR 4625BV	FZR 9019-B	50002079
FZR 5167-B	FZR 9041-B	50005881
FZR 5115-170B	FZR 9020-B	50002080
FZR 5114-170B/BV; FZR 5124BV	FZR 9029-B	50003596
FZR 5611-B	FZR 9032-B	50004343









ELECTRIC LAWN MOWERS	MOWER BLADE	CODE
FZR 2021-E	FZR 9021-E	50002348
FZR 2025-E	FZR 9021-E	50002348
FZR 2031-E	FZR 9036-E	50004743
FZR 2035-E	FZR 9024-E	50003263
FZR 2037-E	FZR 9040-E	50005791
FZR 2046-E	FZR 9027-E	50003594



CORDLESS GARDEN SHEARS	BATTERY	CODE
FZN 4101-2A/AT	FZ0 9003	50001967
FZN 5101-A	FZ0 9005	50003792

PETROL SCARIFIER	SPRING CYLINDER	CODE
FZV 6050-B	FZV 9050-B	50004371







CORDLESSTOOLS

FDV 10252-A

FDV 10253-A

FDV 10201-A

FDV 10251-A

FDV 10301-A

FDV 10351-A

FDV 10401-A

FDV 10352-55AR



CHARGER

FDV 90201RN

FDV 90251RN

FDV 90301N

FDV 90352RN



FDV 90351

FDV 90352

FDV 90401



50002153

50003702

50004244







20 V SERIES FAST POWER 20 V	2 Ah BATTERY	CODE	4Ah BATTERY	CODE	QUICK CHARGER	CODE
	FDUZ 79020	50004543	FDUZ 79040	50004544	FDUZ 79100	50004602
					FDUZ 79110	50004603







CODE

50003044


50003574


50003655

50003704

CORDLESS SAWS	FIELDMANN GUIDE BAR 20cm	CODE	FIELDMANN CHAIN	CODE
FZP70505-0 20V	FZS 9030	50004981	FZP 9031	50004982
FZP70805-0	FZP 9028-A	50004948	FZP 9029-A	50004949







FAST ČR, a. s. U Sanitasu 1621 Říčany u Prahy 251 01



The products in this catalogue may be subject to change without notice due to technical improvements, adjustments in colour specifications and stock availability in specific countries. The manufacturer takes no responsibility for printing errors. We can also repair the machines we sell to you! In our network of 32 service centres, we provide warranty and postwarranty service, always using original spare parts. You can also take advantage of preventive inspections or post-season inspections.

More information about the nearest service centre can be found on the website

