























Popular and sought-after: FIELDMANN®

Whether you love tending to your garden or the surroundings of your home, or you head to the workshop or garage for relaxation, the **FIELDMANN** brand is truly a good choice for you. In the world of garden machinery and tools, **FIELDMANN** has been a guide and advisor since 2010. Discover with us the extensive portfolio of **FIELDMANN** products. They are all united by an effort to understand the customer, emphasising functionality, quality, safety, ergonomics, and easy use or control, the use of current technologies, and elegant design.

A great advantage of the brand is that the **FIELDMANN** products maintain their full quality for a very long time. This is achieved through the use of advanced materials and construction. At the same time, the creators and developers have been committed to product affordability from the beginning. Also, high-quality and readily available customer service are a given.

There are basic models and premium products to choose from in all categories, each with an excellent price/performance ratio. Rotary and string mowers, hedge trimmers,

cordless drills, telescopic ladder, welder or sabre saw? You can find all of these with the

FIELDMANN
brand. The extensive
offer also includes
water pumping

technology, wooden, metal and plastic garden furniture, grills and car accessories. A really wide range of cordless equipment is unique to this brand. The cordless FAST POWER 20 V programmes now include a comprehensive range of tools for the workshop and garden.

The good name of the **FIELDMANN** brand and the number of satisfied customers in the Czech Republic and abroad is evidenced by repeated product awards in consumer surveys.

Choose from our rich offer, and you will be satisfied!









Garden Grills

Gas Grills	66
Charcoal Grills	70
Fireplaces	73

HOUSE AND WORKSHOP

Hand Tools

	70
Cordless Tools	/6
Electric Tools	78
Construction	86
Measuring Technology	88
Power Generators	89
Universal Vacuum Cleaners	90
Ash Vacuum Cleaners	92
Tools/Instruments	
Gola Tool Sets	94
Set of Bits with Screwdrivers	99
Drill Bits and Saw Blades	101
Tool Boxes	102
Ladders and Steps	104
Car Accessories	
Compressors and Accessories	106
Car Accessories	107
Spare Parts and Accessories	





You don't even have to keep track of which tools are actually charged. One battery is enough. A single battery type gives power and endurance to thirty-three machines in the **CORDLESS FAST POWER** series. So, you need a second battery for alternating periods of extended use when the first battery runs out of power. Or to pair with larger machines where the power of two batteries is needed simultaneously. No









20 V Li-Ion Battery 2 Ah FDUZ 79020

- patented battery cell technology for longer lifespan
- LED charge status indicator directly on the battery
- battery capacity: 2,000 mAh
- compatible with all items from the FAST POWER 20 V series



20 V Li-Ion Battery 4 Ah FDUZ 79040

- patented battery cell technology for longer lifespan
- LED charge status indicator directly on the battery
- battery capacity: 4000 mAh
- compatible with all items from the FAST POWER 20 V series



20 V Li-Ion Battery 8 Ah FDUZ 79080

- patented battery cell technology for longer lifespan
- LED charge status indicator directly on the battery
- battery capacity: 8000 mAh
- compatible with all items from the FAST POWER 20 V series (unless specified in the device description)



Quick Charger 20 V FDUZ 79100

- AC 230 V/50 Hz, DC 20 max 2.4 A
- LED indication / battery overheating protection
- charging time: 60 min (2 Ah)
 120 min (4 Ah)
 240 min (8 Ah)
- compatible with all items from the FAST POWER 20 V series



Quick Charger 2 × 20 V FDUZ 79110

- AC 230 V/50 Hz, DC 20 max 2× 2.4 A
- LED indication / battery overheating protection
- charging time: 60 min (2× 2 Ah)
 120 min (2× 4 Ah)
 240 min (8 Ah)
- compatible with all items from the FAST POWER 20 V series



- AC 230 V/50 Hz, DC 20 max 4.5 A
- LED indication / battery overheating protection
- charging time: 30 min (2 Ah)
 60 min (4 Ah)
 120 min (8 Ah)
- compatible with all items from the FAST POWER 20 V series



20 V Cordless Drill









- speed without load: 0-405 rpm, 0-1,900 rpm
- max. diameter: 13 mm
- max. torque: 60 Nm
- tap function
- without battery and charger

20 V Cordless Drill FDUV 70105-0





- speed without load: 0–360 rpm,
 0–1,300 rpm
- max. diameter: 10 mm
- max. torque: 35 Nm
- without battery and charger

2

hammer drill

20 V Cordless Impact Wrench





- speed without load: 0-2,600 rpm
- max. torque: 300 Nm
- without battery and charger

20 V Water Gun



- battery type li-ion 1× 20 V
- 500 ml paint container
- ergonomically shaped handle
- without battery and charger

20 V Cordless Compressor FDAK 70205-0





- work pressure: 10.3 bar, 235 l/min
- ergonomic handle
- the package includes: valve adapter, ball inflation needle,
- universal adapter and high pressure hose
- without battery and charger

20 V Cordless Circular Saw FDUK 70305-0



- speed without load: 0-3,700 rpm
- wheel diameter: 165 mm
- ergonomic handle
- AC Laser
- without battery and charger



20 V Cordless Sabre Saw FDUO 70505-0



- speed without load: 0–3,000 rpm
- cutting length: 26 mm
- max. cutting capacity: wood: 100 mm, soft metal: 20 mm, steel: 10 mm
- without battery and charger

20 V Cordless Angle Grinder



- speed without load: 0-7,500 rpm
- wheel diameter: 115 mm
- with a side handle and ergonomic handle
- without battery and charger
- grinding wheel included

20 V Cordless Angle Grinder



- speed without load:
- 0-2,500 rpm
- 0-8,500 rpm
- wheel diameter: 115 mm
- with a side handle and ergonomic handle
- without battery and charger

20 V Cordless Jigsaw FDUP 70405-0



- speed without load: 0–2,800 rpm
- max. cutting capacity:
 wood: 80 mm, soft metal: 10 mm, steel: 5 mm
- without battery and charger

20 V Cordless Ash Vacuum Cleaner FDU 70705-0

carbonless

motor



- air flow rate: 10 l/s
- container volume: 18 l
- only for cold ash (max 40°C)
- without battery and charger














- chain speed: 15 m/s blade length: 300 mm blade and chain included oil tank capacity: 180 ml
- without battery and charger

2× 20 V Cordless Leaf Blower

FZF 70725-0



 maximum velocity of air: 58 m/s

airflow: 630 CFM

 without battery and charger



20 V Cordless Leaf Blower

FZF 70605-0

- speed without load: 0-17,000 rpm
- maximum velocity
- airflow: 350 CFM



20 V Cordless String Trimmer

FZS 70101-0

- coverage width: 230 mm
- string diameter: 1.6 mm
- speed without load: 0-8,000 rpm
- telescopic handle
- adjustable trimmer head angle
- without battery and charger



20 V Cordless String Trimmer

FZS 70105-0

- coverage width: 300 mm
- string diameter: 1.6 mm
- speed without load: 0-7,500 rpm
- telescopic handle
- + guide wheel
- adjustable trimmer head angle

FZV 70905-0

carbonless

motor

2× 20 V Cordless Scarifier

 without battery and charger



2×20 V Cordless Brush Cutter

FZS 70705-0



- max. width of cut 38 cm
- string trimmer head: 33 cm
- string diameter: 2.0 mm
- 3-pointed metal disc: 23 cm
- handles with softened grip
- included in the package: string head, metal disc and strap
- without battery and charger



2× 20 V Cordless Cultivator



motor

aeration and scarification

- coverage: 380 mm, grass bag volume: 50 l
- adjustable handle (3 positions)
- 5 working depth positions: (-12, -9, -6, -3, +6)
- without battery and charger
- not compatible with 8 Ah

20 V Cordless High-Pressure Washer FDW 70905-0





power: 20 V



- pressure adjustment: yes (2 stages: low high)
- the package includes a multi-function nozzle, self-priming hose and shampoo container
- without battery and charger









20 V Cordless Grass/Shrub Shears FZN 70101-0



- speed without load: 0–1,200 rpm
- 2× blades included (for grass and shrubs)
- 100 mm / 200 mm blade lengths
- without battery and charger

20 V Cordless Hedge Trimmers FZN 70202-0

20 V Cordless Hedge Trimmers FZN 70205-0

without battery and charger

2× 20 V Cordless Hedge Trimmers

NEW



- cutting diameter: 16 mm
- speed without load: 0-1,250 rpm
- electronic brake
- without battery and charger


FZN 70405-0

blade length: 510 mm

cutting diameter: 16 mm

- speed without load: 0–1,300 rpm
- electronic brake
- without battery and charger
- diameter of the cut: 16 mm
- safety switch system
- guide bar protective cover for safe storage
- without battery and charger

20 V Cordless Telescopic Hedge Trimmers



telescopic handle: ± 70 cm

- adjustable head
- without battery and charger






FZP 90505 can be purchased separately







- chain speed: 5 m/s
- blade length: 200 mm



telescopic handle: ± 70 cm without battery and charger









- 1× head pruner
- 1× telescopic head
- 1× telescopic handle
- without battery and charger













2×20 V CORDLESS LAWN MOWERS

In densely populated garden areas or recreational zones, and anywhere exhaust emissions or noisy surroundings may be a nuisance, cordless lawn mowers are the optimal choice. They do not bother anyone and provide absolute comfort during operation. The absence of an electric cable complements their lightweight and exceptionally easy handling.

While lighter, smaller mowers can handle intricate gardens, with the taller models, you can confidently tackle remote corners of larger gardens. Their wider coverage ensures that the job is done effortlessly, and the large grass bags won't fill up quickly.

When working with cordless lawn mowers from the CORDLESS FAST POWER series, you don't have to compromise on power. This is made possible by fully utilising the power of the two batteries in conjunction with the electronic control unit. The new option to choose from three battery capacity variants (2 Ah, 4 Ah, or 8 Ah) is highly sought after by customers. All mowers in the CORDLESS FAST POWER series are equipped with modern carbonless motors. For better manoeuvrability, the mowers have sturdy wheels made of durable plastic.





































Those who do not plan to leave the area within reach of the mains when mowing and do not mind worrying about the power cable will appreciate the power and unlimited endurance of the electric lawn mower.

Among the advantages of electric lawn mowers are the favourable price, quiet operation, lower weight, and, above all, low maintenance requirements because, unlike a petrol lawn mower, it essentially doesn't need any servicing. The motor does not burn any fuel, making the operation environmentally friendly. Cushioned handles of **FIELDMANN** electric lawnmowers increase comfort during work, as does the central height adjustment, where a single lever controls all wheels simultaneously. The spacious grass bags are made of high-quality fabric, reducing dust permeability, which can withstand flying stones, or highly durable plastic with a fill indicator.

Electric Lawn Mower

FZR 2037-E

- motor input power: 1,600 W
- divided grass bag (plastic/textile) with a volume of 42 l
- mowing height: 30–75 mm (5 positions)
- folding handle for easy storage
- central mowing height adjustment
- cushioned handle








everything for your home and garden







Electric Lawn Mower

FZR 2021-E

- motor input power: 1,200 W
- plastic grass catcher with a volume of 30 l with a fill indicator





Electric Lawn Mower


FZR 2025-E

- motor input power: 1,300 W
- plastic grass catcher with a volume of 30 l with a fill indicator
- mowing height: 20–56 mm (3 positions)
- height-adjustable handle
- transport handle in the lawn mower's centre of gravity

Electric Lawn Mower

FZR 2033-E

- power input 1,400 W
- central mowing height adjustment 5 positions, (25–70 mm)
- 30 l plastic grass bag with fill indicator
- cushioned handle
- handle for easy handling of the lawn mower
- folding handle





Model	Engine Input Power	Coverage	Chassis Material	Mowing Height Adjustment	Mowing Height	Grass Bag Capacity	Folding Handle	Handle Height Adjustment	Weight	Recommended Area
FZR 2021-E	1,200 W	32 cm	plastic	3 positions	20-56 mm	30 l	YES	NO	7.5 kg	450 m²
FZR 2025-E	1,300 W	32 cm	plastic	3 positions	20-56 mm	30 l	YES	YES	7.5 kg	600 m²
FZR 2033-E	1,400 W	33 cm	plastic	5 positions	25-70 mm	30 l	YES	YES	7.25 kg	600 m²
FZR 2037-E	1,600 W	38 cm	plastic	5 positions	30-75 mm	42 l	YES	YES	11.5 kg	800 m²
FZR 2048-E	2,000 W	42 cm	plastic	6 positions	20-75 mm	45 l	YES	YES	12.5 kg	1,000 m²





independently and do not require any attention. This saves significant time and physical effort. In addition, they are quiet, energy-efficient and require no special maintenance.

The premium series of FIELDMANN robotic lawn mowers is new this year. The lawn mowers were designed with an emphasis on performance and easy operation. Customers can easily choose a specific model based on the size of their garden. Thanks to advanced control and navigation technology, robotic lawn mowers meticulously mow the lawn, avoid obstacles, and optimise the route for maximum efficiency. Integrated sensors ensure trouble-free operation in various conditions. Comfort is provided by simple operation through a user-friendly interface and the ability to schedule mowing times. Safety features and robust design guarantee the reliability of FIELDMANN robotic lawn mowers.



fieldmann.com





Robotic Lawn Mower

FZRR 5650-A

- mowing width 17 cm
- mowing height 3/4/5 cm
- maximum inclination 25°

■ Li-ion battery 20 V 2 Ah

- 150 m boundary cable included in the package
- LCD display
- edge cutting
- rain sensor
- scheduled mowing
- 4 mowing zones

ROBOT INSIDE





Robotic Lawn Mower

FZRR 5950-A

- mowing width 17 cm
- mowing height 3/4/5 cm
- maximum inclination 25°
- Li-ion battery 20 V 4 Ah
- 150 m boundary cable included in the package
- LCD display
- edge cutting
- rain sensor
- scheduled mowing
- 4 mowing zones

900 m²

600 m²

rain sensor





Large lawns are almost the domain of rotary lawn mowers with petrol motors. They dare to tackle not only large areas but also denser and longer grass. Above all, they are independent of energy sources – if you have enough fuel, you can use them far from civilisation.

In intricate gardens, smaller petrol machines with plastic chassis and no drive are suitable. They are lighter, making them easier to handle in case of obstacles on the lawn, such as between flower beds. For larger areas where it would be necessary to push the machine uphill or over uneven terrain, mowers with a drive are optimal. Thanks to the drive, mowing the grass

is effortless even in challenging areas. Higher models of petrol mowers feature a variator, allowing for smoothly adjustable driving speed.

For user convenience, the mowers are equipped with a 4 in 1 system, which allows choosing how to deal with mowed grass: Whether it goes into a voluminous grass bag, will be used for mulching, or will be thrown to the side or back. Most offered **FIELDMANN** petrol mowers have central height adjustment. Cushioned handles reliably dampen vibrations. The machines have larger wheels, effectively overcoming terrain irregularities. Moreover, the wheels of most models are mounted on ball bearings, which prolongs their lifespan and improves wheel rotation.



































Model	Motor	Motor Power	4 in 1 System	Coverage	Chassis Material	Height Adjustment	Number or Mowing Height Positions	Bag Capacity	Folding Handle	Handle Height Adjustment	Weight	Recommended Area
FZR 4003-79BH	OHV 79 cm³	1.3 kW	NO	40 cm	PLASTIC	YES	3 positions	40 l	YES	NO	18 kg	650 m²
FZR 4210-B	OHV 127 cm ³	1.9 kW	NO	42 cm	STEEL	YES	6 positions	45 l	YES	NO	23 kg	900 m²
FZR 4608-B	OHV 139 cm³	2.2 kW	NO	46 cm	STEEL	YES	8 positions	55 l	YES	NO	28 kg	1,000 m²
FZR 4611-144B	OHV 144 cm³	2.5 kW	NO	46 cm	STEEL	YES	8 positions	65 l	YES	NO	28 kg	1,000 m²
FZR 4616-144B	OHV 144 cm³	2.5 kW	YES	46 cm	STEEL	YES	8 positions	65 L	YES	YES	29 kg	1,000 m²
FZR 4618-144BV	OHV 144 cm³	2.5 kW	YES	46 cm	STEEL	YES	8 positions	65 L	YES	YES	28 kg	1,200 m²
FZR 5114-170B	OHV 170 cm³	2.8 kW	YES	51 cm	STEEL	YES	8 positions	62 l	YES	YES	30 kg	1,800 m²
FZR 5114-170BV	OHV 170 cm ³	2.8 kW	YES	51 cm	STEEL	YES	8 positions	62 l	YES	YES	31 kg	1,800 m²
FZR 5115-170B	OHV 170 cm ³	2.8 kW	YES	51 cm	STEEL	YES	8 positions	65 l	YES	YES	26.5 kg	1,800 m²
FZR 5611-B	OHV 196 cm ³	3.5 kW	YES	56 cm	STEEL	YES	6 positions	75 l	YES	YES	34 kg	2,000 m²



Motor Oil

MOL Dynamic Garden 4T

- designed for lubrication of four-stroke petrol motors
- retains its excellent properties even at low temperatures
- suitable for year-round use
- viscosity class SAE 10W-30
- suitable for garden machinery
- package volume 0.6 l



Fuel Canister for PHM 5 l FZR 9060

- swivel cap and special pouring tube
- UV-resistant, resistant to weather conditions or mechanical damage
- approved for transport and storage of fuel







Electric String Trimmer FZS 2505-E



In places where a rotary mower is too bulky, a string trimmer gets its chance. After mowing the lawn with a rotary mower, there are still many places where the mower did not reach or where it could cause damage, such as on the edges of the lawn near a wall or kerb, or around flower beds, trees and shrubs, or on a steep slope. All of these are areas where a flexible string precisely trims the grass.

FIELDMANN string trimmers are light and quiet, ideal for smaller areas – perfect for finishing touches. The string is easy to unwind: Just tap the mower head on the ground. For comfort when working on larger surfaces, trimmers with support wheels are suitable. Models with a telescopic handle can be adjusted to the user's height. The position of the upper handle can also be adjusted, and for selected types, the angle of the cutting

head can be modified. Compared to a string trimmer, an electric trimmer can also handle thicker plants and denser growth. For clearing extensive weedy areas or bushes, as well as small saplings, it is advantageous to invest in a powerful petrol brush cutter. **FIELDMANN** machines are equipped with both a string head and a steel blade or a three-tooth blade. Two-stroke motors of **FIELDMANN** brush cutters are highly efficient yet lightweight. Double handles with ergonomic grips resembling bicycle handlebars ensure comfortable handling. The shoulder strap helps distribute the weight of the brush cutter over the whole body, not just in the hands, making it particularly helpful during longer work sessions.

spare string 60 m / 1.4 mm



- two-stroke engine with a capacity of 25.4 cm³ with an output of 0.7 kW
- steel three tooth blade for mowing more resistant plants – part of the package
- double handle with ergonomic grips
- weight: 6.6 kg

optional accessory:

- spare string 2.4 mm / 15 m
- spare string 2.4 mm / 60 m
- spare steel three tooth blade
- semi-automatic string trimmer head
- work gloves

- two-stroke engine with a capacity of 32.5 cm³ with an output of 1.15 kW
- steel three tooth blade for mowing more resistant plants – part of the package
- double adjustable handle and strap
- weight: 6.8 kg

optional accessory:

- spare string 2.4 mm / 15 m
- spare string 2.4 mm / 60 m
- spare steel three tooth blade
- semi-automatic string trimmer head
- work gloves

- two-stroke engine with a capacity of 43 cm³
 with an output of 1.4 kW
- double handle with ergonomic grips
- steel three tooth blade for mowing more resistant plants – part of the package
- large fuel tank for uninterrupted operation
- weight: 7.2 kg

optional accessory:

- spare string 2.4 mm / 15 m
- spare string 2.4 mm / 60 m
- spare steel three tooth blade
- semi-automatic string trimmer head
- work gloves







Model	Motor Type	Input Power	Mowing Coverage	String Diameter	Head Angle Adjustment	Telescopic Handle	Support Wheels	Protective Guide	Weight
FZS 1005-A	cordless electric motor	18 V / 1,500 mAh	26 cm	1.4 mm	YES	YES	NO	YES	2.0 kg
FZS 2105-E	electric motor	250 W	22 cm	1.0 mm	NO	NO	NO	NO	1.3 kg
FZS 2306-E	electric motor	350 W	25 cm	1.4 mm	NO	YES	NO	NO	1.7 kg
FZS 2002-E	electric motor	500 W	30 cm	1.4 mm	YES	YES	YES	YES	2.4 kg
FZS 2505-E	electric motor	550 W	30 cm	1.4 mm	YES	YES	NO	YES	2.3 kg
FZS 2050-E	electric motor	1,400 W	42 cm	1.6 mm	NO	NO	NO	NO	6.0 kg



Model	Motor Type	Engine Capacity	Motor Power	Mowing Coverage	String Trimmer Head	String Diameter	Steel Three Tooth	Double Handle	Weight
FZS 3003-B	two-stroke	25.4 cm ³	0.70 kW	44 cm	TWIST&G0	2.4 mm	YES	YES	6.6 kg
FZS 3020-B	two-stroke	32.5 cm ³	1.15 kW	42 cm	TWIST&G0	2.4 mm	YES	YES	6.8 kg
FZS 4004-B	two-stroke	43 cm ³	1.40 kW	43 cm	TWIST&G0	2.4 mm	YES	YES	7.2 kg
FZS 5003-B	two-stroke	52 cm ³	1.60 kW	44 cm	TWIST&G0	2.4 mm	YES	YES	7.5 kg
FZS 5025-B	two-stroke	51.7 cm ³	1.45 kW	44 cm	TWIST&G0	2.4 mm	YES	YES	11.2 kg



Residues from mowing, as well as dead grass and weed leaves that don't decompose quickly, create the basis for lawn thatch. A thin layer of thatch is beneficial for the lawn as it serves as protection. However, a thick layer can block essential elements like moisture, nutrients, and oxygen from reaching the roots. Therefore, scarification and aeration become necessary as the thatch layer thickens and the lawn becomes denser.

Petrol Scarifier FZV 6050-B

OHV 212 cm³/4.3 kW engine

working width: 40 cm / steel chassis

equipped with a cylinder with 36 blades as standard


central working depth adjustment

adjustment range -15 to +5 mm, 8 positions

textile grass bag of 35 l reducing dust permeability

wheels mounted on ball bearings

folding handle for easy storageoptional accessory: cylinder with springs







Aerators don't penetrate the soil but use steel springs on a roller to comb through the lawn, removing the top layer of old thatch and moss. On the other hand, scarifiers are equipped with a shaft and vertically placed scarifying blades. These penetrate the soil to a depth of a few millimetres (2-3 mm), separating the horizontal grass blades, loosening the surface and creating narrow grooves in the lawn to facilitate the penetration of air, nutrients and moisture to the roots. This promotes root growth, rejuvenation and thickening of the lawn. Universal combination machines from **FIELDMANN** feature both an aerating roller with steel springs and a roller with scarifying blades. The depth of cut is adjusted centrally using a lever.

When scarifying larger lawns, you will appreciate the bulky grass bag where the thatch is collected. Scarifiers from **FIELDMANN** are equipped with bags ranging from 40 litres for smaller models to 48 or 50 litres for larger ones. While a larger basket is heavier, it doesn't need to be emptied as often. The job is then done faster.

everything for your home and garden







- electric motor input power: 1,300 W
- coverage width of scarifying: 32 cm
- two interchangeable cylinders are included
- adjustment of the working depth according to the wear of the blades or springs
- scarifying roller with 18 blades
- aeration cylinder with 40 springs
- height-adjustable handle
- grass bag with a capacity of 40 l

- electric motor input power: 1,500 W
- coverage width of scarifying: 32 cm
- two interchangeable cylinders are included
- adjustment of the working depth to 4 positions according to the wear of the knives or springs
- scarifying roller with 16 blades
- aeration cylinder with 20 springs
- grass bag with a capacity of 40 l

- electric motor input power: 2,000 W
- coverage width of scarifying: 40 cm
- two interchangeable cylinders are included
- adjustment of the working depth according to the wear of the blades or springs
- scarifying roller with 20 blades
- aeration cylinder with 24 springs
- height-adjustable handle
- grass bag with a capacity of 55 l



Electric Chain Saw FZP 2105-E

- electric motor input power: 1,800 W
- FIELDMANN blade 35 cm long
- safety chain brake
- automatic oil pump
- weight: 5.0 kg with a blade and chain

ELECTRIC CHAIN SAWS

The electric chain saw is suitable for occasional cutting in the garden around the house, but due to the lack of fuel fumes it is also suitable for the workshop. The power typically ranges from 1,600 to 2,500 W, which is generally sufficient for common use. Machines with power at the lower end of the range are suitable for tasks like cutting firewood, pruning bushes, and small DIY projects.

For preparing a larger quantity of firewood, it's better to choose a more powerful chain saw with a rating of around 2400 W. Users appreciate electric chain saws for their unlimited power source, easy operation and maintenance. The advantage also lies in their quieter operation, which is welcomed in gardens in

Electric Chain Saw FZP 2005-E



- electric motor input power: 2,000 W
- blade 40 cm long
- safety chain brake
- automatic oil pump
- weight: 5.5 kg with a blade and chain
- quick chain tensioning system



dense urban areas or recreational areas. For those who don't plan to venture far from an electrical socket, this type of chain saw is ideal for hobby use.

The chains of **FIELDMANN** electric chain saws are lubricated by an automatic oil pump, which reduces friction and increases chain lifespan. No tools are necessary for tightening up or removing the chain and blade for cleaning. Integrated safety features, such as a chain brake for instant chain stopping and a sturdy chain catcher at the end of the chain, are standard. Higher-end models of electric chain saws come equipped with blades and chains from the American brand Oregon, a leading global manufacturer of chain saw chains and blades with a 70-year tradition in production.

Model	Input Power	Blade Length	Safety Brake	Safety Clutch	Automatic Chain Lubrication	Chain Lubrication Regulation	Weight
FZP 2105-E	1,800 W	35 cm	YES	NO	YES	NO	5.0 kg
FZP 2005-E	2,000 W	40 cm	YES	NO	YES	NO	5.5 kg
FZP 2025-E	2,400 W	40 cm	YES	YES	YES	NO	5.4 kg
FZP 2030-E	2400 W	40 cm	YES	YES	YES	NO	5.5 kg







Electric Chain Saw FZP 2025-E



OREGON®



- Oregon blade and chain with a length of 40 cm
- excellent balance thanks to unique design
- safety chain brake
- automatic oil pump
- weight: 5.4 kg with a blade and chain

Electric Chain Saw





- electric motor input power: 2,400 W
- Oregon blade and chain with a length of 40.5 cm
- excellent balance thanks to unique design
- safety chain brake
- automatic oil pump
- weight: 5.5 kg with a blade and chain





The category of petrol chain saws is intended for those who use a chain saw more frequently, need more power, or require the flexibility of working without access to an electrical socket. Petrol saws can also handle larger amounts of wood and thicker branches or tree trunks. The construction of FIELDMANN petrol chain saws consists of high-quality, durable plastic and metal parts. They are well-balanced, which ensures comfortable control, easy handling, and reduces the risk of injury.

The handle is equipped with an anti-slip surface, enhancing the control of the chain saw. With an optimal 40 cm blade length and a weight of 5–6 kg, the chain saw provides the user with good manoeuvrability during work. Starting the chain saw with a cold motor is facilitated by the C.D.I. ignition system, so even in winter, starting requires no excessive physical strength.

FIELDMANN machines come with integrated safety features, such as a safety chain brake for instant chain stopping, protecting against kickback, and a sturdy chain catcher at the end of the chain. Maintenance is also made easier. The high-quality FIELDMANN chain is lubricated by an automatic oil pump, reducing friction and increasing the chain's lifespan. The lubrication force can be conveniently adjusted with a screwdriver. In addition to the necessary tools for handling the blade and chain, a calibrated container for preparing the fuel mixture is included in the package.





■ FIELDMANN blade 40.5 cm long

safety chain brake

weight: 6.0 kg

C.D.I. starting system

■ FIELDMANN blade 40.5 cm long

safety chain brake

weight: 5.5 kg

C.D.I. starting system

EASY START

One-Handed Petrol Chain Saw

FZP 25410-B


- two-stroke motor with a capacity of 25 cm³
- FIELDMANN blade 25 cm long
- safety chain brake
- C.D.I. starting system
- weight: 4 kg



Petrol Chain Saw NEW

FZP 6516-B

- two-stroke motor with a capacity of 65 cm³
- FIELDMANN blade 45 cm long
- safety chain brake
- C.D.I. starting system





व्यवन्त्रवन्त्रवन्त्रवन्त्रवन्त्रवन्त्रवन्त्रवन्त्रवन्त्रवन्त्रवन्त्रवन्त्रवन्त्रवन्त्रवन्त्रवन्त्रवन्त्रवन्त्

FIELDMANN®
Home & Garden Performance



Chain Lubrication

Regulation

YES

Weight

4 kg

Automatic Chain

Lubrication

YES

Safety Clutch

NO





Petrol Chain Saw

FZP 56516-B

- two-stroke motor with a capacity of 56.5 cm³
- blade 40.5 cm long
- FIELDMANN chain
- safety chain brake
- C.D.I. starting system
- weight: 5.6 kg

EASY START

Petrol Chain Saw

FZP 5816-B

- two-stroke motor with a capacity of 58 cm³
- blade 40 cm long
- FIELDMANN chain
- safety chain brake
- C.D.I. starting system
- weight: 6.0 kg









Electric Hedge Trimmers **FZN 2000-E**

- input power: 520 W
- blade length: 400 mm
- safety two-hand motor switch
- safety brake
- adjustment of branches up to a diameter of 16 mm
- blade protective cover
- weight: 2.25 kg

Electric Hedge Trimmers

FZN 2305-E

- input power: 550 W
- blade length: 500 mm
- cutting diameter 16 mm
- safety switch system
- weight: 2.5 kg

Electric Hedge Trimmers **FZN 2505-E**

- input power: 600 W
- blade length: 550 mm
- adjustable shear angle
- 4 horizontal handle positions
- cutting diameter 20 mm
- safety switch system
- weight: 2.6 kg

If our goal is a thick, green, and nicely shaped hedge, we have no choice but to trim it at least once a year. Precise trimming, even for tall and long hedges, can be achieved with the help of special hedge trimmers. Hedge trimmers significantly save physical effort and allow for longer work without a break.

Light weight, excellent manoeuvrability and quiet operation are the main advantages of electric hedge trimmers from FIELDMANN. With these hedge trimmers, even women or seniors can work without much effort. Although electric shears can handle older, woody hedges and thicker branches, they are generally more suitable for occasional trimming of softer wood branches. Petrol hedge trimmers are significantly more powerful than electric ones, allowing them to cut thicker branches and larger areas. They are also an ideal solution if we need to trim hedges or shrubs beyond the reach

of electricity. The possibility of adjusting the cutting angle also simplifies the trimming of vertical hedge surfaces or the shaping of shrubs in less accessible places. For a high or particularly difficult-to-reach hedge, it is worth getting a telescopic hedge trimmer, which you can find in this catalogue among tree pruners. FIELDMANN hedge trimmers are equipped with protective features such as a front shield against flying branches, safety switches, or a blade cover for easy storage.

Model	Motor Type	Input Power / Power	Blade Length	Maximum Cutting Diameter	Sensor Security System	Weight
FZN 2000-E	electric motor	520 W	40 cm	16 mm	YES	2.25 kg
FZN 2305-E	electric motor	550 W	50 cm	16 mm	YES	2.5 kg
FZN 2505-E	electric motor	600 W	55 cm	20 mm	YES	2.6 kg
FZN 4006-B	petrol	26 cm³ / 0.75 kW	51 cm	24 mm	YES	5.4 kg

Petrol Hedge Trimmers

- two-stroke motor with a capacity of 26 cm³
- blade length: 510 mm
- maximum cutting diameter 24 mm
- adjustable handle for vertical cutting
- safety switch system, protective front shield
- weight: 5.4 kg





Telescopic Hedge Trimmers **FZN 6005-E**

- electric motor input power: 450 W
- length of the shear blade 46 cm
- maximum cutting diameter 16 mm
- possibility to adjust the cutting head
- angle 8 positions telescopic handle adjustment ranging from 1.9 to 2.5 m
- weight: 3.70 kg

Pole Saw

FZP 6005-E

- electric motor input power: 600 W
- FIELDMANN blade and chain
- blade length 25 cm
- possibility to adjust the cutting head angle - 3 positions
- telescopic handle adjustment in the range of 2.3-2.9 m
- weight: 3.50 kg

and Hedge Trimmers

FZN 4000-A

- Li-ion battery 3.6 V / 1,500 mAh
- operating time of approx. 30 min
- recharging time of approx. 4 hours
- 2 cutting blades easy exchange
- grass shear blade 70 mm

shrub trimmer blade – 100 mm

- safety switch
- battery charge status indicator
- weight: 0.60 kg

and Hedge Trimmers

FZN 4101-A/4102-AT

- replaceable Li-lon battery 3.6 V / 1,300 mAh
- swivel head with 4 positions
- grass shear blade 80 mm
- shrub trimmer blade 110 mm
- battery power indicator
- weight: 0.60 kg
- the FZN 4102-AT option also includes a telescopic handle (130 cm)
- weight 1.00 kg





To prevent our garden from becoming overgrown like in the story of Sleeping Beauty, it is necessary to regularly trim and prune plants, shrubs, and trees. Telescopic pole saws and grass and shrub shears are indispensable tools for managing lush vegetation. Telescopic pruning tools allow you to lighten tree branches or trim tall hedges from the safety of solid ground. The advantage of electric cordless grass and shrub shears is the "freedom of movement" provided by rechargeable batteries.

Telescopic pole saws and telescopic hedge shears essentially extend our reach when pruning branches, rejuvenating trees, or trimming tall hedges. Extendable handles allow us to stand firmly on the ground while working. Thanks to the adjustable angle of the cutting or shearing head, we can reach less accessible places. Comfort during use is enhanced by the cushioned handle cover and shoulder strap. Cordless grass and shrub shears are a 2 in 1 tool. We can quickly and effortlessly trim lawn edges and shape ornamental trees with them. A low battery is indicated by an LED indicator. Selected models also feature a swivel handle. For added comfort, you can choose one of the four working positions (90°, 0°, 90°, 180°) or additionally purchase a long handle with support wheels.







FZN 4015-A

- 3.6 V / 1.5 h
- charging via USB-C
- max cut width: 10 mm
- weight: 0.6 kg

fieldmann.com





Without the vibrant colours of flowers or perhaps herbs for the home kitchen, it's often challenging to imagine a balcony or terrace. Whether you're planning to plant in pots, a greenhouse or flower beds, you'll certainly appreciate the small gardening tools. Lightweight yet highly functional hand tools are available in complete sets from the FIELDMANN brand.

LOPPING SHEARS, **GARDEN** TOOLS

Precisely sharpened blades of double-blade shears allow for a perfectly precise trimming of plants and shrubs or a quick cut of fruit trees. Thicker branches, up to 50 mm in diameter, can be handled with lopping shears thanks to a lever mechanism and longer handles. Hand shears accompany us throughout the gardening season and among electric, battery-powered, or petrol-powered tools, they still have their place.

Telescopic

Pruning Saw

FZNR 1350

Lopping Shears **FZNR 1006**



- lopping shears
- double-bladed
- max. thickness of wet branch: 20 mm
- SK5 stainless steel blade

Lopping Shears **FZNR 1007**



- lopping shears
- double-bladed
- max. thickness of wet branch: 20 mm
- 2 cutting pitch positions

Garden Tools Set

Hand saw **FZNR 1310**



- total length: 410 mm
- blade treated against corrosion
- weight: 380 g
- protective case
- possibility of attachment to the belt

Lever Lopping Shears **FZNR 1013**





- telescopic shears
- single-bladed
- shears length: 680–920 mm
- shears weight: only 1920 g
- cut of branches up to 50 mm
- steel handles
- rubberised handles
- set of 4 hand tools
- trowel, small rake, cultivator, weed puller
- high durability
- material: aluminium
- cushioned handle

Garden Tools Set

FZNR 1101



- set of 5 hand tools
- hoe, fork, garden claw, root puller
- and transplanting trowel
- plastic with strong polyamide fibres
- high heat resistance
- high strength





- telescopic shears
- shears length: 680–920 mm
- shears weight: only 1,920 g
- cut of branches up to 50 mm
- steel handles
- rubberised handles



- suitable for pruning branches in tree crowns
- high sharpness, hardened teeth
- telescopic pole with adjustable range, max. 5 m
- plastic blade cover also included

Electric Shredder FZD 4015-E

NEW



- motor input power: 2,800 W
- soft start
- max. diameter of shredded waste 4 cm
- practical holder for the tamper
- overload protection
- wheels for easy handling
- bag included for shredded waste 45l
- weight 8 kg

FZD 4020-E



- electric motor input power: 2,500 W
- blade crushing system 2 blades
- waste crushing up to a diameter of 4 cm
- overload protection
- solid steel construction with wheels for easy relocation
- box with a capacity of 50 l with safety lock for easy handling of crashed material
- weight: 14.1 kg

Electric Wood Chipper FZD 5015-E



- electric motor input power: 2,800 W
- crushing with a teeth roller
- box for crushing material with a volume of 60 l
- crushing of garden waste up to a diameter of 4.4 cm
- overload protection and reverse run
- robust steel construction with wheels for easy handling
- weight: 19.4 kg

SHREDDERS AND CHIPPERS

Electric shredders and chippers from **FIELDMANN** can literally "kill two birds with one stone". They process the branches of shrubs and trees so that they can be used further, for example as mulch to prevent weed growth. This cleverly solves the problem of where to put the waste after pruning trees or preparing firewood. Fresh branches are difficult to burn, and in some areas, local regulations don't even allow such disposal.

Drying them in a corner of the garden is also not ideal, and if you don't own a car with a trailer, transporting them to collection points can be technically challenging. Shredders and chippers will easily rid you of garden waste and save you money on buying mulch.

Shredders are equipped with a disc with two blades that crush the waste. This can be either composted or used as mulch around ornamental flowers and plants. In the chipper, which can handle thicker, dried, and harder branches, the material is crushed by a slowly rotating gear wheel. The resulting wood chips are larger, and after drying, they can be used as firewood.



GARDEN

GARDEN VACUUM CLEANERS AND BLOWERS

If you have a larger garden with several medium to large trees, you might find yourself dealing with a pile of up to ten cubic metres of leaves in the fall. Raking such a heap would be a challenging sport. A garden vacuum cleaner can handle such a pile in a flash.

Simply empty the leaves from the collection bag onto the compost as soon as it fills up. Or blow them into one pile. In addition to the electric combined blower/vacuum cleaner, you can also find a cordless blower (CORD-LESS FAST POWER series) or a petrol model that both blows and vacuums.





- electric motor input power: 3,000 W
- 3 functions blowing, vacuuming, shredding
- air velocity 240 km/h
- suction power up to 9 m³/min.
- shredding ratio 10:1
- collection bag volume 45 l
- shoulder strap included
- weight: 2.8 kg

- garden vacuum cleaner with the possibility of continuous power control
- electric motor input power: 3,000 W
- soft start smooth motor start
- 3 functions blowing, vacuuming, shredding
- air velocity 100 to 270 km/h
- suction power up to 13 m³/min.
- shredding ratio 10:1
- collection bag volume 45 l
- shoulder strap included
- steel shredder
- weight: 3.5 kg

- continuous power regulation
- electric motor input power: 3,000 W
- soft start smooth motor start
- 3 functions blowing, vacuuming, shredding
- air velocity 100 to 300 km/h
- suction power up to 16 m³/min.
- shredding ratio 15:1
- collection bag volume 45 l
- shoulder strap included
- retractable small rake and telescopic nozzle
- steel shredder
- easy access to the workspace
- weight: 3.7 kg

everything for your home and garden



Electric Log Splitter

FZLS 1004H-E NEW

- type of splitter: horizontal
- voltage: 230 V, classic socket
- power: 2000 W
- max. cutting pressure: 4t
- max. log length: 37 cm
- max. log diameter: 25 cm

Electric Log Splitter

FZLS 1005H-E

- type of splitter: horizontal
- voltage: 230 V, classic socket
- power: 1500 W
- max. cutting pressure: 5t
- max. log length: 52 cm
- max. log diameter: 25 cm

Electric Log Splitter

FZLS 1007V-E NEW


- type of splitter: horizontal
- voltage: 230 V, classic socket
- power: 3000 W
- max. cutting pressure: 7t
- max. log length: 55 cm
- max. log diameter: 30 cm

The work with wood does not usually end with cutting wood into logs. You need to further process the logs, chip them. Electric splitters are powerful assistants that make this task more enjoyable and, importantly,

SPLITTERS

significantly faster.

These splitters handle both dry and wet wood. For occasional cutting of smaller logs and softer woods, the horizontal splitter is ideal, while a vertical model is more suitable for demanding users and regular use. It easily chips thicker or longer logs.



Splitting Wedge 5 t **FZLS 9005**

- compatible only with FZLS 1004-E/1005-E
- the wedge allows to split the logs into 4 parts in one cycle

NEW



Splitting Wedge 8 t

FZLS 9008

- compatible only with FZLS 1007V-E/FZLS 1008V-E
- the wedge allows to split the logs into 4 parts in one cycle





Electric Log Splitter **FZLS 1008V-E**

- type of splitter: horizontal
- voltage: 230 V, classic socket
- power: 3000 W
- max. cutting pressure: 8t
- max. log length: 55 cm
- max. log diameter: 30 cm



Wood Splitters





NEW

Garden Waterworks

FVC 8560-EC

- input power: 1,100 W
- max. flow rate: 7,000 l/h
- max. pressure: 3 bar
- max. pumping depth: 8 m
- max. delivery: 48 m
- container volume: 24 l hose inlet/outlet connection: 1"





- input power: 1200 W
- float switch
- stainless steel body
- max. flow rate: 6,200 l/h
- max. delivery: 46 m
- max. immersion depth: 7 m
- power cord length: 10 m









FIELDMANN

Clean Water Pump FVC 2001- EC



- float pump with an input power of 250 W
- maximum delivery 6 m
- maximum suction depth 5 m
- maximum transferred water amount 5,000 l/h
- maximum size of solid impurities 5 mm
- possibility to connect 1" or 2" hose

Sludge Water Pump **FVC 2003- EK**



- universal pump with an input power of 400 W
- maximum delivery 6 m
- maximum suction depth 5 m
- maximum transferred water amount 7,500 l/h
- maximum size of solid impurities 35 mm
- possibility to connect 1" or 2" hose

maximum flow rate 2,000 Vh

input power: 250 W

maximum immersion

maximum delivery 9 m

of solid impurities 3 mm

power cord length 10 m

depth 8 m

maximum size

float switch

Sludge Water Pump FVC 2004-EK

NEW



- 3 in 1 function low suction (without cover), clean water cover, sludge water cover
- power input 400 W
- automatic float switch
- max. delivery quantity: 8,000 l/h
- max. delivery 6 m
- max. submersible depth 5 m
- max. size of solid impurities 1/5/35 mm

Sludge Water Pump **FVC 4001-EK**



- powerful sludge pump with an input power of 750 W
- maximum delivery 8 m
- maximum immersion depth 7 m
- maximum transferred water amount 12,000 Vh
- maximum size of solid impurities 35 mm
- possibility to connect 1" or 2" hose

Sludge Water Pump FVC 4002- EK



- submersible sludge pump with a durable stainless steel body
- electric motor input power: 900 W
- maximum delivery 9 m
- maximum immersion 8 m
- maximum transferred water amount 14,500 l/h
- maximum size of solid impurities 25 mm
- possibility to connect 1" or 2" hose
- internal diameter 12.5 mm
- external diameter 18 mm

Drum Pump **FVC 3003-ED**








FVC 6010-B

Garden Pump **FVC 6010-B**

- engine type: 2-stroke single cylinder 52 cm³
- motor power: 1.45 kW
- fuel mixture ratio (oil/fuel) 1:25
- max. delivery 30 m
- max. suction depth 7 m
- max. flow rate 20,000 l/h



- max. flow rate: 14,000 l/h
- max. immersion depth: 7 m
- max. delivery: 8 m
- max. pressure: 0.8 bar
- residual level in automatic operation 6 cm
- residual level in manual operation 2 cm
- maximum size of solid impurities 16 mm
- possibility to connect 1" or 2" hose



Garden Pump FVC 8010/8020-EC

- input power: 600/800 W
- maximum delivery 35/40 m
- maximum pumping depth 7/8 m
- maximum transferred water amount 2,800/3,200 l/h

35 °C

	■ power cord length 1.2 m						
Model	Input Power	Maximum Flow Rate	Maximum Delivery	Maximum Immersion / Pumping Depth	Maximum Medium Temperature	Maximum Size of Solid Impurities	Power Cord Lengt
FVC 2001-EC	250 W	5,000 l/hour	6 m	5 m	35 °C	5 mm	10 m
FVC 2003-EK	400 W	7,500 l/hour	6 m	5 m	35 °C	35 mm	10 m
FVC 2004-EK	400 W	8,000 l/hour	6 m	5 m	35 °C	35 mm	10 m
FVC 4001-EK	750 W	12,000 l/hour	8 m	7 m	35 °C	35 mm	10 m
FVC 4002-EK	900 W	14,500 l/hour	9 m	8 m	35 °C	25 mm	10 m
FVC 3002-ED	250 W	2,000 Vhour	9 m	8 m	35 °C	3 mm	10 m
FVC 5015-EK	750 W	14,000 l/hour	8 m	7 m	35 °C	16 mm	10 m
FVC 8010-EC	600 W	2,800 Vhour	35 m	7 m	35 °C	5 3	1.2 m
FVC 8020-EC	800 W	3,200 l/hour	40 m	8 m	35 °C	3 2	1.2 m
FVC 8510-EC	800 W	3,200 l/hour	40 m	8 m	35 °C	11 0	1.5 m
FVC 8550-EC	1,000 W	3,500 l/hour	44 m	8 m	35 °C	=:	1.2 m

7 m

30 m

20,000 Vhour



Con-

tainer Volume

20 L

25 L

2 PALOSSANI CITED

GARDEN

Irrigation Hose FZH 9115

- 1" length 15 m
- suitable for FVC 2001, FVC 2003,
 FVC 4001, FVC 4002, FVC 5010

Irrigation Hose FZH 9120

■ 3/4" - length 20 m

Irrigation Hose FZH 9130

■ 1/2" - length 30 m

Irrigation Hose FZH 9150

■ 1/2" – length 50 m



Irrigation Set 1/2"

FZH 9005

- compatible with hose 1/2"
- 3× end piece female
- 1× stop end piece female
- adapter 1/2" and 3/4"
- irrigation gun 8 positions

Set of End Pieces 1/2" 3/4" FZH 9006/9008



- compatible with hose 1/2" / 3/4"
- 3× end piece female
- 1× stop end piece female
- adapter 1/2" and 3/4"
- variable irrigation gun





Irrigation Gun FZH 9007

- compatible with end piece 1/2", 13 mm
- length 450 mm 8 positions

PREMIUM

FZH 9208

easy flow rate control

Quick Coupling 1/2" FZH 9205

NEW

Stop Coupling 1/2" FZH 9206

NEW



compatible with hose 1/2"

Quick Coupling 1/2" PREMIUM

FZH 9207 NEW

NEW



Stop coupling 1/2"

compatible with hose 1/2"

Irrigation Timer FZH 2020

compatible with hose 1/2"



- irrigation time: 1 min 4 h
- operating pressure: 0.5–8 bar
- max. flow rate: 35 l/min
- up to 3 individual plans for each day
- irrigation frequency for each schedule: Mon to Sun or every 2/3/4/5/6 days, or 1x per week

Irrigation Timer

compatible with hose 1/2"



- 2-zone irrigation timer, irrigation time:
 1 min 4 h
- operating pressure: 0.5–8 bar
- max. flow rate: 35 l/min
- adjustable up to 3 individual schedule for each day for each zone
- frequency of irrigation for each schedule: Mon to Sun or every 2/3/4/5/6 days





- 1/2"/ 3/4"
- length 20 m / 30 m
- operating temperature: from -5 °C to 65 °C
- operating pressure 10 bar
- burst pressure: 30 bar

everything for your home and garden

HOSE REELS, **IRRIGATION GUNS** AND GARDEN HOSES

A hose reel with a garden hose is an essential part of a gardener's equipment. Thanks to the reel, you can easily and quickly unwind and wind up the hose. The garden will always look neat and tidy. By using a reel, you also extend the lifespan of the hose, preventing it from breaking or cracking.

FIELDMANN offers several hose reel options. The drum hose reels allow the hose to be easily wound up using a handle. An automatic garden hose reel can be attached to the wall of the house, workshop, or even the garage. That is, anywhere near a tap. The hose is hidden inside a box from which it is unwound and automatically wound back up after use. This year's catalogue also features an expanded range of watering timers.



- a hose (1/2") in the length of 60 m can be used
- easy installation
- light construction
- convenient carrying
- economical storage

Garden Reel



- a hose (1/2") in the length of 45 m can be used
- easy installation
- light construction
- convenient carrying
- economical storage

Garden Reel **FZH 1021**



- hose length: 20 m (outlet)+ 2 m (inlet)
- hose diameter: 1/2"
- adapter: 1/2" and 3/4"
- working pressure 8 bar
- burst pressure: 24 bar
- operating temperature: -5 to + 45°C

Irrigation Guns **FZH 9004**



- compatible with end piece 1/2"
- 13 mm
- 10 positions
- easy flow rate control

7 in 1 Irrigation Shower **FZH 9201**

NEW



- compatible with hose 1/2"
- easy flow rate control

Irrigation Shower **FZH 9203**

NEW



- compatible with hose 1/2"
- easy flow rate control





- compatible with hose 1/2"
- easy flow rate control

High pressure washers

HIGH PRESSURE WASHERS

High pressure washers make many cleaning tasks in the garden, around the house, and in the garage easier. They can thoroughly clean a drained pool, stained paving, a dirty facade, a roof covered in moss, as well as garden furniture, a family car, a motorcycle, a bike, or a grill. The advantage of these devices lies in both the efficiency of cleaning and water savings due to the precise targeting of the water stream.

When choosing a pressure washer, the pressure it can generate is crucial, determining the quality of cleaning, and the flow rate—the larger it is, the faster the cleaning. The versatility of the pressure washer is expanded by accessories such as special nozzles, tips, or brushes, which increase efficiency on specific surfaces and allow cleaning in hard-to-reach areas. The option to use a cleaning agent for degreasing is also practical.







- voltage/frequency: 230 V / 50 Hz
- input power: 1,650 W
- max. pressure: 135 bar
- max. flow rate: 420 l/hour
- power cord: 5 m
- high-pressure hose length: 5 m spray gun with variable nozzle

 - turbo nozzle
 - car brush
 - surface cleaner
 - integrated shampoo container





High Pressure Washer FDW 202205-E













- input power: 1,400 W
- maximum pressure: 105 bar
- maximum flow rate: 396 l/hour
- power cord: 5 m
- high-pressure hose length: 3 m
- spray gun with variable nozzle
- integrated shampoo container

- voltage/frequency: 230 V / 50 Hz
- input power: 1,600 W
- maximum pressure: 130 bar
- maximum flow rate: 420 l/hour
- power cord: 5 m
- high-pressure hose length: 5 m
- spray gun with variable nozzle
- integrated shampoo container

- voltage/frequency: 230 V / 50 Hz
- input power: 2,200 W
- max. pressure: 165 bar
- max. flow rate: 450 l/hour
- power cord: 5 m
- high-pressure hose length: 5 m
- spray gun with variable nozzle
- turbo nozzle
- car brush
- surface cleaner
- integrated shampoo container





GARDEN

HOUSES/SHEDS



NEW

Metal Garden House 2 m²

FZD0 1002

- area of the house: 2 m²
- 0,6 mm thick sheet
- durable galvanised construction
- including ventilation
- all folded in one carton
- d: 185, w: 103, h: 190 cm

Our garden houses are the perfect combination of modern design and functionality. We offer three sizes from 2 m² to 9 m², so there is something for everyone. The houses are in an elegant anthracite colour that easily fits into any exterior and matches current trends.

They are designed to suit a variety of needs – they can be used as storage space for tools, a place to relax or a practical background.

Thanks to their modern lines and quality construction, they not only look great, but also promise a long service life and minimal maintenance. Come and take a look and choose a house exactly to your liking and needs.

NEW

Metal Garden House 7 m²

FZD0 1007

- area of the house: 7 m²
- 0,6 mm thick sheet
- durable galvanised construction
- including ventilation
- all folded in one carton
- d: 238, w: 301, h: 214 cm









NEW

Metal Garden House 9 m²

FZD0 1009

- area of the house: 9 m²
- 0,6 mm thick sheet
- durable galvanised construction
- including ventilation
- all folded in one carton
- d: 324, w: 279, h: 211 cm

Work Gloves **FZO 5010**

Work Gloves FZO 6010

Work Gloves **FZO 6011**

Work Gloves **FZO 7010**







- palm part from fine goatskin
- finger part from fine goatskin
- upper part from elastic synthetic fabric
- Velcro strap to attach to the wrist
- size 10" (XL)

- reinforced palm lining to dampen vibrations
- lower palm part made of synthetic leather
- upper part made of flexible and breathable synthetic fabric
- the securing strap on the wrist prevents slipping
- size 10" (XL)

- reinforced palm lining to dampen vibrations
- lower palm part made of synthetic leather
- upper part made of flexible and breathable synthetic fabric
- the securing strap on the wrist prevents slipping
- size 11" (XXL)

- lower part made of synthetic leather
- upper part made of elastic neoprene
- loop for easy donning
- anti-slip protection with Velcro tape size 10"/XL

Work Gloves **FZO 7011**

- lower part made of genuine leather
- upper part made of premium neoprene
- loop for easy donning
- size 10" (XL)

Women's WorkGloves **FZO 2111**



- lower part made of synthetic leather
- upper part made of flexible SPANDEX material
- elastic material on the wrist against slipping
- size 8"(S)

Women's Work Gloves **FZO 2110**



- lower part made of synthetic leather
- upper part made of flexible SPANDEX material
- elastic material on the wrist against slipping
- size 8"(S)

Garden Cart **FZO 4001**



- practical cart for use in every garden or around the house
- stable construction and easy handling
- replaceable plastic bag with a volume of 80 l
- cart load capacity 25 kg



Motor Oil MOL Dynamic Garden 2T

Motor Oil **MOL Dynamic** Garden 4T

Oil for Lossy Lubrication **MOL Dynamic Forest**

Motor Oil **MOL Essence**

Hydraulic Oil for Splitters **HYDRO HM 22**



- oil designed to mix the fuel mixture for two-stroke motors
- keeps the engine clean and reduces engine wear
- prevents plug damage
- suitable for garden machinery
- package volume 0.6 l



- designed for lubrication of four-stroke petrol motors, retains excellent properties even at low temperatures
- suitable for year-round use
- viscosity class SAE 10W-30
- suitable for garden machinery
- package volume 0.6 l



- oil designed for lubrication of chain saw chains
- suitable for year-round use in petrol and electric saws
- reduces the friction temperature and reduces wear on the chain and blade
- integrated funnel for convenient pouring
- package volume 0.6 l



- oil for lubrication of fourstroke petrol motors
- high thermo-oxidative stability
- viscosity class SAE 15W-40
- suitable for garden machinery
- package volume 1.0 l



- hydraulic oil for log splitters
- MOL Hydro HM 22 is a universal hydraulic fluid made from highly refined base oils that contain additives to improve low temperature properties, including a zinc additive to reduce wear.

Oil Extractor **FZR 9050**



- container capacity 1.6 litres
- 2× PVC hose: diameter 8 mm and length 1 m diameter 10 mm and length 1.3 m
- funnel
- also applicable for all types of fuels

Hand Sprayer FZ0 8050

ALSO 3 LITRE VARIANT FZ0 8055



- container capacity 2 litres
- metal nozzle with spray control
- overpressure valve
- switch with the possibility of lockingafter start-up

Hand Sprayer FZ0 8054



- container capacity 4 litres
- metal nozzle with spray control
- overpressure valve
- switch with the possibility of locking after start-up
- back strap

Hand Sprayer **FZO 8060**

ALSO 8 LITRE VARIANT FZO 8065



- container capacity 5 litres
- metal nozzle with spray control + position adjustment
- overpressure valve
- shoulder strap
- max. pressure 2.5 bar

Aluminium Folding Trowel FPL 4002



- unfolded length 82 cm
- folded length 66 cm
- aluminium trowel with anodised surface with a size: 22×28 cm
- ergonomic handle for easier handling
- max. recommended weight 15 kg
- security locks against spontaneous folding up
- weight: 0.6 kg

Steel Folding Trowel

FPL 4001



- steel thickness 1.5 mm
- steel handle
- unfolded length 57 cm
- folded length 23.5 cm
- max. recommended weight 23 kg
- weight: 0.99 kg
- trowel width 15 cm
- package includes: portable bag

49









A SET WITH 6 CHAIRS ALSO ON SALE



Garden Furniture Set

CARMEN I-T/CARMEN II-T

- Carmen I.-T / II.-T set for 6/7 people
- CARMEN II.-T set consists of 4 armchairs, a three-seater bench and a folding table
- CARMEN I.-T set consists of 6 armchairs and a folding table
- table 150/200 × 90 cm with a hole for a sunshade
- folding armchairs with adjustable backrest and armrests
- comfortable three-seat bench with backrest
- made of tropical acacia wood

optional accessory:

armchair covers of different colours and patterns





Without furniture, every garden gathering is just a small picnic. When furnishing an outdoor space, focus primarily on comfort: FIELDMANN garden furniture offers all the comfort you need when sitting or lying down, but also when it comes to maintenance.

For enjoying meals outdoors, a spacious dining table with comfortable chairs is essential. Do you know how many people will be sitting at the table? Smaller dining sets typically accommodate four, while larger ones are designed for six or seven diners. The practical folding tables can be quickly enlarged in the event of a larger gathering. In addition to large sets of garden furniture, umbrellas, or loungers, **FIELDMANN** also caters to owners of small balconies, where space needs to be saved. **FIELDMANN** balcony sets are compact in size and easy to assemble. This allows for efficient use of balcony space when not in use.

Wooden Furniture

The popularity of wooden furniture is driven by a sustained interest in natural materials and the desire to create a pleasant, cosy environment. Wood is suitable for any garden, it is pleasant to the touch and to the eye. **FIELDMANN** wooden furniture is made of acacia wood, which comes from Asian tropical forests. Acacia wood is characterised by its ability to withstand the effects of weather, ageing and biological degradation. Thanks to its durability, strength and insect resistance, this wood is a great material for garden furniture.

Acacia furniture can be placed in the garden or on an uncovered terrace without any worries throughout the season.

Regular impregnation with a special oil will keep it beautiful for

many years. **FIELDMANN** wooden furniture comes pre-treated with oil from; however, it is recommended to treat it at least 1× a year. Before oiling, it's advisable to clean the furniture thoroughly. Any algae, mould, or fungi can be removed with sandpaper. Apply the oil to dry, dust-free and dirt-free wood. Don't forget to store the furniture indoors, or cover it with a tarp during the winter.


Metal Furniture

Garden furniture made of metal is very popular. It fits perfectly into any garden thanks to its subtle design and unobtrusive colours. Metal furniture does not require any special care, yet it is robust, stable and extremely weather-resistant. Due to its generally light weight, it is easy to handle. It can withstand the entire season without the need for covering. Simply store it in a dry place for the winter.

Rattan Furniture

The surface appearance of rattan furniture resembles natural wickerwork but is much more durable. Plastic fibres are more flexible than natural fibres and are less likely to be damaged. At the same time, this type of furniture is similar in weight to plastic furniture due to its light metal frame. These features make it very popular. Synthetic rattan furniture is not affected by rain or strong sunlight, eliminating the need to store it away.

To maintain it, simply use soapy water to remove any dirt and clean water for rinsing. This also applies to modern plastic furniture from **FIELDMANN** with a rattan-like appearance. It is extremely lightweight and retains its appearance and colour for a long time.



- possibility of placing a sunshade in the prepared hole
- folding, ergonomically shaped armchairs with armrests $54 \times 65 \times 94$ cm
- chair load capacity 110 kg
- made of tropical acacia hard wood
- chair filling made of durable synthetic fabric
- possibility to buy a seat cushion
- designed for outdoor and indoor use
- treated with oil paint

If your dining chairs will be the primary seating for the entire outdoor area, consider equipping them with soft cushions, also available from FIELDMANN.

The thickness of 5 cm ensures truly comfortable seating. Cushions are available for most types of chairs, armchairs, loungers and benches, in several beautiful colours.





- practical set of furniture usable not only on balconies
- the chair and table can be easily folded and stored comfortably
- table dimensions: ø 60 × 72 cm, chair dimensions: 52 × 38 × 80 cm
- made of tropical acacia hard wood
- weather-resistant
- set also includes cushions and armrests





Balcony Set

ALICE-T

- larger and more comfortable balcony furniture set
- easily foldable square table 60 × 60 cm
- 2 chairs 55 × 40 × 81 cm
- designed for outdoor use
- made of tropical acacia hard wood

optional accessories: seat cushions in green and cream

Balcony Set

BELLA

- balcony set consists of 2 chairs and a table
- table dimensions: 60 × 71 cm
- table top from black hardened glass
- table material: metal construction
- chair dimensions: 57 × 47 × 76 cm (2 pcs in the package)
- chair material: steel construction
- chair filling made of durable synthetic fabric
- chair load capacity 100 kg
- for outdoor and indoor use
- maintenance-free



- luxury acacia serving table
- dimensions: 80 × 50 × 86 cm
- two removable levels
- levels can also be used as separate trays
- wheels for easy handling
- table is treated with oil paint
- also suitable for outdoor use



everything for your home and garden





Garden Furniture Set

ARIA-T

- luxury set consisting of 6 armchairs and a rectangular folding table
- robust, reinforced armchairs are ergonomically shaped
- possibility to adjust the backrest of the armchair
- basic table length of 150 cm can be extended to 200 cm
- sunshade placement option
- designed for outdoor and indoor use
- made of tropical acacia wood

optional accessory: armchair covers of different colours and patterns

COLOUR OF COVER











CALYPSO-T

- the set consists of 4 armchairs and a rectangular table
 90 × 150 cm
- the backrest of the ergonomically shaped chair can be adjusted to 5 positions
- armchair armrests increase seating comfort
- armchairs can be fully folded up to minimise storage requirements
- the table has an opening for placing a sunshade
- made of tropical acacia wood
- suitable for outdoor use

optional accessory:

armchair covers of different colours and patterns









COLOUR OF SEAT CUSHIONS

Garden Furniture Set

EMILY-T

- set consists of 4 chairs and a folding table
- table $120 \times 70 \times 74$ cm with the possibility of folding
- the table has a hole for placing a sunshade
- folding, ergonomically shaped chair 49 × 57 × 94 cm
- load capacity of the chair 110 kg possibility to buy additional seat cushions
- designed for outdoor and indoor use, treated with oil paint
- made of tropical acacia hard wood

optional accessory:

chair seat cushions in green and cream



Garden Lounger Classic FDZN 4007-T



- reclining deckchair measuring 190 x 70 cm
- option to set the angle of the backrest and the leg support
- made of tropical acacia wood
- designed for exteriors and interiors

optional accessory:

green and cream cover

Garden Lounger Adria FDZN 4009-T



- modern design, ergonomic shaping
- dimensions: 182 × 54 × 63 cm
- after folding, only minimal requirements for storage space
- suitable for outdoor and indoor use
- made of tropical acacia wood optional accessory:
- green and cream cover

Garden Armchair FDZN 4012-T



- dimensions: 49 × 59 × 94 cm
- load capacity 110 kg
- minimal storage requirements when folded
- possibility to buy a seat cushion
- designed for outdoor and indoor use
- treated with oil paint
- made of tropical acacia wood

Garden Armchair



- dimensions: 54 × 65 × 94 cm
- load capacity 110 kg
- minimal storage requirements when folded
- possibility to buy a seat cushion
- designed for outdoor and indoor use
- treated with oil paint
- made of tropical acacia wood

Reclining Armchair FDZN 4001-T



- reclining armchair with armrests
- 5 adjustable positions for the backrest
- dimensions: 71 × 56 × 108 cm
- made of acacia wood
- designed for exteriors and interiors
- package contains 2 pcs (the price is per package)

optional accessory:

 armchair covers of different colours and patterns

Reclining Armchair FDZN 4101-T



- high-quality garden armchair
- dimensions: 74 × 58 × 105 cm
- option to adjust the backrest to 5 positions
- the possibility of purchasing additional covers, suitable for outdoor and indoor use, made of tropical acacia wood
- load capacity 140 kg

optional accessory:

 armchair covers of different colours and patterns

Garden Bench FDZN 4013-T



- two-seat garden bench
- dimensions: 122 × 57 × 85 cm
- comfortable seating, possibility of buying covers
- easy installation
- designed for exteriors and interiors
- made of tropical acacia wood optional accessory:
- covers of different colours and patterns

Garden Bench FDZN 4006-T



- three-seat garden bench
- dimensions: /150 × 61 × 90 cm
- comfortable seating, possibility of buying covers
- easy installation
- designed for exteriors and interiors
- made of tropical acacia wood

optional accessory:

 covers of different colours and patterns



Garden Table FDZN 4004-T

Garden Table FDZN 4104-T

Garden Table FDZN 4011-T





- dimensions: 120 × 70 × 74 cm
- table top with a hole for a sunshade
- possibility of folding the table
- designed for outdoor and indoor use, treated with oil paint
- made of tropical acacia wood



- rectangular table 150 × 90 cm
- ideal in combination with 4 armchairs or 2 armchairs with a bench
- sunshade placement option
- made of tropical acacia wood
- designed for exteriors and interiors



- folding garden table
- basic size 150 × 90 cm, after unfolding 200 × 90 cm
- the table can be well combined with 6 armchairs or 4 armchairs and a bench
- when unfolded, a sunshade can be placed in the centre of the table
- acacia design
- designed for exteriors and interiors



- rectangular shape
- dimensions: 150/200 × 90 × 75 cm
- easy unfolding and folding, stable construction
- sunshade placement option
- suitable for outdoor and indoor use
- made of tropical acacia wood



- dimensions: 55 × 77 × 92 cm
- filling made of durable synthetic fabric
- suitable for outdoor and indoor use
- maintenance-free
- load capacity 120 kg



- dimensions: 55 × 73 × 94 cm
- filling made of durable synthetic fabric
- suitable for outdoor and indoor use
- maintenance-free
- load capacity 120 kg



- dimensions: 55 × 73 × 94 cm
- filling made of durable synthetic fabric
- suitable for outdoor and indoor use
- maintenance-free
- load capacity 120 kg



- dimensions: 56 x 69 x 93 cm
- · wire filler made of high-quality metal
- suitable for outdoor and indoor use
- maintenance-free
- load capacity 120 kg



- reclining armchair with armrests
- 5 positions of backrest inclination adjustment
- dimensions: 55 × 105 × 47 cm
- filling made of durable synthetic fabric
- suitable for outdoor and indoor use
- load capacity 120 kg



- reclining armchair with armrests made of polywood
- 7 positions of backrest inclination adjustment
- dimensions: 105 × 55 × 45 cm
- filling made of durable synthetic fabric
- material: aluminium, load capacity up to 120 kg
- suitable for outdoor and indoor use



- reclining armchair with armrests
- 7 positions of backrest inclination adjustment
- dimensions: 62 × 112 × 68 cm
- construction: aluminium, filling made of durable synthetic fabric
- suitable for outdoor and indoor use
- materials used do not require any maintenance



- dimensions: 161 × 64 × 48/100 cm
- quality steel construction weaved with synthetic fabric
- option to adjust the inclination of the backrest
- strength of load-bearing profiles: $42 \times 14 \text{ mm}$
- designed for outdoor and indoor use, the materials used do not require any maintenance







Metal Table with a Glass Top

FDZN 5020



- dimensions: 150 × 96 × 71 cm
- table top made of clear toughened glass
- acan be combined with up to 6 chairs FDZN 5010 and sunshade FDZN 5006/5007
- designed for outdoor and indoor use, the materials used do not require any maintenance

Metal Table with a Glass Top

FDZN 5030



- dimensions: 150 × 96 × 71 cm
- table top from black toughened glass
- can be combined with up to 6 chairs FDZN 5010 and sunshade FDZN 5006/5007
- designed for outdoor and indoor use, the materials used do not require any maintenance

Metal Table

FDZN 5050



- design garden table
- dimensions: 150 × 90 × 74 cm
- construction: aluminium
- top: wood-plastic
- designed for outdoor and indoor use; maintenance-free, black

Garden Table

FDZN 5055




- design garden table
- dimensions: 150 × 90 × 72.5 cm
- construction: aluminium frame with powder coating
- the table top is made of black hardened glass
- for outdoor and indoor use
- maintenance-free

Metal Table with a Wire Top

FDZN 5320







sunshade placement option

designed for outdoor and indoor use

materials used do not require any maintenance





Garden Furniture Set

MELISA DARK/LIGHT

- luxury set consisting of 6 reclining armchairs, table with glass top and a sunshade
- table dimensions: 150 × 90 × 71 cm
- table top from black toughened glass
- the backrest of the chair can be adjusted to 5 positions
- double filling made of synthetic fabric allows comfortable sitting even without cushions
- sunshade of ø 3 m controlled by a handle, an option to adjust the angle of inclination
- sunshade cover made of 100% polyester 160 g/m²
- does not require any special maintenance
- for outdoor and indoor use





ELLA

- furniture set consisting of 4 armchairs and a table
- table dimensions:
 150 × 90 × 71 cm with clear hardened glass table top
- armchair dimensions:55 × 77 × 92 cm
- armchair filling made of durable synthetic fabric
- possibility of placing

 a sunshade in a prepared hole in the table top
- completely maintenance-free
- suitable for outdoor and indoor use





Garden Furniture Set

RUBY DARK/LIGHT

- a set consisting of 6 armchairs, a table and a sunshade
- table dimensions: 150 × 90 × 71 cm with black hardened glass table top
- armchair dimensions: 55 × 77 × 92 cm
- armchair filling made of durable synthetic fabric
- sunshade ø 3 m, polyester cover 160 g/m²
- operation of the sunshade with a handle, an option to adjust the angle of inclination
- this furniture does not require any special maintenance
- suitable for outdoor and indoor use







Garden Furniture Set - Expanded Metal

IRIS 4 (FDZN 5320 + FDZN 5305)

- set of metal furniture consisting of 4 armchairs and a table
- table dimensions: 150 × 90 × 73 cm with wire mesh top
- armchair dimensions: 56 × 69 × 93 cm
- wire filler made of high-quality metal
- sunshade placement option
- completely maintenance-free
- suitable for outdoor and indoor use



6+1/IRIS 6 SETALSO ON SALE



Garden Furniture Set

ELLA LIGHT (FDZN 5020 + FDZN 5112)

- set of metal furniture consisting of 4 armchairs and a table
- table dimensions: $150 \times 90 \times 71$ cm with clear hardened glass table top
- \blacksquare armchair dimensions: 55 × 73 × 94 cm, artificial textile filling
- sunshade placement option
- completely maintenance-free
- suitable for outdoor and indoor use





6 + 1 SET AND A DARK ARMCHAIR AND TABLE OPTION ALSO ON SALE



Garden Furniture Set

EMMA 4 (FDZN 5055 + FDZN 5018)

- luxury set consisting of 4 reclining armchairs and a table with a black toughened glass top
- armchairs and table made of aluminium
- table dimensions: 150 × 90 × 72.5 cm
- armchair dimensions: 62 × 112 × 68 cm
- the backrest of the armchair can be adjusted in 7 positions
- the filling made of durable synthetic fabric for comfortable sitting without seat cushions
- does not require any special maintenance
- designed for outdoor and indoor use
- possibility to buy extra covers



6+1/EMMA 6 SET ALSO ON SALE



Garden Furniture Set

CHARLOTTE 4 (FDZN 5050 + FDZN 5016)

- luxury set consisting of 4 reclining armchairs, table with wood-plastic top and aluminium construction
- table dimensions: 150 × 90 × 74 cm
- the backrest of the armchair can be adjusted in 5 positions
- double filling made of synthetic fabric allows comfortable sitting even without seat cushions
- does not require any special maintenance
- designed for outdoor and indoor use, possibility to buy extra covers



6+1/CHARLOTTE 6 SETALSO ON SALE









Swing
FDZN 5204

• stylish and comfortable garden swing

- construction: metal with powder coating
- dimensions: 170 × 110 × 153 cm
- the bench is covered with a fabric that is comfortable and easy to clean
- load capacity: 260 kg







- stylish and comfortable garden swing for 3 persons
- construction: metal with powder coating
- dimensions: 200 × 120 × 164 cm
- the swing can be unfolded to the lying position
- comfortable upholstered seat
- the seat and waterproof covers are made of polyester 180 g/m²
- load capacity: 260 kg

Hanging Rocking Chair

FDZN 5225

dimensions: 170 × 115 × 153 cm

comfortable upholstered seat

load capacity: 240 kg

the seat and covers are made of polyester 140 g/m²

- comfortable hanging chair
- the steel-framed sofa basket is woven with artificial rattan
- basket dimensions: 105 × 77 × 120 cm
- base diameter: 105 cm
- rod dimensions: 195 cm / diameter 10 cm
- material: steel construction, rattan, polyester
- cushions included
- load capacity: 100 kg
- maintenance-free, weatherproof





Garden Gazebo 3 × 3 m

FDZN 7002

- practical garden gazebo 3 × 3 m
- steel frame treated with powder coating
- tarpaulin material: 160 g polyester
- carrying bag for easy storage / space saving





Garden Gazebo 3 × 3 m

FDZN 7005

- metal garden gazebo with a canopy
- dimensions: 3 × 3 m
- structure: steel with powder coating to prevent corrosion
- roof structure: steel ribs 10 × 20 mm
- roof cover made of polyester 180 g/m²
- suitable for every garden





Garden Gazebo 3 × 3 m

FDZN 7010

- metal garden gazebo with a canopy
- dimensions: 3 × 3 m
- structure: steel with powder coating to prevent corrosion
- roof structure: steel ribs 15 × 15 mm
- roof cover made of polyester 180 g/m²
- suitable for every garden
- mosquito nets for protection against wind and insects are included











Weight Plates for Sunshade FDZN 9014

- set of weights for sunshade with cross base
- number of weights in the set: 4 pcs
- dimensions of 1 weight: 50 × 50 × 7.5 cm
- material: HDPE plastic
- weights that can be filled with sand or water
- capacity of 1 weight: 15 l
- weight with water: 60 kg
- weight with sand: 80 kg
- the four weights can be conveniently carried and folded using the integrated recessed handles
- suitable for models: FDZN 5103; FDZN 5105; FDZN 5107





Sunshade Stand FDZN 9012

- sunshade stand made of resin
- stand diameter: 44.5 cm
- total stand height: 32.5 cm
- weight: 12 kg
- variable hole diameter for sunshade 32/38/48 mm

GRILLS ELECTRIC, GAS, CHARCOAL GRILLS AND FIREPLACES

The best way to kick off the grilling season is to invite friends or family for a feast. But before that, it's essential to check the condition of your grill. If you find that it's time to invest in a new grill, one of the current FIELDMANN grill models might find a new home with you.



Cooking food over charcoal brings not only a holiday atmosphere but also an unmistakable aroma and taste to your dishes. A simple charcoal grill won't strain your wallet and can travel with you to go fishing or camping. An electric grill serves well in the garden or on the terrace, where a socket is nearby. It is also suitable for conservatories or other interiors, especially when unexpected temperature drops occur. FIELDMANN gas grills are equipped with multiple burners for so-called zone cooking, allowing you to prepare various dishes at different temperatures simultaneously. The cast iron grates efficiently absorb heat and then evenly distribute it. The operation is easy, thanks to temperature control, providing you with perfect control over the grill's temperature and performance.







Gas Grill FZG 3003



WE RECOMMEND THE GRILL COVER FZG 9050

hose and regulator included

- grill size: 107 × 53 × 110 cm
- 3× main burner (8.1 kW)
- ignition: integrated system
- grilling area: 49.5 × 36 cm
- grilling height: 86 cm
- cast iron grate
- folding side tables
- thermometer






Gas Grill FZG 3010



WE RECOMMEND THE GRILL COVER FZG 9050

hose and regulator included



- \blacksquare 3 × main burner and 1 × side burner (11.7 kW)
- ignition: integrated system
- grilling area: 50.5 × 39 cm
- grilling height: 86 cm
- cast iron grate
- thermometer









Gas Grill FZG 3005



WE RECOMMEND THE GRILL COVER FZG 9050

hose and regulator included

- grill size: 122 × 57 × 112 cm
- 3× main burner (9 kW)
- ignition: integrated system
- grilling area: 60 × 42 cm
- grilling height: 86 cm
- stainless steel parts: lid, handle, door
- grate and plate made of cast iron
- thermometer






Gas Grill **FZG 3006**



WE RECOMMEND THE GRILL COVER FZG 9050

hose and regulator included



- 3× main burner (9 kW)
- ignition: integrated system
- grilling area: 60 × 42 cm
- grilling height: 86 cm
- grid and plate: cast iron
- thermometer
- 4 × wheels with brake for easier handling
- folding side tables








Gas Grill **FZG 3025**



WE RECOMMEND THE GRILL COVER FZG 9051

hose and regulator included

- gas grill 4 + 1 + 1
- grill size: 133 × 57 × 112 cm
- 4× main burner + 1× side burner + infrared burner
- ignition: integrated system
- grilling surface: 70 × 42 cm
- grill height: 86 cm
- stainless steel parts: lid, handle, door, control panel
- led buttons
- grid and plate: cast iron
- thermometer
- 4 × wheels with brake for easier handling











Gas Grill

FZG 3013



WE RECOMMEND THE GRILL COVER FZG 9051

hose and regulator included

- grill size: 122 × 57 × 112 cm
- 3 × main burner and 1 × side burner (11.5 kW)
- ignition: integrated system
- grilling area: 60 × 42 cm
- grilling height: 86 cm
- stainless steel control panel and handle
- cast iron grate and plate
- thermometer integrated in the lid



Gas Grill FZG 3011



WE RECOMMEND THE GRILL COVER FZG 9051

hose and regulator included

- grill size: 122 × 57 × 112 cm
- 3 × main burner and 1 × side burner (11.5 kW)
- ignition: integrated system
- grilling area: 60 × 42 cm
- grilling height: 86 cm
- stainless steel control panel and handle
- cast iron grate and plate
- thermometer integrated in the lid









Gas Grill FZG 3018



WE RECOMMEND THE GRILL COVER FZG 9051

hose and regulator



- 4× main burner and 1× side burner
- ignition: integrated system
- grilling area: 60 × 42 cm
- grilling height: 86 cm
- stainless steel parts: lid, handle, door, control panel
- cast iron grate and plate
- thermometer integrated in the lid









Grill Needle **FZG 9031**

- grill needle
- motor: 230 V; 5 V
- grill needle: length 80 cm
- square profile dimensions: 8 × 8 mm
- material: stainless steel
- handle for easy manipulation

Garden Charcoal Grill

FZG 1009

- 2× 4-prong stainless steel forks for holding meat
- 2x chrome holder for attaching to the grill and securing the motor
- suitable for models: FZG 3005, 3006, 3010, 3011, 3013, 3018, 3025

- grill container size: ø 41.5 cm
- grilling area: ø 41 cm
- grilling height: 58 cm
- grilling grate: 41 × 0.5 cm
- chrome grates

grill size: ø 35.5 cm

- grilling area: ø 34 cm
- chrome grate

FZG 1000/FZG 1000G



- grilling area height: 22 cm



- grill container size: 36.5 cm
- grilling area: ø 34 cm

Grill Cover FZG 9050/FZG 9051



- waterproof material
- dimensions FZG 9050: $110 \times 55 \times 110 \text{ cm}$
- models: FZG 1007, FZG 1008, FZG 3002, FZG 3102, FZG 3003, FZG 3010, FZG 1108
- dimensions FZG 9051: 130 × 62 × 115 cm
- for models: FZG 3005, FZG 3006, FZG 3011, FZG 3013, FZG 3018, FZG 3025, FZG 1014

Table Charcoal Grill Table Charcoal Grill **FZG 1102G**



- grilling height: 28 cm
- chrome grilling grate

Grill Cover **FZG 9052**



- dimensions: ø 80 × 75 cm
- waterproof material
- for models: FZG 1004, FZG 1013, FZG 1016, FZG 1017

Travel Charcoal Grill **FZG 1003**



- grill size: ø 26 cm
- size: 12.5 cm
- fireplace size: ø 25 cm
- thermal bag with dimensions:
 29.5 × 18.5 cm for cooling drinks
- chrome grate

Garden Charcoal Grill **FZG 1004**



- grill container size: \emptyset 57 × 20 cm
- grilling area height: 68 cm

grilling area size: ø 54.5 cm

chrome grate

Charcoal Grill **FZG 1016**



- grill container size: ø 57 cm
- grilling height: 77 cm
- grilling area: diameter 53 cm
- chrome grilling grate
- stainless steel legs, rubbercastors, thermometer

Garden Charcoal Grill **FZG 1014**



- size: 126 × 62 × 90 cm
- grilling area: ø 54 cm
- grilling height: 77 cm
- grilling grate, heating grate
- chrome grilling grates
- side panels
- thermometer

Charcoal Grill

FZG 1017

- charcoal grill
- grill pot size: diameter 57 cm
- grilling area: diameter 50.5 cm
- grilling height: 3 adjustable options: 74, 75.5 or 77 cm
- grill grate: cast iron; chrome









rubber castors for better manoeuvring

Garden Charcoal Grill FZG 1007



- grill size: 76 × 42 cm
- fireplace size: 71 × 38 cm
- grilling area height: 78 cm
- cooking grate size: 72 × 42 × 0.4 cm
- heating grate size: 68 × 20 × 0.4 cm
- chrome grate
- thermometer

Garden Charcoal Grill FZG 1008/1108



- grill container size: 61 × 45.5 cm
- grilling area: 55.6 × 41.5 cm
- grilling height: 78 cm
- 2× grilling grate: 27.8 × 41.5 × 0.5 cm
- heating grate: 53.5 × 24 cm
- chrome grilling grates
- thermometer



Charcoal Grill with Smoker

FZG 1018

- 2 in 1 charcoal grill with smoker
- overall dimensions: 138 × 58 × 118 cm
- grilling height: 80 cm
- grilling area: 66 × 42 cm (main part)
- \blacksquare grilling area in the smoker: 36 × 31 cm
- heating grate: 67 × 20 cm − main part
- chrome-plated grill grates
- side ventilation holes allow air to flow freely
- side ventilation holes allow air to flow freely
- heating grate: 67 × 20 cm
- castors for easy manoeuvring
- thermometer

















Garden Fireplace

FZG 1020

- wood-burning fireplace, ø 54.5 cm
- grate height from the ground: 25 cm
- high-temperature resistant coating
- mesh cover to prevent embers from flying
- foldable legs for economical storage
- cover for handling and storage

Garden Fireplace

charcoal/briquette fireplace

FZG 1025

- fireplace size: 74 cm
- grate height from the ground: 40 cm
- chrome grate
- high-temperature resistant coating
- stable stand
- mesh cover to prevent embers from flying
- charcoal/briquette fireplace



Charcoal Firelighter **FZG 9000 U**



dimensions: 19.5 × 30.5 cm

Set of Grilling Tools

heating grid

FZG 9017

safety side handle

Set of Grilling Tools **FZG 9016**



- 5 pcs of grilling tools
- trowel, fork, knife, tongs, brush
- stainless steel

Set of Grilling Tools



- 3 pcs of grilling tools
- fork, turner, pliers
- bamboo handles
- length: 38.5–39.5 cm stainless steel
- 3 pcs of grilling tools trowel, fork, tongs
 - rubber handles
- stainless steel
- length: 43.5–46 cm

Set of Grilling Tools

FZG 9015



- 4 pcs of grilling tools
- trowel, fork, tongs, brush
- plastic handles, stainless steel
- length: 40-42 cm

Set of Grilling Tools **FZG 9014**



- set of grilling tools 3 pcs
- grilling fork, trowel, tongs
- length: 35 cm
- aluminium kit
- kit dimensions: 37 × 10 × 8 cm

Smoking Box



• made of stainless steel

Grill Cleaning Brush

FZG 9013



- length: 30 cm
- oval steel brush

Grill Cleaning Brush

FZG 9003



- length: 36 cm
- 3 in 1
- scraper, steel brush, abrasive sponge

Grill Cleaning Brush FZG 9012



- length: 21 cm
- wire bristles and scraper
- the handle fits well in the hand
- hanging loop



Cordless Drill FDV 10201-A/02-A



- Li-ion 12 V / 1,300 mAh
- 2 speeds: 0-400 / 0-1,350 rpm
- torque 25 Nm
- 17 torque levels + 1 drilling level
- 3-level LED battery charge indicator
- LED lighting
- charging time 3–5 hours
- quick-release chuck max. drilling diameter 10 mm
- weight: 1.05 kg

Cordless Drill FDV 10250-A/49-A



- Li-ion 12 V 1,500 mAh
- 2 speeds: 0-350 / 0-1400 rpm
- torque: 20 + 1
- 10 mm quick-release chuck
- LED lighting
- weight: 1 kg

Cordless Drill FDV 10252-A/53-A



- Li-ion 12 V / 1300 mAh
- 2 speeds: 0-350 / 0-1,350 rpm
- torque: 22 + 1
- 10 mm quick-release chuck
- LED lighting

package includes:

- 6 pcs of drills, 6 pcs of bits
- 1 bit attachment
- spare battery FREE OF CHARGE

Cordless Drill FDV 10301-A



- Li-ion 14.4 V / 1500 mAh
- 2 speeds: 0-400 / 0-1,400 rpm
- torque 30 Nm
- torque: 18 + 1 + 1
- LED lighting
- maximum drilling diameter 10 mm
- weight: 1.2 kg

Cordless Drill FDV 10345-A



- Li-ion 14.4 V / 1300 mAh
- 0-400 / 0-1500 rpm
- torque levels:
 15 +1 drilling position
- torque 30 Nm

• idle speed:

- max. drilling diameter: 10 mm
- quick-release chuck
- LED lighting
- USB port power bank function
- 3-level LED battery charge indicator
- weight: 1.3 kg

Cordless Drill FDV 10350-A



Cordless Screwdriver FDS 10102-A / FDS 10112-A

- 3.6 V / 1,300 mAh Li-ion battery
- head with 6 bits mounted individually on rotating arms
- swivel handle 2 positions
- rotation direction switch (un/screwing), LED lighting
- charging time: 3–5 hours
- LED battery charge indicator
- weight: 0.49 kg




- Li-ion cordless drill 14.4 V
- battery capacity: 2,000 mAh
- speed without load:
 0-350 / 0-1400 rpm
- LED working light
- quick charging time 1.5 hours
- variable speed switch with quick stop
- metal keyless chuck
 0.8–10 mm
- bmc with 13 pcs of accessories

Cordless Drill FDV 10352-55AR



- Li-ion 14.4 V / 2,000 mAh
- 2 speeds: 0-400 / 0-1,400 rpm
- torque 35 Nm
- torque: 18 + 1 + 1
- hammer drill
- 13 mm keyless chuck with a brake
- LED lighting
- charging time 1–1.5 hours package includes:
- 9 pcs of masonry drills
- 30 pcs of 25 mm bits
- 3 pcs of 75 mm bits1 bit attachment
- 1 screwdriver
- 4 pcs of socket heads





CORDLESS

TOOLS







FDV 10205-51AR


- tool set with 12 V drill, 51 pcs
- drill 12 V / 2× 1,300 mAh
- wood drill 16–22 mm
- metal drill 2–3–4–5–6–7 mm
- wall drill 4–5–6–8 mm
- watchmaker's screwdriver 50 mm (-)2.5 mm, PH00
- screwdriver (-) 5× 100 mm
- screwdriver for tips 1/4"× 100 mm
- \blacksquare tips 25 mm (-) 4–6 mm, PH1–2–3, PZ1–2, HEX 4-5 mm, 1/4" adapter
- tip holder 60 mm
- head 5-6-7-8-9-10-11-12-13 mm
- break-off knife 18 mm
- tester 100-250 V
- pliers 125 mm combination, splitting
- adjustable wrench 150 mm
- Allen key HEX 1.5–2–2,5–3–4–5–6–8 mm
- meter 3 m × 16 mm

USB




FIELDMANN cordless screwdrivers and drills have enough


Cordless Screwdriver FDS 10103-A/104-A



charging




(70 pcs)



Cordless Screwdriver FDS 10155-A

energy and power for screwing and even drilling.




USB charging



90° swivel handle






- idle speed: 280 rpm
- rotation direction switch
- charging time 1 h with USB cable
- LED lighting
- low weight: 0.16 kg



Li-ion 7.2 V / 1300 mAh

- 5 speeds: 5,000-25,000 rpm
- charging time: 60 min
- LED working light
- cushioned handle
- package includes: 70 pcs of accessories



- idle speed: 230 rpm
- torque 3.5 Nm
- torque levels: 6 + 1
- LED light + flashlight
- 90° swivel handle
- package includes:
- 8 pcs of 1/4 "heads, 32 pcs of bits
- 2 pcs of drills
- 1 magnetic bit holder
- 1 connecting shaft
- 1 head adapter



WORKSHOP

Hammer Drill FDV 200501-E



- voltage: 230 V / 50 Hz
- input power: 500 W
- quick-release chuck up to 13 mm
- speed without load: 0-3,000 rpm
- drilling or hammer drilling
- speed control
- ergonomic side handle
- comfortable switch control

Hammer Drill FDV 200711-E



- voltage: 230 V / 50 Hz
- power: 710 W
- speed without load: 0–2800 rpm
- chuck size: 13 mm
- possibility of drilling and hammer drilling
- possibility to control speed
- side handle and depth stop

Hammer Drill FDV 200751-E





- voltage: 230 V / 50 Hz
- power: 750 W
- speed without load: 0–2800 rpm
- chuck size: 13 mm
- keyless chuck
- possibility of drilling and impact drilling
- possibility to control speed
- side handle and depth stop



ELECTRIC HAND TOOLS

Electric hand tools are indispensable in any home workshop. They are ideal assistants for tasks that require more power and are not finished right away. Electric tools can handle heavier and prolonged, uninterrupted work without running out of power or energy.

If you plan to work in places with good access to electrical sockets, **FIELDMANN** electric hand tools are an ideal choice.

the needs of hobbyists, whether it's crafting in the workshop, household repairs, or construction. They offer a wide range of electric tools such as drills, rotary hammers, grinders, saws, or multifunctional tools. Model grinders and melt guns also have a wide range of creative applications.

FIELDMANN electric tools boast a great balance between price and performance, along with easy usability.

Hammer Drill FDV 201205-E



included in the package

- voltage: 230 V / 50 Hz input power: 1,200 W
- chuck size: 13 mm
- 2-speed clutch: 0-1,100, 0-3,000 rpm
- metal-mounted coupling (long service life)
- drilling or hammer drilling
- speed control
- ergonomic side handle
- comfortable switch control

Rotary Hammer FDV 201502-E










practical kit included in the package

- voltage: 220 V / 50 Hz
- input power: 1,500 W
- speed without load: 0–880 rpm
- blow force: 0-4,250 blows/min, 5.5 J
- max. drilling: concrete 32 mm, metal 13 mm, wood 40 mm
- speed without load: 0-850 rpm
- 3 pcs of drills and 2 chisels
- SDS-PLUS system
- weight: 4.9 kg



- input power: 850 W
- idling speed: 0–1,300 rpm
- SDS-PLUS
- blow force: 0-5,300 blows/min, 2.9 J
- weight: 2.8 kg











practical kit included in the package



SDS Drill / Rotary Hammer

FDV 211050-E

- voltage: 230 V / 50 Hz
- input power: 1,050 W
- speed without load: 0-1050 rpm
- blow force: 0-5200 blows/min, 2.8 J
- max. drilling: concrete 26 mm, metal 13 mm, wood 42 mm
- speed without load: 0-850 rpm
- 3 pcs of drills and 2 chisels
- 1 chuck
- SDS-PLUS system



Demolition Hammer

FDBK 201301-E

- voltage: 230 V / 50 Hz
- input power: 1300 W
- SDS-Max
- blow force: 0–3,600 blows/min, 15 J
- 1 piece single-point chisel 18 × 320 mm
- 1 flat chisel 18 × 320 mm

Circular Saw FDK 200802-E



- voltage: 230 V / 50 Hzinput power: 800 W
- no-load motor speed: 4,500 rpm
- ergonomic side handlewheel diameter: 140 mm
- copper motor winding

package includes: rectangular cutting distance holder, 1 pc of cutting blade

Circular Saw FDK 201202-E



- voltage: 230 V / 50 Hz
- input power: 1,200 W
- no-load motor speed: 0–5000 rpm
- ergonomic side handle
- wheel diameter: 185 mm
- with ergonomic soft handle

package includes: rectangular cutting distance holder + 1 circular blade (185 mm)

Circular Saw FDK 201302-E





- voltage: 230 V / 50 Hz
- input power: 1300 W
- no-load motor speed 4,500 rpm
- ergonomic side handle
- wheel diameter: 185 mm
- robust aluminium body
- AC laser for more precise cutting

package includes: rectangular cutting distance holder,
1 pc of cutting blade







Plunge Saw FDPP 200705-E





- mains voltage: AC 230 V / 50 Hz
- input power: 705 W
- speed without load: 4,500 rpm
- blade diameter: 89 mm
- max. cutting depth: 28.5 mm
- practical scale (0–28 mm)
- package includes: 3× saw blade + accessories (Allen key, dust tube + edge guide)

Angle Grinder

FDB 202201-E

input power: 2,200 W

voltage: 230 V / 50 Hz

- no-load motor speed: 6,000 rpm
- side handle adjustable to 3 positions
- wheel diameter: 230 mm
- copper motor winding

Angle Grinder FDB 200901-E



Angle Grinder FDB 201201-E



practical kit included

in the package

230 mm







- voltage: 230 V / 50 Hz
- input power: 900 W
- speed without load: 11,000 rpm
- wheel diameter: 125 mm • side handle and wrench
- copper motor winding

- voltage: 230 V / 50 Hz
- input power: 1,200 W
- no-load motor speed: 12,000 rpm
- side ergonomic handle adjustable to 3 positions
- wheel diameter: 125 mm
- copper motor winding
- 1 piece of grinding wheel included in the package





- input power: 1400 W
- speed without load: 4000–8600 rpm
- wheel diameter: 150 mm
- side handle and wrench
- copper motor winding

Jigsaw

FDP 200451-E



- voltage: 230 V / 50 Hz
- input power: 450 W
- max. cutting depth: 55–60 mm
- no-load motor speed: 0–3,000 rpm
- ergonomic handle
- copper motor winding
- package includes: 1 pcs of saw blade

Jigsaw

FDP 200712-E



- voltage: 230 V / 50 Hz
- input power: 710 W
- max. cutting depth: 80 mm
- no-load motor speed: 800–3,000 rpm
- ergonomic handle, copper motor winding
- package includes: rectangular cutting distance holder, 2 saw blades, box



FDP 200805-E





- voltage: 230 V / 50 Hz
- input power: 800 W
- max. cutting depth: 80–100 mm
- no-load motor speed: 2,800 rpm
- ergonomic handle
- AC laser + LED light
- package includes: rectangular cutting distance holder, 2 saw blades, kit





- voltage: 230 V / 50 Hz
- input power: 350 W
- idling speed 10,000–22,000 rpm
- variable speed
- cutting, grinding, scraping, etc.

package content:

15 pcs accessories, kit

Multifunction Tools FDB 200301-E





- voltage: 230 V / 50 Hz
- input power: 300 W
- idling speed 10,000–18,500 rpm
- variable speed
- cutting, grinding, scraping, etc.

package content:

■ 11 pcs accessories, kit

Model Grinder

FDMB 200160-E/200161-E




- voltage 230 V / 50 Hz / power: 170 W
- idling speed: 10,000–36,000 rpm
- chuck size: 1.6-3.2 mm
- 40 pcs of accessories included





- voltage: 230 V / 50 Hz, input power: 170 W
- speed without load 10,000-35,000/min
- chuck size: 1.6-3.2 mm

- 440 pcs of accessories
- plastic kit for transport
- copper motor winding





Sheet Sander FDB 2004-E



- voltage: 230 V / 50 Hz
- power: 150 W
- speed without load: 11,000 rpm
- sanding area: 198 × 90 mm
- copper motor winding
- ergonomic handle

Sheet Sander FDB 200131-E



- power: 130 W
- speed without load: 13,000 rpm
- sanding area: 140 × 140 × 80 mm
- copper motor winding

Sheet Sander

FDB 200221-E



- voltage: 230 V / 50 Hz
- power: 200 W
- speed without load: 7,000–12,000 rpm
- power control (1–5)
- 3 exchangeable boards:
- 122 mm)
- 150 × 150 × 100 mm ■ 184 × 92 mm



practical kit included in the package

Electric Plane FDH 200801-E

- voltage: 230 V / 50 Hz
- input power: 800 W
- no-load motor speed: 0–17,000 rpm
- coverage width: 82 mm
- chip depth: 0-2 mm
- folding depth: 0-6 mm
- solid aluminium base

Orbital Sander

FDEB 200451-E



- voltage: 220 V / 50 Hz
- input power: 450 W
- speed without load 6,000–13,000 rpm
- sanding surface size 125 mm
- copper motor winding

Belt Sander

FDBP 200901-E



- voltage: 230 V / 50 Hz
- input power: 900 W
- grinding speed: 200–380 m³/min.
- belt size: 76 × 533 mm
- copper motor winding



Bench Sander FDSB 200251-E

- voltage: 230 V / 50 Hz
- input power: 250 W
- no-load motor speed: 2,960 rpm
- 2 grinding discs: 150 / 200 mm
- stable solid construction



Heat Gun FDHP 202000-E



air circulation: I. 300 Vmin, II. 500 Vmin

FDSP 200652-E

package content: 5 × attachment

Spray Gun

accessories

Heat Gun FDHP 202002-E







- voltage: 220 V, 50 Hz
- temperature adjustment: I: 50-450 °C, II.: 60-600 °C,
- air circulation: I. 250 l/min II.500 l/min



Spray Gun

package content:

■ 5 × attachment

plastic kit

FDSP 200651-E



- voltage: 230 V / 50 Hz
- input power: 650 W
- spray power: 105 W
- tank volume: 800 ml
- flexible hose length: 1.3 m

- voltage: 230 V/ 50 Zz
- input power: 650 W
- tank volume: 800 ml
- flexible hose length: 1.5 m
- engine: copper
- max. viscosity: 35 din-s

everything for your home and garden



Melt Glue Gun FDTP 2100-E



Melt Glue Gun FDTP 2020-E



Melt Glue Gun





- voltage/frequency: 230 V / 50 Hz
- input power: 100 W
- melt glue stick diameter: 11 mm
- melting ability: 9–16 g
- preheating time: 3–5 min
- voltage/frequency: 230 V / 50 Hz
- input power: 100 W
- melt glue stick diameter: 11 mm
- melting ability: 9-16 g
- preheating time: 3–5 min
- voltage/frequency: 230 V / 50 Hz
- input power: 20 W
- melt glue stick diameter: 7 mm
- melting ability: 3–6 g
- preheating time: 3–5 min
- voltage/frequency: 230 V / 50 Hz
- input power: 20 W
- melt glue stick diameter: 7 mm
- melting ability: 3–6 g
- preheating time: 3–5 min



- Li-ion 4 V / 1,500 mAh
 - melt glue stick diameter: 7 mm
 - preheating time: only 90 seconds



Melt Glue Sticks FDTP 9100
















- melt glue sticks transparent
- diameter: 11 mm
- for FDTP 2100-E / 2102-E





- coloured melt glue sticks
- diameter: 11 mm
- for FDTP 2100-E / 2102-E



- melt glue sticks transparent
- diameter: 7 mm
- for FDTP 2020-E / 2204-A



- coloured melt glue sticks
- diameter: 7 mm
- for FDTP 2020-E / 2204-A







OPTION TO PURCHASE A BROOM FDRM 901601



Electric Mixer

FDRM 202051-E

- voltage: 230 V / 50 hz
- input power: 2050 W
- speed without load: i: 0-460 rpm ii: 0-820 rpm
- sound pressure level: 92 db (a)
- vibration level on hands and arms 3,157 m/s²
- level of acoustic power 103 db (a)
- insulation class II
- weight 3.4 kg
- paddle size: 140 × 590 mm









Construction Generator

FZI 2300-B

- container volume: 15 l
- max. power: 2,400 W
- guaranteed performance: 2,100 W
- connections: 2× 230 V
- operating time: 12.5 h

Construction Mixer

FDSM 200120-E

- motor: electric 230 V / 50 Hz
- input power: 550 W
- weight: 48 kg
- drum volume: 120 l



everything for your home and garden



Welder

FDIS 20160-E

- voltage: 230 V / 50 Hz
- actual output current: 20–160 A
- electrode diameter: 1.6-4.0 mm
- state-of-the-art technologies: IGBT (smart protection), ARC FORCE, HOT START, Anti-Stick, input current: 33 A
- maximum output power: 7.2 kVA
- including earthing and welding cable



WORKSHOP

Laser Distance Meter 30 m

FDLM 1030



- measuring range: 0.2–30 m
- measurement accuracy: +/- 0.2 mm
- class 2 laser type, 630–670 nm <1 mW
- units: m/ft
- battery type: alkaline AAA 2 pcs
- single measurement function
- multiple measurement function
- beep and backlight function

Laser Distance Meter 40 m

FDLM 1040

USB



- measuring range: 0.2–40 m
- measurement accuracy: +/- 0.2 mm
- class 2 laser type, 630–670 nm <1 mW
- units: m/ft
- battery type: Li-ion, USB cable charging, USB cable included in the package
- multiple measurement function
- beep and backlight function
- round surface measurement function

Laser Distance Meter 50 m



- laser range finder
- measuring range: 0.05–50 m
- measurement accuracy: +/- 1.5 mm
- more units: m/ft
- single measurement, continuous measurement
- beep / backlight / water level

Cross Laser **FDLK 1025**

NEW



- cross laser
- measuring range: 25 m
- green laser colour

Laser Distance Meter with Tape Measure

FDLM 1045



NEW

- material: material: ABS + TPR + manganese steel with coating
- battery: 2× 1.5 V AAA battery
- laser measurement ranges: 40 m
- definition: ±2 mm; measuring unit: m/in/ft
- laser type: 635 nm≤1 mw
- working ranges of the meter: 0-5 m
- minimum scale: 1 mm
- tape width: 19 mm

Telescopic Tripod

FDLK 9025

- telescopic tripod for convenient measurement
- cross laser
- universal thread for other competitors' models

NEW



CAMPING

Do you enjoy spending time on a boat, in a camp, or anywhere without access to the mains? Or do you want to be prepared in case a strong wind, snowstorm, or other natural event cuts off your power supply? Portable generators from **FIELDMANN** can keep your refrigerator, lights, medical devices, and other equipment running. They also serves as a power source on construction sites, powering tools and lighting.

For travel in caravans, camping, or on boats, petrol generators from FIELDMANN are recommended. Equipped with inverter technology, they provide high-quality and stable voltage. You can confidently connect sensitive devices like TVs or computers to them. Thanks to their compact shape, sturdy handle, and reasonable weight, these generators are easily portable. Additionally, the FIELDMANN frame construction generator is a robust machine suitable for construction sites and gardens without access to electricity. It can also serve as a backup power source for households.



Petrol Generator

FZI 4010-Bi

- OHV motor 54 cm³
- maximum power 1,000 W, constant power 900 W
- inverter technology of el. output control
- outputs: 1× ~230 V / 50 Hz, 1× = 12 V, 1× USB
- tank volume 3 l
- operating time per tank up to 8.5 h
- weight: 15 kg
- we also offer the new FZI 4012 with max. power 1,200 W



Petrol Generator

FZI 4020-Bi

- OHV motor 80 cm³
- maximum power 1,800 W
- permanent power 1,600 W
- inverter technology of el. output control
- outputs: 1× ~230 V / 50 Hz, 1× = 12 V, 1× USB
- tank volume 4.5 l
- operating time per tank up to 6 h
- weight: 21 kg



Petrol Generator

FZI 4018-Bi

- OHV motor 80 cm³
- maximum power 1,800 W
- permanent power 1,600 W
- inverter technology of el. output control
- outputs: 1× ~230 V / 50 Hz, 1× = 12 V, 1× USB
- tank volume 4.1 l
- operating time per tank up to 6 h
- weight: 21 kg





MAIN ADVANTAGES

OF INVERTED POWER GENERATORS


- >> LOW WEIGHT
- >> LOW CONSUMPTION
- >> LOW NOISE
- >>> IDEAL FOR ELECTRONIC DEVICES (PC/TV)















- voltage/frequency 230 V / 50 Hz
- input power: 1,200 W
- ash suction up to 40 °C
- HEPA filter
- metal container 20 l
- metal hose 1 m
- aluminium tube 0.15 cm
- wheels
- power cord 4.3 m

- stated noise level 80 dB (A)
- the package includes HEPA filter FDU 9002
- plastic hose 1.5 m
- extension tube 0.85 cm
- floor nozzle
- tapered attachment
- rotating brush
- optional accessory:
- spare HEPA filter FDU 9003
- voltage/frequency 230 V / 50 Hz
- input power: 600 W
- ash suction up to 40 °C
- cotton filter
- metal container 11 l
- metal hose 1 m
- aluminium tube 0.15 m
- weight: 2.4 kg
- power cord 3 m
- declared noise level 80 dB (A)

optional accessory:

spare HEPA filter FDU 900601

Vacuum Cleaner for Ash and Dry Vacuuming



- voltage/frequency 230 V / 50 Hz
- input power: 800 W
- ash suction up to 40 °C
- cotton filter
- metal container 15 l
- metal hose 1 m
- aluminium tube 0.15 m
- weight: 3.2 kg
- power cord 3 m
- stated noise level 80 dB (A)

optional accessory:

spare cotton filter FDU 901001

Vacuum Cleaner for Ash and Dry Vacuuming FDU 201001-E



- voltage/frequency 230 V / 50 Hz
- input power: 1,000 W
- ash suction up to 40 °C
- cotton filter
- metal container 20 l
- metal hose 1 m
- aluminium tube 0.15 m
- weight: 4 kg
- power cord 3 m
- declared noise level 80 dB (A)

optional accessory:

spare cotton filter FDU 901001





Gola Tool Set FDG 5005-85R



- 3× pliers, 2× screwdriver: (-)(+) 6× 100 mm
- 1× handle for socket wrenches
- 8× open-end side wrench
- 3× tools: knife 18 mm, hammer, meter 5 m
- 2× ratchet handle with tilting head
- 3× attachment for 1/2"-1/4" socket wrench
- 1× three-way attachment, 2× universal joint
- 2×1/2" spark plug socket wrench
- 12× socket wrenches 1/4", 16 × sizes 1/2"
- 1× connecting member, 1× sliding rod 1/4"
- 6× main socket 1/4", 20× bit × 25 mmwith holder,
 2× hole punch (pick and flat chisel)

Gola Set FDG 5001-108R



- 18× 1/4" socket head with bits
- 26×1/4" socket head /extended / E
- 2×1/4" extension: 50 mm and 75 mm
- 1× 1/4" ratchet joint, 1 × 1/4" tap wrench
- 1× 1/4" screw handle, 1 × 1/4" ratchet
- 30×1/2" socket head / extended / E
- $2 \times \frac{1}{2}$ " extension: 125 mm and 250 mm
- 1× ½" ratchet joint, 1 × −½" ratchet
- 2×½" spark plug head: 16 and 21 mm
- 3× Allen key: 1.5, 2, 2.5 mm
 1× bit adapter
- 17× bit
- 1× kit

Tool Set FDG 5020-53R

CR-V



- 13×1/4" base: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
- 21×1/4" Bit base: SL 4, 5.5, 7, PH 1, 2, 3, PZ 1, 2, 3
- HW 3, 4, 5, 6, 7, 8, T10, 15, 20, 25, 30, 40
- 7 × 1/4" deep drawers: 6, 7, 8, 10, 12, 13, 14 mm
- 3× Allen key: 1.5, 2, 2.5 mm
- 1× 1/4" universal joint
- 2×1/4" extension rod: 2", 4"
- 1× 1/4" flexible extension: 6"
- 1× 1/4" sliding T Bar
- 1× 1/4" quick ratchet handle
- 1× 1/4" swivel handle: 6"
- 1 × 1/4" bit adapter
- 1×BMC



Gola Tool Set

FDG 5003-65R



- 23× socket wrenches 1/4"-3/8"
- 2× universal joint: 1/4" and 3/8"
- 2× socket wrench for spark plugs 3/8"
- 3× attachment for 1/4", 3/8" socket wrench
- 2× ratchet handle with tilting head
- 2× screwdriver (-)(+) 6× 100 mm
- 20× bit 25 mm + 1× connecting element
- 1× pliers with long jaws: 6"
- 1× pliers with sliding joint: 10"
- 1× diagonal pliers: 6"
- 1× cutting pliers: 7"
- 5× open-end side wrench
- 1× handle for socket wrenches

Set with Tools

FDG 5014-66R



- 1× combination pliers 6"
- 1× diagonal pliers 6"
- 1× plumbing pliers 10"
- 3× screwdriver: SL3/100, PH6/100, PH5/75 mm
- 1× handle for socket heads
- 1× tape measure 3 m
- 1× 8" adjustable wrench
- 8× Allen key
- 1× water level 6"
- 2× screwdriver with bits
- 4× wrench 8, 10, 12, 13 mm
- 1× hand saw
- 4× saw blade
- 1× hammer
- 2× file
- 1× magnetic attachment
- 32 pcs of bits with holder

Set with Tools

FDG 5013-138R



- 1× combination pliers 6"
- 2× screwdriver: SL6 / PH6 × 100 mm
- 1× handle for socket heads
- 4× tools: knife, hammer, water level, meter
- 8× socket head: 5–13 mm
- 1× 6" adjustable wrench + 8× Allen key
- 1× screwdriver with bits: PH00, 0, SL2, 2.4
- 24× bit 6/25 mm, 1× ratchet 1/4"
- 1× rubber adapter for hammer
- 80× dowel
- 1× screwdriver with tester
- 1× magnetic bit holder

Gola Tool Set

FDG 5002-54R



- 14× socket wrenches 3/8": 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 22, 24 mm
- 1× 3/8" ratchet handle with a lock
- 2× screwdriver SL 6×100 mm a PH 6 × 100 mm
- 22× attachments/holder
- 1× pliers with long jaws 6"
- 1× pliers with sliding joint 10"
- 1× diagonal pliers 6"
- 9× wrench to internal hexagon: 1.5–10 mm / holder
- 1× T-handle for 1/4" socket wrenches
- 1× universal joint 3/8"
- 1× connecting element 1/4"

Gola Tool Set


FDG 5006-60R



- 1× cutter knife
- 1× 6" diagonal pliers
- 1× 6" combination pliers
- 9× Allen key 1.5–10 mm

1× 3 m tape measure

- 9× 1/4" head 5–13 mm
- 1× 1/4" torque wrench 1× carpenter's hammer 340 g
- 1× bit holder
- 1× water level 9"
- 32×1" bit
- 1× magnetic bit holder





CR-V 108 pcs

Tool Set with Cordless Screwdriver FDG 5018-108AR

■ 1 pc of cordless screwdriver FDS 10102-A

- (7.0)/ (4.700 ALL:: 1 ...)
- (3.6 V / 1,300 mAh Li-ion battery)
- 1 pc of trimmer
- 1 pc of measure tape 3M
- 1 pc of adjustable wrench 6"
- 1 pc of water level 9"
- 1 pc of scissors 8.5"
- 4 pcs of precision screwdrivers SL2.4,3.0, PH00,0
- 1 pc of screwdriver handle
- 20 pcs of bits 25L
- 8 pcs of adjustable wrenches
- 1 pc of carpenter's hammer 8 oz
- 66 pcs of connecting shafts
- 1 pc of combination pliers 6"
- 1 pc of practical plastic kit

Gola Tool Set

FDG 5007-39R



- 1× combination pliers
- 12 -× bit 25 mm
- 8× Allen key 1.5-6 mm
- 2 pcs of screwdrivers: PH2 × 100 mm, SL6 × 100 mm
- 1× bit holder
- 1× 3/8" ratchet
- 9×3/8" socket head:

8, 10, 11, 12, 13, 14, 15, 17, 19

- 1× hammer 200 g
- 1× extension attachment 3/8" × 3"
- 1× 3/8" universal joint
- 2× 3/8" socket head for spark plugs 16, 21 mm

Tool Set

FDG 5017-36R



- 7×1/4" socket head
- 10× flat/cross wench / Allen key
- 1× attachment with handle, screwdriver 1/4"
- 1× bit holder
- 1× bit adapter
- 1× adjustable "monkey" wrench
- 1× cutter knife
- 1× tape measure tape, length 2 m
- 1× side cutting pliers, so-called wire cutters
- 1× combined pliers, so-called Kleins
- 1× pliers for fine mechanics, so-called telephone
- 2× precision screwdriver
- 6× Allen key (hex)

Gola Tool Set

FDG 5010-53R



- 1× combination pliers 6"
- 1× pliers with long jaws 6"
- 8× 3/8" socket head: 8–17 mm
- 1× 3/8" ratchet
- 1× 6" adjustable wrench
- 8× Allen key 1.5–6 mm
- 2× PH2/SL6 screwdriver × 100 m
- 1× bit holder
- 20× of 25 mm bits
- 1× hammer 200 g
- 1× water level 6"
- 1× tape measure 3 m
- 1× blade

Gola Tool Set

FDG 5015-51R



- 20× bit, 1× socket holder
- 1× magnetic bit holder
- 2× mini CRV screwdriver
- 1× crv screwdriver: 5× 100 mm (-, +)
- 1× 1/4" X3 extension attachment
- 7× CRV hex key: 1, 5–6 mm
- 12× socket head 1/4": 4, 4, 5, 5, 5, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm
- 1× 1/4" bit holder adapter
- 1× 1/4" ratchet handle
- 1× 6" long-nose pliers
- 1× 6" combination pliers
- 1× blade

Gola Set

FDG 5022-23R





- 16× 1/2" socket heads with dimensions:
- 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm
- 1× 1/2" ratchet 72 teeth
- 1× 1/2" universal joint
- 2× extension rods: 75 mm and 125 mm
- 1× extension rod with plastic sheath 250 mm
- 2× spark plug head: 16 and 21 mm
- Practical plastic case

Tool Set

FDG 5023-47R



- 11× 3/8" socket heads:
 8, 9, 10, 11, 12, 13,14, 15, 17, 19, 21 mm
- 1× spark plug socket 16 mm
- 1× bit adapter 3/8" x 1/4"
- 1× extension bar 3/8" x 3"
- 1× ratchet handle 3/8", 72 teeth
- 1× water pump pliers 10"
- 1× machine hammer 300 g
- 1× measuring tape 3 m
- 20× bit 1/4" × 25 mm: T8, T10, T15, T20, T25, T27, T30, PH0, PH1, PH2, PH3, PZ1, PZ2, PZ3, H3, H4, H5, H6, SL4
- 1× adapter
- 1× long nose pliers 6"
- 1× combination pliers 6"
- 3× screwdriver: 5X75MM, PH1 X 75MM, PH2X 100mm
- 1× screwdriver handle
- 2× precision screwdriver: PH0x50, SL2, 5x50mm
- 1× cutter 18 mm
- practical plastic case

Tool Set FDG 5024-325R







- the largest tool set in the FIELDMANN range
- premium plastic case with internal storage
- set contains 325 tools

Tool Set in Metal Case FDG 5021-114R







- 114-piece tool set
- all in a practical metal case
- including 3/8 and 1/4 ratchet with attachments
- including hammer, tape measure, screwdrivers
- including 2 pcs of insulating screwdrivers (certified)



WORKSHOP

Women's Tool Set


FDG 5019-51R



- premium quality
- 2× screwdriver PH 2 × 100, 6 × 100 mm
- 1× screwdriver handle
- 20× 25 mm bits, Cr-V
- hexagonal: 1.5, 2, 2.5, 3.4, 5, 6 mm
- torx: t8, 10, 15, 20, 25, 27, 30
- Phillips: #0, #1, #2, #3
- groove: 4 mm
- 1/4" adapter
- 9× 1/4" socket wrenches: 5-6-7-8-9-10-11-12-13 mm
 4× precision screwdrivers, Cr-V PH00×50, $PH000\times50 \text{ mm } 1,5\times50 \text{ mm}, 2,5\times50 \text{ mm}$
- 1× 18 mm blade
- 1× adjustable wrench 6"
- 8× set of hexagon wrenches: 1.5-2-2.5-3-4-5-5.5-6 mm
- 1× combination pliers 150 mm (6")
- 1× carpenter's hammer 8 oz
- 1× multifunctional scissors 200 mm
- 1× magnetic water level 228 mm
- 1× tape measure 3 m

Women's Tool Set

FDG 5016-71R



- spirit level 9" + hammer
- hammer cover
- cutter knife 18 mm
- 10 pcs of 18 mm spare knives
- scissors 8"
- tape measure, 3 m long
- 5 pcs of Allen keys 2–6 mm
- combination pliers 6"
- flat pliers 6"
- adjustable wrench 6"
- bit holder 6.35 mm
- 6 pcs of watchmaker's screwdrivers: PH000, 00, 0, SL 2.0, 2, 4, 3, 0,
- 30 pcs of 25 mm bits
- 10 pcs of cable tie

Women's Tool Set

FDG 5008-53R



- 1× combination pliers 6"
- 1× pliers with long jaws 6"
- 8× 3/8" socket head: 8–17 mm
- 1× 3/8" ratchet
- 1× 6" adjustable wrench
- 8× Allen key 1.5–6 mm
- 2× PH2/SL6 screwdriver × 100 m
- 1× bit holder
- 20× of 25 mm bits
- 1× hammer 200 g
- 1× water level 6"
- 1× tape measure 3 m
- 1× blade













practical set of 22 bits on key ring

Screwdriver + Bits


NEW

NEW

FDS 1020-29R







CR-V



- screwdriver with bits
- in practical packaging



practical tool set with 12 V cordless drill

Set of Screwdrivers FDS 5007-18R



- 4× flat-head screwdriver: 4.0× 75 mm, 6.5× 38 mm, 6.5× 100 mm, 8.0× 150 mm
- 4× Phillips screwdriver: PH1× 80 mm, PH2× 38 mm, PH2× 100 mm, PH3× 150 mm
- 10× small screwdriver with swivel for index finger
- wall mountable bracket

Set of Screwdrivers FDS 5008-18R



- 4× flat-head screwdriver
- 4× Phillips screwdriver
- 10× small screwdriver with swivel for index finger
- wall mountable bracket

Set of Screwdrivers FDS 5006-37R




- 4× Phillips screwdriver
- 4× flat-head screwdriver
- 8× small screwdriver
- 1× screwdriver for bits + 20× bits

Set of Screwdrivers FDS 1102-6R



- flat screwdrivers: 3.0 × 75 mm, 4.0×100 mm, 5.0×150 mm
- Phillips screwdrivers: 4.0 × 100 mm, 5.0×125 mm, 6.0×150 mm
- wall bracket or wall-mounted panel

Screwdriver + Bits FDS 1007-11R







- 5 pcs of cross bits and 5 pcs of flat bits
- option to use bits with lengths of 25 mm, 50 mm
- compatibility with the bit set FDS 9002-67R

Screwdriver + Bits FDS 1010-58R



- ratchet and set of bits inCR-V quality
- flexible attachment
- 42 bits
- 14 pcs of bit socket heads

Set of Screwdrivers FDS 5009-116R

- 24 screwdrivers, 8 precision screwdrivers
- 60 bits, 16 Allen keys
- 6 socket heads, 2 extensions





Tin Snips **FDNP 3301**



- 3 pcs of tin snips in a package
- possibility of cutting: left, right and straight
- ergonomically shaped handles

- screwdriver with ergonomic handle,

Set of Pliers

combined pliers 150 mm

diagonal pliers 150 mm

cutting pliers 150 mm

Set of Bits

FDS 9005-55R



- 53 pcs of 75 mm bits: Phillips: (0; 1; 2; 3)*2, Pozi: 0; 1; 2; 3, slotted: (3 mm; 4 mm; 5 mm; 6 mm)*2; 7 mm, Hex: (4 mm; 5 mm; 6 mm)*2, Torx: (T10; T15; T20; T25; T30; T40)*2
- wrench: (4; 6; 8; 10)*2, bit set: (6; 8; 10)*2
- 1 pc of 60 mm magnetic bit holder
- 1 connecting piece


Screwdriver + Bits

FDS 1021-48R

NEW







- screwdriver with bits
- in practical packaging

Bit Set with Screwdriver

FDS 1017-37R



Bits 6 mm:

- H 3, 4, 5, 6
- T 10, 15, 20, 25
- → SL 3, 4, 5, 6
- ⊕ PH 0, 1, 2, 3
- ♣ PZ 1, 2, 3
- S 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14

Bit Set with Screwdriver



Bits 6 mm:

- → SL 3, 4, 5, 6
- → PH 0, 1, 2, 3
- ₱ PZ 0, 1, 2, 3
- TX 10, 15, 20, 25
- H 3, 4, 5, 6
- screwdriver with ratchet
- extension attachment of 50 mm


Bit Set with Screwdriver



Bits 4 mm:

- SL 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0
- ⊕ PH 000, 00, 0, 1
- ₱ PZ 0, 1
- TX 4, 5, 6, 7, 8, 9, 10, 15, 20
- H 0.7, 0.9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0
- screwdriver with an extension attachment
- flexi attachment and magnifier

Bit Set with Screwdriver FDS 1009-41R



- → SL 3, 4, 5, 6, 7
- → PH 1, 2, 3
- **→** PZ 1, 2, 3
- TX 10, 15, 20, 25
- H 2, 3, 4, 5, 6
- 1/4" socket head:
- O M 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 13/32

Set of Bits

FDS 9002-67R



- Set of bits 6 mm 67 pcs
- 60 mm extension to extend the range

Bit Set with Screwdrivers

Mini Tool Set

FDS 1018-23R



- 15 pcs of 25 mm bits
- 6 pcs: 1/4 attachment 5, 6, 7, 8, 9, 10 mm
- 1 ratchet
- 1 attachment

Set of Hobby Knives

FDN 1002-16R



- 13 pcs of knives
- 2 pcs of scribers
- magnetic stripe
- handle

Hobby Knives

FDN 1003-14R



- Hobby knives 14 pcs
- 2× knife handle
- pumpkin cutters

CORDLESS STAPLE

GUN ALSO AVAILABLE,

FDS 1005-65R

CR-V 65 pcs

Bits 4 mm:

- SL 1.0, 1.5, 2.5
- → PH 000, 00, 0, 1
- ₽ PZ 0, 1
- TX 5, 6, 7, 8, 9, 10
- H 0.7, 0.9, 1.3 1.5, 2.0

1/4" socket head:

M 5.0, 6.0, 7.0, 8.0, 9.0,10.0, 11.0, 12.0, 13.0

Bits 6 mm:

- → SL 3, 4, 5, 6, 7
- ⊕ PH 0, 1, 2, 3
- ₱ PZ 0, 1, 2, 3
- TX 10, 15, 20, 25, 30, 40
- H 3, 4, 5, 6
- SQ 0, 1, 2, 3

Set of Bits FDS 9003-56R



- screwdriver with bits
- Bit 25 mm: PH1, PH2, PH3, PZ1, PZ2, PZ3 – 3×
- SL4.0, SL5.0, SL6.0 2×
- T10 mm, T15 mm, T20 mm, T25 mm, T27 mm, T30 mm, T40 mm - 2×
- TR10 mm, TR15 mm, TR20 mm, TR 25 mm, TR 27 mm, TR 30 mm, TR 40 mm - 1×
- H 3.0, H 4.0, H 5.0 1×
- Bit 75 mm:
- PH2, PH3, PZ1, PZ2, SL6.0 mm T20 mm, T25 mm - 1×

Staple Gun **FDN 3001**





SEE PAGE 108



- use for round/rectangular staples and nails
- meets TÜV/GS standards
- all-metal construction of the staple gun
- practical plastic kit with 1,500 staples included

SDS Plus Set **FDV 9151**



- SDS plus clamping system
- point chisel
- flat chisel
- grooving chisel

FDV 9004

Set of Iron Drills





- iron drills 6 pcs
- size: 3, 4, 5, 6, 8, 10
- 6 pcs of screw bits

Set of Masonry Drills **FDV 9006**






- set of Cobalt drills for masonry 6 pcs
- size 3, 4, 5, 6, 8, 10
- 6 pcs of screw bits

Set of Wood Drills FDV 9012








- set of wood drills 6 pcs
- size 3, 4, 5, 6, 8, 10
- 6 pcs of screw bits

Set of Drills **FDV 9101**

S FIELDMANN







NEW





Set of Drills FDV 9201



- metal drill set 39 pcs
- sizes: 4×1 mm; 1,5 mm; 2 mm; 2,5 mm; 3×3 mm;
- 4.5 mm; 5 mm; 5.5 mm; 6 mm; 1×8 mm; 10 mm

Set of Drills



- iron drills 27 pcs
- Premium Quality
- size: 2, 3, 4, 5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 12 mm

set of drills for masonry 18 pcs

■ sizes: 2× 3 mm, 2× 4 mm, 5× 5 mm, 5× 6 mm, 3× 8 mm, 1× 10 mm

Set of 9 Saw Blades

Ø 10 mm x 450 mm

Ø 12 mm x 450 mm

Ø 16 mm x 450 mm

Ø 22 mm x 450 mm

Ø 25 mm x 450 mm



- for wood/metal
- 3 pcs of saw blades designed for wood
- 4 pcs of saw blades designed for metal

Saw Blades, Wood FDP 9001





- 2× T 118 A wood 2–15 mm
- 2× T 144 D wood 3-30 mm
- 2× T 101 B wood 3-30 mm
- 2×T101A0 wood 5-50 mm 2×T101BR - metal 1-3 mm
- compatible with saws, see p. 82

Saw Blades Mix







- 2× T 118 A metal 1-3 mm
- 2× T 101 B wood 3-30 mm
- 2× T 111 C wood 4-50 mm
- 2×T 127 D metal 3-15 mm
- 2 × T 119 BO wood 2–15 mm
- compatible with saws, see p. 82





- for cordless and electric model grinders
- practical universal mounting
- for wood, plastic and metal
- set of 133 pieces clear storage box

- universal handle (1/2")
- compatible with saws, see p. 83

accessories

specia

and

Drills, bit sets

Tool Box 16.5"

FDN 4116

- material: quality plastic
- dimensions: 415 × 210 × 190 mm
- compartment for bits, dowels and screws
- reinforced handle



Tool Box 18.5"

FDN 4118

- material: quality plastic
- dimensions: 480 × 250 × 230 mm
- compartment for bits, dowels and screws
- reinforced handle



Tool Box 20" **FDN 4120**

NEW

- dimensions: 20"
- material: plastic
- handle
- plastic locks



Tool Box 22" **FDN 4122**

NEW

- dimensions: 22"
- material: plastic
- handle
- plastic locks










NEW

- practical tool case with ergonomic handle
- reinforced bottom









- size: 35 × 21 × 25 cm
- made of durable material











Multifunctional Table 5 in 1


FDN 4250

NEW


- the size of the work area: 94 (l) × 48 (w) cm
- working height: 52/66/80 cm
- load capacity: work bench mode, sawhorse mode – 150 kg, scaffold mode – 150 kg, creeper mode (for under-car work), handcart mode – 150 kg
- net weight: 13 kg / 15 kg













FDN 4150

- three-part tool box with built-in wheels and telescopic handle
- dimensions: 520 × 320 × 721 mm
- hardened plastic wheels







Telescopic Ladder FZZ 4004



- unique telescopic system
- dimensions when unfolded 260 × 47 × 9 cm
- dimensions when folded up 75 x 47 x 9 cm
- distance between rungs 29 cm
- aluminium thickness 1.3–1.5 mm
- maximum load 150 kg
- maximum length 2.6 m
- number of rungs 9
- weight: 7 kg

Telescopic Ladder FZZ 4002



- unique telescopic system
- dimensions when unfolded 320 × 48 × 8 cm
- dimensions when folded up 81 x 48 x 8 cm
- distance between rungs 29 cm
- aluminium thickness 1.3–1.5 mm
- maximum load 150 kg
- maximum length 3.2 m
- number of rungs 11
- weight: only 9.2 kg

Telescopic Ladder FZZ 4005



- unique telescopic system
- dimensions when folded up 87 x 48 x 9 cm
- dimensions when unfolded 380 × 48 × 9 cm
- distance between rungs 29 cm
- aluminium thickness 1.3-1.5 mm
- maximum load 150 kg
- maximum length 3.8 m
- number of rungs 13
- weight: 11 kg

Telescopic Ladder/Stepladder



- unique telescopic system
- dimensions when folded up 87 x 67 x 15 cm
- distance between rungs 29 cm
- aluminium thickness 1.3–1.5 mm
- maximum load 150 kg
- maximum stepladder length 1.6 m
- maximum ladder length 3.2 m
- number of rungs 10
- weight: only 11.5 kg

Three-Piece Universal Ladder 3 × 7

FZZ 4307



- number of rungs: 3 × 7
- length: 1.98-4.22 m (folded unfolded)
- stabilising base: approx. 70 cm
- weight: 9.5 kg
- load capacity: 150 kg
- material: drawn aluminium

Three-Piece Universal Ladder 3 × 9

FZZ 4309



- number of rungs: 3 × 9
- length: 2.54-5.90 m (folded – unfolded)
- stabilising base: approx. 80 cm
- weight: 12 kg
- load capacity: 150 kg
- material: drawn aluminium

Three-Piece Universal Ladder 3 × 11

FZZ 4311



- number of rungs: 3 × 11
- length: 3.10-7.58 m

(folded – unfolded)

- stabilising base: approx. 80 cm
- weight: 15 kg
- load capacity: 150 kg
- material: drawn aluminium

Telescopic Ladder/Stepladder FZZ 4006



- unique telescopic system
- dimensions when folded up 90 x 49 x 18 cm
- distance between rungs 29 cm
- aluminium thickness 1.3–1.5 mm
- maximum load 150 kg
- maximum stepladder length 2.2 m
- maximum ladder length 4.4 m
- number of rungs: 14, weight: 15 kg

To paint a room with a high ceiling and then hang curtains in equally tall windows, a simple chair or step stool usually won't suffice. In the garden, you may need to add a few metres to your height to harvest fruit from trees or clean gutters before winter. In such situations, stepladders or ladders are the only solution.

Concerned about not having enough space at home or in the workshop for them? You might be surprised how space-efficient modern ladders or stepladders are. They are telescopic, meaning you can easily adjust them to the height you need and fold them into a minimal size so that they don't take up so much space in the storage room or workshop. Additionally, they are easier to carry or transport, for example in the boot of a car.

Modern ladders and stepladders offer multiple functions simultaneously. For different heights or sloping terrain, the FIELDMANN brand offers a multifunctional ladder, which, thanks to the articulated mechanism, can be transformed not only into a ladder, but also into a scaffolding, capable of compensating for height differences, for example, between individual staircase steps. The special construction made of sturdy aluminium alloy ensures high stability even when fully deployed and allows for a high load capacity.



Metal Plates 2 pcs FZZ 9107



- metal plates for FZZ 4107
- load capacity 150 kg

Folding Platform FZZ 2001

 dimension when unfolded 103 x 41 x 49 cm

- platform dimensions 76 × 30 cm
- length when folded 78 cm
- aluminium thickness 1.0 mm
- weight: 3.6 kg





Compressed air can power a range of pneumatic tools, inflate tyres or precisely apply paint to furniture or bodywork. Blowing away dirt is an ideal option when you don't want or can't use a cleaning agent and cloth. A compressor is, therefore, a versatile helper in households, workshops, and garages.


FIELDMANN compressors with receiver are equipped with 24 and 50 litre tanks. These are sufficient for many tasks. The motor starts only when the air volume in the tank drops below a certain threshold. When inflating tyres, the adjustable pressure setting controlled by a pressure gauge is practical.

A portable air compressor helps not only in emergencies. Since it is powered from the car's cigarette lighter socket, you can use it literally anywhere and anytime. It can inflate standard tyres up to 2.4 bar in just 3 minutes. Moreover, it allows for convenient inflation of a pool, boat, or mattress directly by the water.









FDAK 201522-E



- voltage: 230 V / 50 Hz
- input power: 1,500 W
- rated power 2,800 rpm
- container volume 24 l
- max. pressure 8 bar
- approximate suction power 190 l/min
- weight: 26 kg

Air Compressor

FDAK 201552-E



- voltage: 230 V / 50 Hz
- input power: 1,500 W
- rated power 2,800 rpm
- container volume 50 l
- max. pressure 8 bar
- approximate suction power 190 l/min
- weight: 32 kg

Air Compressor

FDAK 201101-E

- voltage: 230 V / 50 Hz
- input power: 1,100 W
- air compressor without oil and tank
- suction capacity: 180 l/min
- PVC tube length: 3 m
- 8 pcs of accessories

Air Compressor

FDAK 12011

- plug to 12 V cigarette lighter
- pressure gauge in bar with an accuracy of 0.1 bar
- cylinder diameter 30 mm
- power cord 3 m
- hose with screw connector 1 m
- continuous operation up to 15 min
- inflation time of a normal tyre up to 2.4 bar: 3 min

Air Compressor

- power: 120 W
- 12 V cigarette lighter plug
- pressure gauge in bar with 0.01 bar accuracy
- power cord 2.8 m
- 0.6 m hose with screw connector
- inflation time of a normal tyre up to 2.4 bar: 3 min

Compressor Accessories Set

FDAK 901503-E

tire inflation gun with manometer

adapter and needles for inflating toys

spiral PU hose 5 m

Compressor Accessories Set FDAK 901504-E

- tire inflation gun with pressure gauge
- blow gun
- adapters and needles for inflating toys
- spiral PU hose 5 m



everything for your home and garden

Car Battery Charger 6 V / 12 V FDAN 12002



- voltage: 230 V / 50 Hz
- DC output, 6 V / 12 V, 2 A / 4 A
- display-charged, polarity reversal,
- excess current, protection against overheating
- suitable for cars, motorcycles, electric cars, toy cars, boats, etc. with 6 V / 12 V (4–120 Ah) lead acid battery

Car Brush/Scraper

FZO 5014

- with a scraper
- 2 in 1 brush and scraper
- abs plastic
- the total length is 52 cm
- bristle length 5 cm

Car Brush/Scraper

FZO 5015

- 2 in 1 brush and scraper
- softened, aluminium handle
- ABS plastic
- the total length is 60 cm
- bristle length: 5 cm

Bungee Cord

FDAG 1001

LC = 250 daN

LC = 350 daN

ratchet, arrester hooks

ratchet, arrester hooks

length: 2.5 × 500 cm

length: 2.5 × 500 cm

Straps with Ratchet

FDAG 1103 / FDAG 1104


material: PES – polyester fibres

material: PES – polyester fibres



- 8 pcs
- length: 40–100 cm
- thickness: 8 mm

Depth Gauge FDAM 0201



- automatic calibration
- range up to 25 mm

Tyre Gauge FDAM 0101



- automatic calibration
- range up to 12 bar
- deviation 0.05 bar
- LCD display
- units: bar, kPa, psi, kg/cm²

Car Organiser FDAP 60301



- folding car organiser
- number of storage compartments
- in the luggage compartment and for fastening on a free seat

Sun and Frost Protection For Windscreen

FDAZ 6001

Sun and Frost Protection For Windscreen FDAZ 6002



- size 1,300 × 600 mm
- mainly for summer use
- blocks harmful UV rays
- decreases inside temperature
- size 1,300 × 600 mm
- mainly for winter use
- blocks harmful UV rays
- reduces icing on the glass

Washing Set 6 pcs FDAC 1001



- window squeegee 1 pc
- fan squeegee
- 2 in 1 cleaning sponge (soft cotton / mesh structure)
- washing gloves 2 in 1 (microfibre / mesh structure)
- microfibre cloth





- universal
- easy installation
- point fixing
- improves the interior of the vehicle



- staple gun 4 V / 1,500 mAh
- integrated LED light for easier work
- suitable for attaching fabrics, foils, tarpaulins, plastic, leather and decorative materials
- USB adapter charging



- 7 pcs
- size 8, 10, 11, 12, 13, 14, 17
- new modern packaging (occupies less space in the workshop)




- 10× head 1/2": 10, 11, 12, 13, 14, 15, 16, 17, 19, 21 mm
- 1× extension attachment 1/2"
- 1× Ratchet 1/2" 45T with ergonomic handle
- Material Cr-V, AS-DRIVE function, holdermade of durable plastic



- precise focusing
- ideal for garden and home

Spanner Set FDN 1010





- combination wrench with offset box-end
- sizes: 6, 8, 10, 11, 12, 13, 14, 15, 17, 19, 22, 24
- hanging tarpaulin with option of rolling up

Metal Rack FDR 1800



- metal rack with 5 shelves
- dimensions: 90 × 40 × 180 cm
- frame: galvanised steel 0.7 mm thick
- shelf: MDF board with a thickness of 5 mm
- max. load of each shelf: 175 kg
- the shelf height can be adjusted according to the need
- easy and fast assembly without the use of screws
- versatile use: in workshops, garages, warehouses and offices
- plastic corner guards
- weight: 16 kg

Metal Rack

FDR 1820



- metal rack with 5 shelves
- dimensions: 120 × 40 × 180 cm
- frame: galvanised steel 0.7 mm thick
- shelf: MDF board with a thickness of 5 mm
- max. load of each shelf: 175 kg
- the shelf height can be adjusted according to the need
- helps maximise the use of your space
- easy and fast assembly without the use of screws
- versatile use: in workshops, garages, warehouses and offices
- plastic corner guards
- weight: 17 kg

Metal Rack

FDR 1840R



- corner rack with 5 shelves
- dimensions: 90 × 40 × 180 cm
- frame: galvanised steel 0.7 mm thick
- shelf: MDF board with a thickness of 5 mm
- max. load of each shelf: 175 kg
- the shelf height can be adjusted according to the need
- helps maximise the use of your space
- easy and fast assembly without the use of screws
- versatile use: in workshops, garages, warehouses and offices
- plastic corner guards





SPARE PARTS

AND ACCESSORIES

CORDLESS LAWN MOWERS	CODE	BLADE	CODE	BATTERY	CODE	CHARGER
FZR 70330 0	50005721	FZR 9038-A		FAST POWER 20 V		FAST POWER 20 V
FZR 70335 A	50004706	FZR 9035-A		FAST POWER 20 V		FAST POWER 20 V
FZR 70375 0	50004705	FZR 9034-A		FAST POWER 20 V		FAST POWER 20 V
FZR 70385 0	50005722	FZR 9039-A		FAST POWER 20 V		FAST POWER 20 V
FZR 70435 0	50005270	FZR 9037-A		FAST POWER 20 V		FAST POWER 20 V
FZR 70465-0	50007399	FZR 9043-A		FAST POWER 20 V		FAST POWER 20 V
FZR 80380-0	50005722	FZR 9039-A		MAX 40 V		MAX 40 V
FZR 80430-0	50005270	FZR 9037-A		MAX 40 V		MAX 40 V
FZR 80460-0	50007400	FZR 9044-A		MAX 40 V		MAX 40 V

CORDLESS TOOLS	CODE	CHARGER	CODE	BATTERY
FDV 10201-A / 10202-A	50003044	FDV 90201RN	50003044	FDV 90201
FDV 10205-A			50007274	FDV 90205
FDV 10301-A		FDV 90301N	50003654	FDV 90301
FDV 10250-A / 10249-A			50007386	FDV 90250
FDV 10252-A / 10253-A			50004687	FDV 90252
FDV 10345-A			50005666	FDV 90345
FDV 10350-A			50007396	FDV 90350
FDV 10352-55AR	50003704	FDV 90352RN	50003702	FDV 90352


ELECTRIC VACUUM CLEANERS	CODE	FILTER
FDU 2120-E	50002236	FDU 901001
FDU 2003-E	50001720	FDU 9004
FDU 2004-E	50001720	FDU 9004
FDU 201432-E	50003391/ 50003522	FDU 901432/ FDU 911432
FDU 2002-E	50001565	FDU 9003
FDU 200601-E	50002156	FDU 900601
FDU 200801-E	50002236	FDU 901001
FDU 201001-E	50002236	FDU 901001

CORDLESS GARDEN SHEARS	BATTERY	CODE
FZN 4101-2 A/AT	FZO 9003	50001967
FZN 5101-A	FZO 9005	50003792

PETROL MOWERS	CODE	BLADE
FZR 4003-79BH	50003262	FZR 9023-B
FZR 4006-80BH	50007403	FZR 9047-B
FZR 4210-B	50004342	FZR 9033-B
FZR 4611-144B	50002079	FZR 9019-B
FZR 4612-144B	50007351	FZR 9042-B
FZR 4616-144B/ BES	50002079	FZR 9019-B
FZR 4618-144BV	50002079	FZR 9019-B
FZR 4615-20LiBES	50005722	FZR 9039-B
FZR 5115-170B	50002080	FZR 9020-B
FZR 5114-170B/BV	50003596	FZR 9029-B
FZR 5316-B	50007404	FZR 9048-B
FZR 5611-B	50004343	FZR 9032-B
FZR 4212-139B	50007714	FZR 9053-B
FZR 5112-196BL	50007715	FZR 9054-B
FZR 5130-170B	50007711	FZR 9052-B

ELECTRIC LAWN MOWERS	MOWER BLADE	CODE
FZR 2021-E	FZR 9021-E	50002348
FZR 2025-E	FZR 9021-E	50002348
FZR 2031-E	FZR 9036-E	50004743
FZR 2037-E	FZR 9040-E	50005791
FZR 2048-E	FZR 9046-E	50007402
FZR 2022-E	FZR 9021-E	50002348
FZR 2033-E	FZR 9051-E	50007712
FZR 2041-E	FZR 9045-E	50007401







20 V SERIES	CODE	2 AH BATTERY	CODE	4 AH BAT- TERY	CODE	8 AH BAT- TERY	CODE	CHARGER	
100	AST POWER	50004543	FDUZ 79020	50004544	50004544	50007379	FDUZ 79080	50004602	FDUZ 79100
20	20 V							50004603	FDUZ 79110
								50007380	FDUZ 79200



40 V SERIES	CODE	4 AH BATTERY	CODE	CHARGER
40 V MAX LI-ION	50007361	FDUZ 89040	50007362	FDUZ 89100
			50007363	FDUZ 89110





SPARE PARTS AND ACCESSORIES

PETROL CHAIN SAWS	CODE	FIELDMANN CHAIN	CODE	FIELDMANN BLADE
FZP 3714-B	50002252	FZP 9017-B	50002253	FZP 9018-B
FZP 5316-B	50001275	FZP 9008-B	50002591	FZP 9020-B
FZP 5816-B	50004745	FZP 9027-B	50004744	FZP 9026-B
FZP 45016-B	50001275	FZP 9008-B	50002591	FZP 9020-B
FZP 56516-B	50001275	FZP 9008-B	50002591	FZP 9020-B
FZP 25410-B	50007397	FZP 9040-B	50007398	FZP 9041-B

CORDLESS CHAIN SAWS	CODE	FIELDMANN CHAIN	CODE	FIELDMANN BLADE	
FZP 70805-0	50004949	FZP 9029-A	50004948	FZP 9028-A	
FZP 70505-0	50004982	FZP 9031-A	50004981	FZP 9030-A	
FZP 70101-0	50007352	FZP 9036-A	50007353	FZP 9037-A	
FZP 70105-0	50007314	FZP 9034-A	50007315	FZP 9035-A	


ELECTRIC CHAIN SAWS	CODE	FIELDMANN CHAIN	CODE	FIELDMANN BLADE	CODE	CHAIN OREGON	CODE	BLADE OREGON
FZP 2105-E	50001704	FZP 9016	50001702	FZP 9014		8		
FZP 2005-E	50002931	FZP 9023	50000307	FZP 9002				
FZP 2025-E	50000306	FZP 9001	50000307	FZP 9002	50005313	FZP 9033-E	50005312	FZP 9032-E
FZP 2030-E	50000306	FZP 9001	50000307	FZP 9002	50005313	FZP 9033-E	50005312	FZP 9032-E
FZP 2110-E	50001704	FZP 9016	50001702	FZP 9014				
FZP 6005-E	50007368	FZP 9038-E	50007369	FZP 9039-E				

STRING TRIMMERS	CODE	NYLON STRING	CODE	REEL	CODE	COVER
FZS 2105-E	50004231	FZS 9017-60	50004074	FZS 9030	50004075	FZS 9031
FZS 2306-E	50001705	FZS 9019	50004076	FZS 9032	50004077	FZS 9033
FZS 2505-E	50001705	FZS 9019	50003392	FZS 9025	50003393	FZS 9026
FZS 2002-E	50001705	FZS 9019	50001323	FZS 9012	50001322	FZS 9011
FZS 2050-E	50001689	FZS 9020	50001691	FZS 9015		

CORDLESS STRING TRIMMERS	CODE	NYLON STRING 60 M	CODE	REEL	CODE	COVER	CODE	BATTERY
FZS 1005-A	50001705	FZS 9019	50003870	FZS 9029	50003981	FZS 9028	50003982	FZO 9004
FZS 70101-0	50001705	FZS 9019	50005723	FZS 9037				FAST POWER 20 V
FZS 70105-0	50001689	FZS 9020	50004920	FZS 9106				FAST POWER 20 V

PETROL BRUSH CUTTERS	CODE	NYLON STRING 60 M	CODE	STRING TRIMMER HEAD BASIC	CODE	STRING TRIM- MER HEAD TWIST&GO	CODE	MOWER BLADE	CODE	STRAP
FZS 3003-B	50001690	FZS 9021	50001683	FZS 9016	50004708	FZS 9023	50000519	FZS 9004	50003133	FZS 9052
FZS 3003-B	50001690	FZS 9021	50001683	FZS 9016	50004708	FZS 9023	50000519	FZS 9004	50003133	FZS 9052
FZS 4004-B	50001690	FZS 9021	50001683	FZS 9016	50004708	FZS 9023	50000519	FZS 9004	50003133	FZS 9052
FZS 5003-B	50001690	FZS 9021	50001683	FZS 9016	50004708	FZS 9023	50000519	FZS 9004	50003133	FZS 9052
FZS 5025-B	50001690	FZS 9021	50001683	FZS 9016	50004708	FZS 9023	50000519	FZS 9004	50003133	FZS 9052

CORDLESS BRUSH CUTTERS	CODE	NYLON STRING 60 M	CODE	MOWER HEAD	CODE	BLADE	CODE	BATTERY	CODE	CHARGER
FZS 70705-0	50001689	FZS 9020	50004950	FZS 9036 (reel + cover)	50000519	FZS 9004		FAST POWER 20 V		FAST POWER 20 V



FAST ČR, a. s. U Sanitasu 1621, Říčany u Prahy, 251 01

The products in this catalogue may be subject to change without notice due to technical improvements, adjustments in colour specifications and stock availability in specific countries. The manufacturer takes no responsibility for printing errors.

We can also repair the machines we sell to you! In our network of 32 service centres, we provide warranty and post-warranty service, always using original spare parts. You can also take advantage of preventive inspections or post-season inspections.

More information about the nearest service centre can be found on the website.

